8155-18

9/24/2002

e 175

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 2 4 2002

Mr. John Wiegand Director, Research & Development Canberra Corporation 3610 Holland - Sylvania Rd. Toledo, OH 43615

Subject: No. 800 Husky Germicidal Cleaner EPA Registration No. 8155-18 Application Date: 7/12/02 Receipt Date: 7/24/02

Dear Mr. Wiegand:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

. Response to PR Notice 2001-1.

CONDITIONS

Revise the label as follows:

1. On the second page of the label, under "General Use Instructions", insert the word "glazed" between surfaces and porcelain.

GENERAL COMMENTS

A stamped copy of the labeling accepted with conditions is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

CONCURRENCES								
SYMBOL	M75100	i						
SURNAME								
DATE	19-24-62					**************	******	

Should you have any questions or comments concerning this letter, please contact Zenobia jones at (703) 308-6198.

-

Sincerely,

~

fle

Velma Noble Product Manager 31 Regulatory Management Branch 1 Antimicrobial Division (7510C)

No. 800 HUSKY GERMICIDAL CLEANER

Kills Salmonella and E. coli. Cuts through dirt and grease.

A concentrated, neutral, disinfectant-cleaner, fungicide, virucide* and deodorizer with organic soil and hard water tolerance for hospital, institutional and industrial use.

ONE STEP GERMICIDAL DETERGENT AND DEODORANT EFFECTIVE AGAINST THE FOLLOWING ORGANISMS:

Pseudomonas aeruginosaPseudomonas aeruginosa(antibiotic resistant strain)Staphylococcus aureus(Methicillin resistant)Staphylococcus aureusSalmonella choleraesuisHIV-1(AIDS Virus)Enterococcus faecalis(Vancomycin Resistant)

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chlorides	2.31%
n-Alkyl(C14 50%, C12 40%, C16 10%) dimethyl benzyl ammonium chlorides	
OTHER INGREDIENTS	
	AL100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth to an unconscious person. Call a poison control center or doctor for further treatment advice. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

EPA REG. NO. 8155-18 EPA EST. NO. 8155-OH-1

NET CONTENTS: ONE GALLON

MANUFACTURED BY: CANBERRA CORPORATION TOLEDO, OHIO 43615 ACCEPTED with COMMENTS in EPA Letter Dated:

SEP 2 4 2002 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesuicide, registered under EPA Reg. No 8155-18

, - ••

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO3) in the presence of a moderate amount of soil(5% organic serum) according to the AOAC Use-Dilution Tests. Effective against the following organisms:

- Effective against the following of	Samono.							
Pseudomonas aeruginosa	Staphylococcus aureus	Salmonella choleraesuis						
Bordetella bronchiseptica	Staphylococcus aureus(Methicillin Resistant)							
Enterobacter aerogenes	Staphylococcus epidermidis	Enterobacter cloacae						
Escherichia coli	Klebsiella pneumoniae(Antibio	Klebsiella pneumoniae(Antibiotic Resistant)						
Escherichia coli(Antibiotic Resistant) Pasteurella multocida Proteus mirabilis								
Chlamydia psittaci	Proteus vulgaris	Streptococcus faecalis						
Shigella flexneri	Salmonella typhi	Streptococcus pyogenes						
Shigella sonnei	Salmonella typhimurium	Serratia marcescens						
Enterococcus faecalis(Antibiotic Resistant) Pseudomona aeruginosa(Antibiotic Resitant)								
Enterococcus faecalis(Vancomycin Resistant) (VRE)								
Staphylococcus epidermidis(Antibiotic Resistant)								
*Adenovirus Type 4	*Canine distemper	*Feline leukemia						
*Herpes Simplex Type 1	*HIV-1(AIDS VIRUS)	*Feline picornavirus						
*Herpes Simplex Type 2	*Influenza A/Hong Kong	*Pseudorabies						
*Rubella	*Vacccinia	*Rabies						
*Infectious bronchitis(AvianIBV)								
· · · · ·								

Candida albicans Trichophyton metagrophytes This product cuts through greasy soils and tough food stains to clean most kitchen surfaces. It also kills many household germs found in the kitchen, like E. coli, Salmonella, Staphylococcus and Streptococcus on hard non-porous surfaces such as filoors, walls, metal or plastic surfaces, such as kitchen appliances. It also helps to control the hazards of cross-

contamination of many germs on kitchen surfaces.

SINK		STOVE			GAI	GARBAGE CAN				FLOOR	
Р	I	С	Т	0	G	R	A	Μ	S		

(For retail disinfectant-cleaner label)

DIRECTIONS FOR USE:

To clean, disinfect and deodorize hard non-porous surfaces, use 2 ounces per gallon of water for a minimum contact time of 10 minutes for each application. The product can be applied with a mop, sponge, or cloth. Prepare a fresh solution for each use, then discard. Rinsing is not necessary unless floors are to be waxed or polished. Pre-clean to remove heavy soil before disinfection.

(For hospital, institutional disinfectant label)

DIRECTIONS FOR USE:

ť

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

General Use Instructions: Recommended for use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, veterinary clinics, pet shops, kennels, hotels and motels. Disinfects, cleans, and deodorizes hard, non-porous, inanimate environmental surfaces such as floors, walls, metal surfaces, plastic surfaces, stainless steel surfaces, porcelain, glazed porcelain surfaces, bathrooms, shower stalls, bathtubs, kitchens, counters, cinks, appliances and cabinets.

Application: Remove heavy soil deposits from surface. Then thoroughly wet surface with a solution of 2 ounces of concentrate per gallon of water. Solution can be applied with cloth, mop, sponge or coarse spray or by soaking. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of loors is not necessary unless they are to be waxed or polished. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

or diluted. Mildewstatic Instructions: Will effectively control the growth of mold and mildew plus the odors caused by them, when applied to hard non-porous surfaces such as wells, boors and table tops. Apply solution(2 ounces per gallon of water) with a cloth, mop sponge or coarse spray.¹¹ Harde sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears. SEP 2 4 2002 Insecticide Art a SEP 2 4 2002 Insecticide Art a SEP 2 4 2002 Insecticide Art a Milder the feederal Insecticide Art a Under the feederal Insecticide Art a Insecticide Insectide Insecticide Insecticide Insecticide Inse *KILLS HIV-1(AIDS VIRUS) on precleaned, environmental surfaces/objects previously soiled with blood/body fluids in health care settings, or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood /body fluids can be associated with the potential for transmission of Human immunodeficiency virus Type I (HIV-1)(associated with AIDS). SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1(AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection: Disposable latex or vinyl gloves. gowns, face masks or eye coverings as appropriate must be worn during all cleaning of blood/body fluids and during decontamination procedures. Cleaning Procedures: Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. Contact Time: HIV-1(AIDS virus) is inactivated after contact time of 4 minutes at 25°C(room temperature). Use a 10 minute contact time for other viruses, fungi and bacteria listed. Disposal of Infectious Materials: Blood/body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Precautionary Statements Hazard to Humans and Domestic Animals

CAUTION: Causes eye or skin irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FOR CONTAINERS 1 GALLON OR LESS:

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Do not store on side. Avoid creasing or impacting side walls. Do not reuse empty container. Discard in trash.

FOR CONTAINERS GREATER THAN 1 GALLON: STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Storage: Store in original container in areas inaccessible to children. Do not store on side. Avoid creasing or impacting side walls.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Triple rinse(or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned, stay out of smoke.

FOR CONTAINERS OVER 5 GALLONS:

Environmental Hazard

Do not disharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System(NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

	101
	610 8 6 4 8 6
ACCEPTED with COMMENTS in EPA Letter Dated: SEP 2 4 2002 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 8/55-/8	
`	