USDA Registration No. 8200-6



PINETENE DISINFECTANT

A fragrant bactericide and germicide with refreshing perfume Phenol Coefficient = 5 20° C. (AOAC Method) ACCEPTED

JUL 181968

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. LD UN ER NO 8200-6.. SUBJECT TO ATTACHED COMMENTS.

2200-6

ACTIVE INGREDIENTS:

Isopropanol	20.50%
Soan Emulsifier	5.80%
Sodium-chloro-ortho-phen I-phenate	4.5 %
Pure Steam Distilled Pine Oil	10.25%
INERT INGREDIENTS:	

DIRECTIONS: Always dilute with water before using. For maximum efficiency, clean surfaces well before applying disinfectant solution, and make sure solution comes in contact with all infected areas. Use warm water when possible. As a general disinfectant, apply a solution of 1 part Disinfectant to 80 parts water. Let this remain on surfaces as long as possible.

LOCKER ROOMS, URINALS, TOILETS, SINKS, FLOORS, ETC.: Clean thoroughly and apply a solution of 2 oz. disinfectant per gallon of water. AS A DEODORANT SPRAY: Use 2 oz. Disinfectant to each gallon of water. AS A GERMICIDAL RINSE: Use 2-4 oz. per gallon of water. Leave in contact with articles to be disinfected for several minutes.

CAUTION: POISONOUS IF TAKEN INTERNALLY. KEEP OUT OF REACH OF CHILDREN

w. Yapı

ANTIDOTE: Give milk, white of raw eggs, mucilage or corn-starch paste and follow with an emetic such as a tablespoon of mustard in a tumbler of warm water. Call a physician. Avoid prolonged or repeated contact with skin. Wash thoroughly.

NET CONTENTS_____GAL.

MANUFACTURED SOLELY BY MOSAN COMPANY • P. O. BOX 1799 • SPARTANBURG, S. C.

USDA Reg. No. 8200

PINE-TYPE DISINFECTANT

A fragrant bactericide and germicide with refreshing perfume Phenol Coefficient=5 20° C. (AOAC Method)

ACTIVE INGREDIENTS: Isopropanol Soap Sodium Chloro-ortho-phenylphenate Pure Steam Distilled Pine Oil 10.25 17.00%

INERT INGREDIENTS: Water 5895 3660%

DIRECTIONS: Always dilute with water before using. For maximum efficiency, clean surfaces well before applying disinfectant solution, and make sure solution comes in contact with all infected areas. Use warm water when possible. As a general disinfectant, apply a solution of 1 part Disinfectant to 80 parts water. Let this remain on surfaces as long as possible.

LOCKER ROOMS, URINALS, TOILETS, SINKS, FLOOR, ETC.: Clean thoroughly and apply a solution of 2 oz. disinfectant per gallon of water. AS A DEODORANT SPRAY: Use 2 oz. Disinfectant to each gallon of water. AS A GERMICIDAL RINSE: Use 2-4 oz. per gallon of water. Leave in contact with articles to be disinfected for several minutes.

CAUTION: POISONOUS IF TAKEN INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

ANTIDOTE: Give milk, white of raw eggs, mucilage or cornstarch paste and follow with emetic such as a tablespoon of mustard in a tumbler of warm water. Call a physician. Avoid prolonged or repeated contact with skin. Wash-thoroughly.

NET CONTENTSGA	GAI
----------------	-----

Manufactured for: