READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Rendy to use: Remove safety cap, point container toward plant, squeeze container---Shake container frequently.

Dust early morning or late evening when temperature is low and air is still. Apply to all parts, especially upper and lower leaf surfaces. Do not treat during excessively high temperatures (above 90 degrees F.) or damage may occur.

Insect control: On Roses, Dahlias, Chrysanthemums, Asters, Geraniums, Azaleas, Gladiolus, Camellias, Delphiniums, Begonias and other ornamentals for Fuller's Rose Weevil, Diabrotica Beetles, Aphids, Thrip, Red Spider, Ants, Lace Bugs, Mealy Bugs, Whitefly, Rose Leafhoppers, Omniverous Loopers and Armyworms. Treat when damage or insects first appear and at weekly intervals throughout growing season.


Disease control on Roses and other flowers: such as, Chrysanthemums and Iris for powdery mildew, leaf spot, black spot and rust: Start preventative dusting program as soon as foliage appears. Apply weekly throughout growing season.

CAUTION: Avoid breathing dust. Harmful if swallowed or inhaled. Avoid contamination of feed and foodstuffs. Avoid repeated contact of skin. May be a skin irritant. Wash thoroughly after using. Do not use within two weeks of an oil spray treatment. Avoid using on Boston, Maidenhair, Pteris and some species of Crassula.

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the contro! of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established practice. The Buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

PRODUCT No. 50483 U.S.D.A. REG. No. 8222-18
Packed for TOWN & COUNTRY ENTERPRISES
By GENERAL PACKAGING & CHEMICAL CORP.
Union City, California





ROSE & FLOWER GARDEN SQUEEZE DUSTER

CONTROL MAJOR PESTS, SUCH AS: APHID, POWDERY MILDEW, ROSE BEETLE, THRIP, BLACK SPOT, LEAF SPOT, RUST AND CERTAIN OTHER GARDEN PESTS.

ACTIVE INGREDIENTS: 'Malathion 4:00% 'Carbaryl I haphthy! % methylcarbamate 5:00% 'Captar 5:00% 'Captar 5:00% 'Captar 5:00% 'Captar 5:00% 'Captar 5:00% 'Captar 5:00% I Methylheptyl 4:5 dinitrophenyl crotonate 5:67% and other nitrophenols and derivatives chief . I methylheptyl 4:5 dinitrophenol 7:08% Sutchur 7:00% INERT INGREDIENTS 7:00% 'Captar 1:00% 'Captar 1:00% 'Captar 1:00% I Malathiophenols 1:00% 'Captar 1:00% 'Ca

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

Avoid contamination of feed and repeated contact of skin. May be sash thoroughly after using. Do not ks of an oil spray treatment. Avoid aidenhair, Pteris and some species

to be reliable. The use of this prond the control of the manufacturer,
ressed or implied, is made as to the
results to be obtained if not
nce with directions or established
were must assume all responsibility,
or damage, resulting from its misuse
abination with other materials.

483 U.S.D.A. REG. No. 8222—18
WN & COUNTRY ENTERPRISES
CKAGING & CHEMICAL CORP.
ion City, California

GARDEN SQUEEZE DUSTER CONTROL MAJOR PESTS, SUCH AS: APMID, POWDERY MILDEW, ROSE BEETLE, THRIP, BLACK SPOT, LEAF SPOT, RUST AND CERTAIN OTHER GARDEN PESTS.

*Malathion	4 00%
**Carbaryl (1-naohthyl N-methylcarbamate)	5.00%
****Captan*****2-(1-Methylheptyl)-4, 6-dinitrophenyl crotonate	5. ∪∪ ⁄⁄• 0.67%
and other nitrophenols and derivatives, chiefly	
1-methylheatyl-4, 6-dinitrophenol	0.08%
Sulphur	20. 00%
*O. O-Dimethyl Dithiophosphate of Diethyl mercaptosuccinate	
**Sevin registered trademark of Union Carbide Corporation U.S. Pat. Nos. 2903,478, 3,009,855	
N-Trichloromethylthio-4-cyclohexene-1, 2-Dicarboximide *Karathane Reg. T. M. Rohm & Haas Co.	

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE BACK PANEL FOR ADDITIONAL CAUTIONS.