PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of feed and foodstuffs. Use as a space spray in food processing plants only when the plant is not in operation. Foods should be removed during treatment. All food surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after treatment. Do not return patients to room until after ventilation.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed to do so by a physician.

IF IN EYES: Flush eyes with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash affected areas with plenty of soap and water.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public water unless this product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For most effective results, use in a good sprayer adjusted to deliver a fine mist for flying insects, a coarse spray for crawling insects.



FOR BAKERIES, FOOD PLANTS, RESTAURANTS, SCHOOLS, HOTELS, MOTELS, OFFICE BUILDINGS, HOSPITALS AND FOOD HANDLING PLANTS

ACTIVE INGREDIENTS:	
*+Resmethrin	.2.50%
INERT INGREDIENTS:	97.50%
TOTAL1	

*Cis/Trans Isomers Ratio: Max 30%(±) Cis and Min 70%(±) Trans. +U.S. Patent No. 3,465,007

KEEP OUT OF REACH OF CHILDREN **CAUTION**

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

EPA REG. NO 8612-51

Manufactured By

NET CONTENT

EPA EST NO 8612-TX-1

COMPANY

GALLON

Label No 923609

Dilute to 0.5% SBP-1382 concentrate to four parts (

Dilute to 0.25% SBP-138 concentrate to nine parts (

Dilute to 0.10% SBP-1382 adding one part by we petroleum distillate.

FLY

HOUSEFLIES, MOSQUITO Point nozzle upward, di especially windows and o Fill the room with mist, th for at least 15 minutes. V

WASPS: Application should rest. Spray liberally into insects as possible. Reper CRAW

ROACHES. EARWIGS. CENTIPEDES: Spray tl crevices, moist areas. refrigerators, baseboards where possible.

ANTS: Spray trails, nes possible. Repeat as neces

STOR

Do not contaminate wate STORAGE: Store in c children and pets. PESTICIDE DISPOSAL:

disposed of on site or at CONTAINER DISPOSAL recycling or recondition landfill, or incineration by burning. If burned

Seller' guarantee is limi the buyer assumes any r or handling and accepts tl

"Povlewed, n