



IMPORTANT: SELLERS GUARANTEE SHALL BE LIMITED TO THE TERMS OF THE LABEL, AND SUBJECT THERETO THE BUYER ASSUMES ANY RISK TO PERSON OR PROPERTY ARISING OUT OF USE OR HANDLING AND ACCEPTS THE PRODUCT ON THESE CONDITIONS.

CAUTION: HARMFUL IF SWALLOWED BY HUMANS, DOMESTIC ANIMALS OR PETS. THIS MATERIAL REDUCES CLOTTING OF BLOOD AND CAUSES BLEEDING. INTRAVENOUS AND ORAL ADMINISTRATION OF VITAMIN K COMBINED WITH BLOOD TRANSFUSIONS MAY BE INDICATED, AS IN CASE OF HEMORRHAGE CAUSED BY OVERDOSES OF BISHYDROXYCOUMARIN.

CONTAINER DISPOSAL: DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY PERFORATING OR CRUSHING. BURY OR DISCARD IN SAFE PLACE. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

TARLA-DIPHAS CONTAINS AN ANTI-COAGULANT CHEMICAL. ITS KILLING POWER FOR RATS AND MICE DEPENDS ON BEING CONSUMED REGULARLY IN SMALL DOSES UP TO A PERIOD OF 15 DAYS.

FISH AND WILDLIFE HAZARDS

TREATED BAITS MUST BE PLACED IN LOCATIONS NOT ACCESSIBLE TO CHILDREN, PETS, WILDLIFE AND DOMESTIC ANIMALS, OR IN TAMPER-PROOF BAIT BOXES. KEEP OUT OF LAKES, STREAMS AND PONDS. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

Sept. 17, 1976
86 ML-77

TARLA-DIPHAS BLUE

KILLS RATS and MICE

- FARMS • HOMES • DAIRIES • POULTRY YARDS
- WAREHOUSES • GRAIN ELEVATORS • FEED MILLS
- OUTBUILDINGS • DUMPS • WHARFS • BOATS

ACTIVE INGREDIENT:

SODIUM SALT OF DIPHACINONE =	
2-DIPHENYLACETYL-1,3-INDANDIONE, SODIUM SALT....	0.005%
INERT INGREDIENTS.....	99.995%
	100.00%

Anti-coagulant for Rodent Control

CAUTION: Keep Out of Reach of Children

SEE SIDE PANELS FOR ADDITIONAL CAUTIONS.

EPA REG. No. 9912-77
EPA Est. No. 9912-TX-7,000-1

MANUFACTURED BY



NET WEIGHT 5 POUNDS
LABEL No. 7255-1

DALLAS, TEXAS 75220



TARLA-DIPHAS BLUE

KILLS RATS and MICE

FARMS * HOMES * DAIRIES * POULTRY YARDS
WAREHOUSES * GRAIN ELEVATORS * FEED MILLS
OUTBUILDINGS * DUMPS * WHARFS * BOATS

ACTIVE INGREDIENT:	
SODIUM SALT OF DIPHACINONE =	
2-DIPHENYLACETYL-1,3-INDANDIONE, SODIUM SALT.....	0.005%
INERT INGREDIENTS.....	99.995%
	<hr/>
	100.00%

Anti-coagulant for Rodent Control

CAUTION: Keep Out of Reach of Children

SEE SIDE PANELS FOR ADDITIONAL CAUTIONS.

MANUFACTURED BY



DALLAS, TEXAS 75220

NET WEIGHT 5 POUNDS

LABEL No. 2255-1

PLACE TARLA-DIPHAS IN A PROTECTED SPOT WHERE THE RATS AND MICE ORDINARILY FEED, WATER OR TRAVEL. BAIT PLACEMENTS ARE DESIRABLE ALONG WALLS, IN CORNERS, AND IN CONCEALED LOCATIONS WHERE RATS AND MICE CAN FEED UNOBSERVED. IF BAIT BECOMES SOUR OR MOLDY (AS MAY BE THE CASE DURING PERIODS OF HUMID WEATHER), REPLACE WITH FRESH BAIT AS NEEDED. FOR TYPICAL SITES, INCLUDING FARMS, HOMES, WAREHOUSES AND OUTBUILDINGS CONSULT THE SPECIFIC RAT AND MOUSE DIRECTIONS BELOW. FOR OTHER SITES, CONSULT BOTH THOSE AND OTHER SPECIAL DIRECTIONS BELOW.

FOR CONTROL OF RATS AND MICE

FOR NORWAY AND ROOF RATS: USE 1/4 TO ONE POUND PER BAIT PLACEMENT. LOOK FOR TELL-TALE SIGNS AS GNAWINGS, TRACKS OR TRAILS, BURROWS, DROPPINGS, OR DAMAGE. MAINTAIN AN UNINTERRUPTED SUPPLY OF BAIT FOR AT LEAST 10 DAYS.

FOR HOUSE MICE: PLACE TEASPOONFUL AMOUNTS (1/4 TO 1/2 OUNCE) OF BAIT AT INTERVALS OF 8 TO 12 FEET. MAINTAIN AN UNINTERRUPTED SUPPLY OF BAIT FOR AT LEAST 15 DAYS.

FOR RODENT CONTROL ON WHARFS AND BOATS

SPECIAL PRECAUTIONS MUST BE TAKEN TO KEEP RODENT BAIT DRY IN WET, HUMID USE AREAS. PLACE BAIT IN WEATHERPROOF BAIT STATION IN A DRY PROTECTED AREA WHERE RATS AND MICE CAN FEED UNOBSERVED. CLEAN BAIT STATION AND REPLACE BAIT IF IT APPEARS MOLDY OR SOUR.

FOR USE IN DUMPS

IN AREAS SUBJECTED TO HEAVY AND REOCCURRING RODENT POPULATIONS, ESTABLISH PERMANENT BAIT STATIONS OF WEATHERPROOF CONSTRUCTION. REPLENISH WITH FRESH BAIT AS NEEDED.

DAIRIES, POULTRY YARDS, GRAIN ELEVATORS, FEED MILLS

DO NOT CONTAMINATE EGGS. BAIT PLACEMENTS MUST BE MADE IN TAMPER-RESISTANT BOXES.

12-77

12-TY-1,2,3,4-1