PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION
Warsful if swellowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to feed. In commercial food handling facilities, cover or remove any food and food processing equipment before application. Do not apply while food processing is under vay. After space spraying in food processing plants, thoroughly wash all equipment (benches, shelves, etc.) where exposed food will be handled, with an acceptable detergent solution and rinse with potable water. In the home, all food processing surfaces and utensite the state of the covered curing treatment or thoroughly weshed before eac. Remove

STATEMENT OF PRACTICAL TREATMENT

pets and birds and cover fish aquaria before spraying.

IF SWALLOWED: Contact a physician or Posson Control Center Issuedictally. Do not induce vorling unless directed to do so by a physician. Aspiration is a potential hazard.

IF MNALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN. Flush affected areas with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This preduct is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate, water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product has been succepted by U.S. Department of Agriculture - Food Safety and Inspection bervice for use in Federally inspected meet and poultry processing plants.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Fords should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned with an effective elemning compound followed by a potable water rinse before using



TAPP5-5 ME

MICRO EMULSION

CLEAR - STABLE ~ LEAVES NO OILY OR OBJECTIONABLE RESIDUE

Designed for use in edible product areas of official establishments operating under most, possitry, shell agg grading and egg products inspection programs and in other food precessing plants.

Apply with a conventional mechanical or compressed air equipment designed and adjusted to deliver a true seroso; mist.

ACTIVE INGREDIENTS	i						
Pyrethrins						0.5	٠
Piperonyl Butexide.	Te	SHUAL				5. 0	1
INERT INGREDIENTS			 	 			
					_	100	J,

*Equivalent to 4-0% (butylcarbity!) (6 propylpiperony!) ether and L 0% related compound.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

DO NOT TRANSPORT OR STORE UNDER 32° F

EPA REG NO 8612-EPA FST NO 8612-TX-1 LAHEL NO 928601



DALLAS, TEXAS 79880

HET CONTENTS



DIRECTIONS FOR USE (Continued)

Close windows and doors and shut off ventiliting sy fogger or vaporiser adjusted to deliver an aerosol sy macrons in diameter and B93 less than 30 micrans), ounce per 1980 cubic feet of space. Direct the springper corners of the area and behind obstructions, at least 15 minutes. Vacate the treated area and ven Repost treatment as necessary.

The above described application will kill accessible, including FRUIT FLIES, MOSQUITOES, SILVERFISH, CRICKETS. COCKROACHES. SPIDERS, SCORPIOI CLOVER MITES, CHEESE MITES, CHEESE SKIPPERS product posts: GRANARY MEEVILS, RICE WEEV BEETLES, SAW-TOOTHEO GRAIN BERTLES, SPIDE BEETLES, DRUGSTORE BEETLES, ANQUIS MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MC MEAL MOTHS and GRAIN MITES.

IN MUSHROOM PRODUCTION AND PROCESSING: 18USHROOM FLIES, FUNGUS GNATS and CECED F apply at a rate of 1 owner per 1900 cubs. feet of operated 3 to 19 feet away from bein and directed a Circulating fans anould be left in operation, but for should be turned off. In packing and canning plant to 2840 cubic feet of space.

STORAGE AND DISPO

DO NOT CONTAMINATE WATER, FOOD OR FEDISPOSAL.

STORAGE Store upright at room temperatus extreme temperatures.

PESTICIDE DISPOSAL. Wastes resulting from may be disposed of on site or at an approved wa-

CONTAINER DISPOSAL

Plastic Container Triple rinse (or equivalent) to reconditioning, or puncture and dispose of in if allowed by state and local authorities, by buost of smoke

Metal Container Triple rinse (or equivalent) the reconditioning, or puncture and dispose of in a other procedures approved by state and local au-

NOTICE

Seler's guarantee shall be limited to the terms of thereto, the buyer assumes any risks to persons or use or handling and accepts the product on these or

THEORY HOMAN SINIEMENIO

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment before application. Do not apply while food processing is under way. After space spraying in food processing plants, thoroughly wash all equipment (benches, shelves, etc.) where exposed food will be handled, with an acceptable detergent solution and rinse with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquaria before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not indu 2 vomiting unless directed to do so by a physician. Aspiration is a potential hazard.

if inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN Flush affected areas with plenty of water. Contact a physician if irritation persucts.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate, water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product has been accepted by U.S. Department of Agriculture - Food Safety and Inspection Service for use in Federally inspected meat and poultry processing plants.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before using.



TAPP5-5 ME MICRO EMULSION

CLEAR - STABLE - LEAVES NO OILY OR OBJECTIONABLE RESIDUE

Designed for use in edible pinduct areas of official establishments operating under meat, poultry, shell egg grading and egg products inspection programs and in other food processing plants.

Apply with a conventional mechanical or compressed air equipment designed and adjuated to deliver a true aerosol mist.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
*Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS:	94.58
_	100.03

*Equivalent to 4.0% (butykarbityl) (6-propylpiperonyl) ether and 1.0% related compound.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

DO NOT TRANSPORT OR STORE UNDER 32° F

EPA REG NO 8612-EPA EST NO 8612-TX-1

LABEL NO 926501



COMPANY Dallas, Texas 75220 NET CONTENTS

ACCEPTE

AUG 07 1990

