8622-39

05/06/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Brenda Burgess
ICL-IP America, Inc.
95 MacCorkle Ave., S.W.
South Charleston, WV 25303

MAY 0 6 2013

Product Name:

50-50 Preplant Soil Fumigant

EPA Reg. No.:

8622-39

Subject:

Label Amendment to delete Montreal Protocol phase out uses

EPA Decision Number:

476854

Dear Ms. Burgess,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable. A stamped copy of your label is enclosed for your records. This label supersedes all previously accepted labels.

You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after eighteen (18) months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Erin Malone at (703) 347-0253 or via email at malone.erin@epa.gov.

Sincerely,

Hope Johnson

Acting Product Manager 21

Fungicide Branch

Registration Division (7504P)

RESTRICTED USE PESTICIDE DUE TO ACUTE TOXICITY

For retail sale to and use by Certified Applicators, or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

50-50

PREPLANT SOIL FUMIGANT

FOR CONTROL OF NEMATODES, WIREWORMS, WEED SEEDS, FUNGUS DISEASES, GRUBS, AND SOIL-BORNE INSECTS

ACTIVE INGREDIENTS:

Methyl Bromide50% Chloropicrin50% TOTAL:.....100.0%

ACCEPTED4.0 lbs. of active ingredient per gal. (liquid in cylinder)

MAY 0 6 2013

ad Redenticide Act.

KEEP OUT OF REACH OF CHILDREN



DANGER

PELIGRO

POISON

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY. TAKE PERSON TO A DOCTOR OR TO AN EMERGENCY TREATMENT FACILITY.

	FIRST AID
If inhaled:	Move person to fresh air. Keep warm.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration,
	preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
If on skin or	Take off contaminated clothing.
clothing:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye
	Call a poison control center or doctor for treatment advice.
If swallowed:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
	Have the product container or label with you when calling a poison control center
	(1-800-222-1222) or doctor or when going for treatment.

NOTE TO PHYSICIAN

Early symptoms of overexposure to methyl bromide are dizziness, headache, nausea and vomiting, weakness, and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait, and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 8622-39

Manufactured for: ICL-IP America Inc.

95 MacCorkle Av South Charleston,		EPA Est.	
ICL-IP 002			03-13-13
CHEMTRE	RGENCY, CONTACT: C: (800) 424-9300 or (70 merica/ Clearon Emergence	,	ct calls accepted) [24 Hrs.] 6-3000 [24 Hrs.]
	NET CONTENTS	LBS./	KGS.
	Tabl	e of Contents	e.
Precautionary Stater Hazards to F Personal Pro User Safety Environment Physical or O Directions for Use Agricultural Terms Used Application Product Info Certified Ap Handlers Protection for Resp Resp Tarp Perfora Entry Restrict Mandatory O Maximum A	nents	Qualification, and Tro Work Triggers	1

Buffer Zone Distances	24
Buffer Zone Credits	25
Posting Fumigant Buffer Zones	27
Restrictions for Difficult to Evacuate Sites	
Emergency Preparedness and Response Measures	
Notice to State and Tribal Lead Agencies	
Emergency Response Plan	
Site-specific Fumigation Management Plan (FMP)	
Post-Application Summary	
Spill and Leak Procedures	
Storage and Disposal	
Warranty Disclaimer	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: D A N G E R

- Extremely hazardous liquid and vapor under pressure.
- Inhalation may be fatal or cause serious acute illness or delayed lung or nervous system injury.
- Do not breathe vapors. Liquid or excessive vapor can cause serious skin or eye injury, which may have a delayed onset.
- Do not get liquid on skin, in eyes, or on clothing.
- This product contains chloropicrin, which may be irritating to the upper respiratory tract, and even at low levels can cause painful irritation to the eyes, producing tearing. If these symptoms occur, leave the fumigation area immediately.
- Early symptoms of chloropicrin overexposure are lachrymation, respiratory distress and vomiting.

PERSONAL PROTECTION EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. For more options, follow the instructions for Category H on the chemical-resistance category selection chart. PPE constructed of Saranex, neoprene, and chlorinated polyethylene provide short-term contact or splash protection against liquid in this product. Longer-term protection is provided by PPE constructed of Viton, Teflon, and EVAL barrier laminates (for example, responder suits manufactured by Life-Guard or Silvershield gloves manufactured by North). Where chemical-resistant materials are required, leather, canvas, or cotton materials offer no protection from this product and must not be worn as the sole article of protection when contact with this product is possible. Where coveralls are required, they must be loose-fitting and constructed of woven fabrics (e.g., tight knit cotton or cotton/polyester), non-woven fabrics (e.g., Tyvek or Sontara), or fabrics containing microporous Teflon.

When performing tasks with NO potential for contact with liquid fumigant, all handlers (including applicators) must:

- Wear long-sleeved shirt, long pants, shoes and socks.
- Not wear jewelry, goggles, tight clothing, chemical-resistant gloves, rubber protective clothing, or rubber boots when handling.

Methyl bromide can be trapped inside clothing and cause skin injury.

Handlers with no potential contact with liquid fumigant (e.g. shovelers) may wear cotton, leather, or other porous, non-chemical resistant gloves. If such gloves are exposed to liquid fumigant, they must immediately be removed and discarded.

When performing tasks with potential for contact with liquid fumigant, all handlers (including applicators) must wear:

- Long-sleeved shirt and long pants,
- Chemical-resistant gloves,
- Chemical-resistant apron.
- Protective eyewear (Do NOT wear goggles), and
- Chemical-resistant footwear with socks.

In addition, when an air-purifying respirator is required under this label's *Directions for Use*, *Protection for Handlers*, *Respiratory Protection and/or Stop Work Triggers* section, handlers (including applicators) must wear a:

• NIOSH-certified full-facepiece air-purifying respirator with cartridges certified by the manufacturer for protection from exposure to methyl bromide at concentrations up to 5 ppm (e.g., a 3M air-purifying respirator equipped with 3M Model 60928 Organic Vapor/Acid Gas/P100 cartridges).

IMPORTANT: A self-contained breathing apparatus (SCBA) is not permitted for routine handler tasks.

If responding to an emergency when corrective action is needed to reduce air concentrations to acceptable levels, wear an SCBA. In addition wear PPE required for potential contact with liquid fumigant.

USER SAFETY REQUIREMENTS

- Immediately after contamination, remove outer clothing, shoes and socks, and do not reuse until thoroughly aerated or ventilated. Keep such clothing and shoes outdoors until thoroughly aerated.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.
- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Follow PPE manufacturer's instructions for cleaning/maintaining protective eyewear and respirators.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets on clothing. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

• This pesticide is toxic to mammals and birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

• Methyl bromide and chloropicrin have certain properties and characteristics in common with chemicals that have been detected in groundwater (methyl bromide and chloropicrin are highly soluble in water and have low adsorption to soil).

PHYSICAL AND CHEMICAL HAZARDS

- Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this furnigant may be severely corrosive to such metals.
- Do not permit water to be used to clean the fumigant pressure system, as corrosion will result. Diesel oil is satisfactory for this purpose.
- Do not use or store near heat, open flames, or sparking electrical equipment. Do not use application devices incorporating natural rubber.

DIRECTIONS FOR USE RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the application block from the start of the application until the entry restricted period ends, and in the buffer zone during the buffer zone period. For any requirements specific to your State or Tribe, consult the Agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It contains requirements for training, decontamination, notification, and emergency assistance. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS). No instructions elsewhere on this labeling relieve users from complying with the requirements of the WPS.

For the entry restricted period and notification requirements, see the *Entry Restricted Period* and *Notification* sections of this labeling.

PPE For Entry During the Entry-Restricted Period: PPE for entry that is permitted by this labeling is listed in the *Personal Protective Equipment (PPE)* section of this labeling.

Terms Used In This Labeling

Soil Fumigant Training Program: Certified applicator training that provides information on (1) how to correctly apply the fumigant, including how to comply with new label requirements; (2) how to protect handlers and bystanders; (3) how to determine buffer zone distances; (4) how to complete an FMP and the post-application summary; (5) how to determine when weather and other site-specific factors are not favorable for fumigant application; (6) how to comply with required GAPs and how to document compliance with GAPs in the FMP; and (7) how to develop and implement emergency response plans.

<u>Fumigant Safe Handling Information:</u> Information that must be provided annually to handlers that must include the following: (1) what fumigants are and how they work, (2) safe application and handling of soil fumigants, (3) air monitoring and respiratory protection requirements for handlers, (4) early signs and symptoms of exposure, (5) appropriate steps to take to mitigate exposures, (6) what to do in case of an emergency, and (7) how to report incidents.

<u>Application Block</u>: Area within the perimeter of the fumigated portion of a field or greenhouse (including furrows, irrigation ditches, roadways). The perimeter of the application block is the border that connects the outermost edges of total area treated with the fumigant product.

Application Rate: The ratio of fumigant mass applied compared to the soil surface area (e.g., lbs of product per acre). The application rate is expressed on this labeling in terms of either the "treated area application rate" or the "broadcast equivalent application rate." The "treated area application rate" relates to only the rate of fumigant applied to the portion of the field that is fumigated (e.g., rate within the bed or strips). The "broadcast equivalent application rate" relates to the rate of fumigant applied within the entire perimeter of the application block. For bedded and strip applications, the "broadcast equivalent application rate" must be calculated to determine the buffer zone distance required by this labeling.

<u>Start of the Application</u>: The time at which the fumigant is first delivered/dispensed into the soil in the application block.

<u>Application is Complete</u>: The time at which the fumigant has stopped being delivered/dispensed into the soil and the soil has been sealed; drip lines have been purged (if applicable).

<u>Entry Restricted Period</u>: This period begins at the start of the application and expires depending on the application method and if tarps are used when the tarps are perforated and removed. Entry into the application block during this period is only allowed for appropriately PPE-equipped handlers performing handling tasks. See the *Entry Restricted Period and Notification* section for additional information.

<u>Buffer Zone</u>: An area established around the perimeter of each application block. The buffer zone must extend outward from the edge of the application block perimeter equally in all directions.

<u>Buffer Zone Period</u>: Begins at the start of the application and lasts for a minimum of 48-hours after the application is complete. Non-handlers must be excluded from the buffer zone during the buffer zone period.

<u>Difficult to Evacuate Sites</u>: Pre-K to Grade 12 schools, state licensed daycare centers, nursing homes, assisted living facilities, hospitals, in-patient clinics, and prisons.

Owner: Any person who has a present possessory interest (fee, leasehold, rental, or other) in an agricultural establishment. A person who has both leased such agricultural establishment to another person and granted that same person the right and full authority to manage and govern the use of such agricultural establishment is not an owner. See definition of "owner" in WPS (40 CFR §170.3).

<u>Roadway:</u> Portion of a street or highway improved, designed or ordinarily used for vehicular travel, exclusive of the sidewalk or shoulder even if such sidewalk or shoulder is used by persons riding bicycles. In the event a highway includes two or more separated roadways, the term *roadway* shall refer to any such roadway separately.

Representative Handling Task: For air monitoring, the locations and handler activities sampled must represent each handler's exposure occurring within the application block. For example, for an application consisting of a seven-handler crew (1 tractor driver, 1 tractor co-pilot, 4 shovelers, and 1 certified applicator supervising) two breathing zone samples could be collected: one sample for the

tractor co-pilot and one sample for a downwind shoveler. Results of previous sampling may indicate which tasks and locations are worst case and therefore representative of all handlers.

APPLICATION RESTRICTIONS

- The use of this product is restricted to the methods described in this label.
- This product may only be used for the following:
 - Crops/uses at locations that at the time of the application qualify for exemptions under the Montreal Protocol as identified in Table 1 (Maximum Application Rates for Crops/Uses with Critical Use Exemptions), or
 - Crops/uses identified in Table 2 (Maximum Application Rates for Quarantine Uses) of this labeling, or
 - Crop/uses identified in Table 3 (Maximum Application Rates for Crops/Uses without Exemptions) of this labeling.
- Tarps must be used for all applications.
- The maximum application block sizes allowed are:
 - o 100 acres for tarped bedded and broadcast applications.

PRODUCT INFORMATION

50-50 Preplant Soil Furnigant is used for the control of soil-borne pests such as:

- Wireworms. June beetle larvae, white grubs and garden symphylian in the soil at the time of planting.
- Soil-borne fungi, including Vertcillium, Fusarium, Pythium, Rhizoctonia, Phytophthora, Pyrenochaeta, Sclerotinia, Sclerotium, Armillaria, and the clubroot organism, Plasmodiophora.
- Nematodes (such as Criconemoides, Tyenchus, Pratlylenchus, Xiphinema and Paratylenchus species)
- Broadleaf and grassy weeds, such as annual bluegrass, broomrape, common lambsquarters, torpedograss, nutsedge, Bermudagrass and quackgrass at higher rates.

50-50 Preplant Soil Fumigant is not effective against mallow, filaree, dodder, some species of clover, and certain other hard seeded weeds. Only crops listed in Tables 1,2, and 3 can be treated with 50-50 Preplant Soil Fumigant. See the *Application Restrictions* section for additional requirements.

SPECIFIC DIRECTIONS FOR USE

This fumigant is a highly hazardous material and should be used only by individuals trained in its proper use. Before using, read and follow all label precautions and directions.

All persons working with this fumigant must be knowledgeable about the hazards, and trained in the use of required respirator equipment and detector devices, emergency procedures, and proper use of the fumigant.

Do not furnigate with this product when soil temperature is below 50° F at 6 to 8 inches.

PRECAUTIONS FOR USAGE PRIOR TO, DURING, AND AFTER SOIL FUMIGATION Prior to Fumigation: Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.

Never fumigate alone. It is imperative always to have an assistant and proper protective equipment in

case of accidents.

Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.

Handle this fumigant in the open, with the operator "upwind" from the container where there is good ventilation.

When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons additional water must be available from the service truck. This water must be potable and in containers marked "Decontamination water not to be used for drinking".

During Fumigation: When changing the cylinders, be certain they are turned off and fumigant system is not under pressure. Do not open the system when there are people or structures downwind.

After Fumigation: Keep pets, livestock, and other domestic animals out of the treated area during application, during the exposure period as specified for applications in Directions for Use, and during removal of tarpaulin.

Two trained persons must be present during removal of tarpaulins.

CERTIFIED APPLICATOR TRAINING

Any certified applicator supervising a soil fumigant application must have successfully completed one of the soil fumigant training programs listed on the following EPA website www.epa.gov/fumiganttraining for the active ingredient(s) in this product. The training must be completed in the time frames listed on the website. The FMP must document the date and location where the soil fumigant training program was completed.

HANDLERS

The following activities are prohibited from being performed by anyone other than persons who have been appropriately trained and equipped as handlers in accordance with the requirements in WPS (40 CFR Part 170):

- Monitoring fumigant air concentrations;
- Cleaning up fumigant spills (this does not include emergency personnel not associated with the application);
- Handling or disposing of fumigant containers;
- Cleaning, handling, adjusting, or repairing the parts of application equipment that may contain fumigant residues; and
- Performing any handling tasks as defined by the WPS (40 CFR 170).

The following activities are prohibited from being performed in the application block from the start of the application until the entry restricted period ends and in the buffer zone during the buffer zone period by anyone other than persons who have been appropriately trained and equipped as handlers in accordance with the requirements in WPS (40 CFR Part 170). (NOTE: persons repairing and

monitoring tarps are considered handlers for the duration listed below). Prohibited activities (except for trained and equipped handlers) include:

- Participating in the application as supervisors, loaders, drivers, tractor co-pilots, shovelers, cross ditchers, or as other direct application participants;
- Installing, repairing, operating, or removing irrigation equipment;
- Performing scouting, crop advising, or monitoring tasks;
- Installing, perforating (cutting, punching, slicing, poking), or removing tarps; and
- Repairing or monitoring tarps until 14 days after application is complete if tarps are not perforated and removed during those 14 days.

NOTE: see *Tarp Perforation and/or Removal* section on this labeling for requirements about when tarps are allowed to be perforated.

Handlers do not include local, state, or federal officials performing inspection, sampling, or other similar official duties.

PROTECTION FOR HANDLERS

Supervision of Handlers

For all applications: from the start of the application until the fumigant has stopped being delivered/dispensed into the soil, i.e., after the soil is sealed, the certified applicator must be at the fumigation site in the line of sight of the application and must directly supervise all persons performing handling activities.

For handling activities that take place after the fumigant has been delivered/dispensed into the soil until the entry restricted period expires, the certified applicator does not have to be on-site, but must have communicated in a manner that can be understood by the site owner/operator and handlers responsible for carrying out those activities the information necessary to comply with the label and procedures described in the FMP (e.g., emergency response plans and procedures).

IMPORTANT: This requirement does not override the requirements in the Worker Protection Standard for Agricultural Pesticides for information exchange between owners/operators of agricultural establishments and commercial pesticide applicators.

The certified applicator must provide Fumigant Safe Handling Information to each handler or confirm that within the past 12 months, each handler has received Fumigant Safe Handling Information in a manner that he/she can understand. Fumigant Safe Handling Information will be provided where this product is purchased or at http://www.epa.gov/fumiganttraining.

For all handling tasks at least two handlers must be present.

Exception: After the application is complete, only one trained handler is required to perform fumigant site monitoring tasks outside of the buffer zone.

Exclusion of Non Handlers From Application Block Block and Buffer Zone

The certified applicator supervising the application and the owner of the establishment where the application is taking place must make sure that all persons who are not trained and PPE-equipped and who are not performing one of the handling tasks as stated in this labeling are:

• excluded from the application block during the entry restricted period, and

• excluded from the buffer zone during the buffer zone period (see buffer zone exemption for transit on roadways in *Buffer Zone Requirements* section).

Local, state, or federal officials performing inspection, sampling, or other similar official duties are not excluded from the application block or the buffer zone by this labeling. The certified applicator supervising the application and the owner of the establishment where the application is taking place are not authorized to, or responsible for, excluding those officials from the application block or the buffer zone.

Providing, Cleaning, and Maintaining PPE

The employer of any handler (as stated in this label) must make sure that all handlers are provided and correctly wear the required PPE. The PPE must be cleaned and maintained as required by the Worker Protection Standard for Agricultural Pesticides.

Air-Purifying Respirator Availability for Pre-Plant Soil Uses

The employer of any handler must confirm that an air-purifying respirator and appropriate cartridges of the type specified in the PPE section of this labeling are immediately available for each handler who will wear one. At a minimum two handlers must have the appropriate air-purifying respirator and cartridges available (see *Respirator Fit Testing, Medical Qualification, and Training* section for additional requirements).

Exception: Air-purifying respirators do not need to be made available for handlers performing fumigant site monitoring tasks outside of the buffer zone.

Respirator Fit Testing, Medical Qualification, and Training

Using a program that conforms to OSHA's requirements (see 29 CFR Part 1910.134), employers must verify that any handler who uses a respirator is:

- Fit-tested and fit-checked,
- · Trained, and
- Examined by a qualified medical practitioner to ensure physical ability to safely wear the style of respirator to be worn. A qualified medical practitioner is a physician or other licensed health care professional who will evaluate the ability of a worker to wear a respirator. The initial evaluation consists of a questionnaire that asks about medical conditions (such as a heart condition) that would be problematic for respirator use. If concerns are identified, then additional evaluations, such as a physical exam, might be necessary. The initial evaluation must be done before respirator use begins. Handlers must be reexamined by a qualified medical practitioner if their health status or respirator style or use-conditions change.
- Upon request by local/state/federal/tribal enforcement personnel, employers must provide documentation demonstrating how they have complied with these requirements.

RESPIRATORY PROTECTION AND STOP WORK TRIGGERS

The following procedures must be followed to determine whether an air-purifying respirator is required or if operations must cease for any person performing a handling task (except for fumigant site monitoring outside of the buffer zone) as stated in this label.

- If at any time any handler experiences sensory irritation (tearing, burning of the eyes or nose) then either:
 - o A full-facepiece air-purifying respirator must be worn by all handlers who remain in the application block or surrounding buffer zone, or
 - Operations must cease and handlers not wearing a full-facepiece air-purifying respirator must

leave the application block and surrounding buffer zone.

- Handlers can remove full-facepiece air-purifying respirators or resume operations if two consecutive breathing-zone samples taken at the handling site at least 15 minutes apart show that levels of methyl bromide have decreased to less than 1 ppm and levels of chloropicrin have decreased to less than 0.15 ppm, provided that handlers do not experience sensory irritation. During the collection of air samples, a full-facepiece air-purifying respirator must be worn by the handler taking the air samples. Samples must be taken at the location where the irritation was first experienced.
- When using monitoring devices to monitor air concentration levels, a direct read detection device, such as an electronic device or a colorimetric device (e.g., Matheson-Kitagawa, Draeger, or Sensidyne) must be used. The devices must have sensitivity of at least 1 ppm for methyl bromide and 0.15 ppm for chloropicrin. Persons using direct read detection devices must follow the manufacturer's directions.
- When breathing zone samples are required, they must be taken outside respiratory protection equipment and within a 10 inch radius of the handler's nose and mouth.
- When full-facepiece air-purifying respirators are worn, air monitoring samples must be collected at least every 2 hours in the breathing zone of a handler performing a representative handling task.
- If at any time: (1) a handler experiences sensory irritation when wearing a full-facepiece air-purifying respirator, or (2) a methyl bromide air sample is greater than 5 ppm or a chloropicrin air sample is greater than or equal to 1.5 ppm, then all handler activities must cease and handlers must be removed from the application block and surrounding buffer zone.
- Handlers can resume work activities without full-facepiece air-purifying respirators if two consecutive breathing-zone samples taken at the handling site at least 15 minutes apart show levels of methyl bromide have decreased to less than 1 ppm and levels of chloropicrin have decreased to less than 0.15 ppm, provided that handlers do not experience sensory irritation. During the collection of air samples a full-facepiece air-purifying respirator must be worn by the handler taking the air samples. Samples must be taken at the location where: (1) the irritation was first experienced, or (2) where sample(s) were greater than 5 ppm for methyl bromide or, (3) where sample(s) were greater than or equal to 1.5 ppm for chloropicrin.
- Handlers can resume work activities if all of the following conditions exist provided a full-facepiece air-purifying respirator is worn:
 - o two consecutive breathing zone samples for methyl bromide taken at the handling site at least 15 minutes apart each must be less than or equal to 5 ppm.
 - o two consecutive breathing zone samples for chloropicrin taken at the handling site at least 15 minutes apart must be less than 1.5 ppm.
 - handlers do not experience sensory irritation while wearing the full-facepiece air-purifying, and filter cartridges have been changed.
 During the collection of air samples a full-facepiece air-purifying respirator must be worn by the
 - handler taking the air samples. Samples must be taken at the location where: (1) the irritation was first experienced, or (2) where sample(s) were greater than 5 ppm for methyl bromide or, (3) where sample(s) were greater than or equal to 1.5 ppm for chloropicrin.

TARP PERFORATION AND/OR REMOVAL

IMPORTANT: Persons perforating, repairing, removing, and/or monitoring tarps are defined, within certain time limitations, as handlers (see *Handlers* section), and they must be provided the PPE and

other protections for handlers as required on this labeling and in the Worker Protection Standard for Agricultural Pesticides.

- Tarps must not be perforated until a minimum of 5 days (120 hours) have elapsed after the application is complete, unless a weather condition exists which necessitates early tarp perforation or removal (see Early Tarp Removal for Broadcast Applications Only and Early Tarp Perforation during Flood Prevention Activities for Bedded Applications Only requirements).
- If tarps are perforated within 14 days after the application is complete, tarp removal must not begin until at least 2 hours after tarp perforation is complete and 2 consecutive methyl bromide air monitoring samples taken at least 15 minutes apart are less than 5 ppm. Air samples must be taken in the breathing zone of the handler. If the 2 consecutive air monitoring samples indicate that methyl bromide levels are:
 - Less than 1 ppm and no sensory irritation is experienced, no respiratory protections is required to begin tarp removal.
 - o Between 1 ppm and 5 ppm, then an air-purifying respirator is required to begin tarp removal.
 - See the Respiratory Protection and Stop Work Triggers and Personal Protective Equipment (PPE) sections for additional requirements.
- If tarps are not perforated or removed within 14 days after the application is complete, planting or transplanting may take place while the tarps are being perforated.
- Each tarp panel used for broadcast application must be perforated.
- Tarps may be perforated manually ONLY for the following situations:
 - O At the beginning of each row when a coulter blade (or other device which performs similarly) is used on a motorized vehicle such as an ATV.
 - o In fields that are 1 acre or less.
 - o During flood prevention activities.
- In all other instances, tarps must be perforated (cut, punched, poked, or sliced) only by mechanical methods.
- Tarp perforation for broadcast applications must be completed before noon.
- For broadcast applications, tarps must not be perforated if rainfall is expected within 12 hours.
- Early Tarp Removal for Broadcast Applications Only:
 - O Tarps may be removed before the required 5 days (120 hours) if adverse weather conditions have compromised the integrity of the tarp, provided that the compromised tarp poses a safety hazard. Adverse weather includes high wind, hail, or storms that blow tarps off the field and create a hazard, e.g., tarps blowing into power lines and onto roads. A compromised tarp is a tarp that due to an adverse weather condition is no longer performing its intended function and is creating a hazard.
- Early Tarp Perforation during Flood Prevention Activities for Bedded Applications Only:
 - o Tarp perforation is allowed before the 5 days (120 hours) have elapsed.
 - o Tarps must be immediately retucked and packed after soil removal.
- When perforating any tarp that qualifies for a 60% or greater reduction in buffer zone distance following broadcast shank applications:
 - o All handlers must wear an air purifying respirator when perforating the tarp; and
 - o Tarp removal must not begin until at least 2 hours after tarp perforation is complete and 2 consecutive air monitoring samples taken at least 15 minutes apart are less than 5 ppm. Air samples must be taken in the breathing zone of the handler. If the 2 consecutive air monitoring samples indicate that methyl bromide levels are:
 - o Less than 1 ppm and no sensory irritation is experienced, no respiratory protections is required to begin tarp removal.
 - o Between 1 ppm and 5 ppm, then an air-purifying respirator is required to begin tarp removal.

See the Respiratory Protection and Stop Work Triggers and Personal Protective Equipment (PPE) sections for additional requirements. See www.tarpcredits.epa.gov for a list of tarps that have been tested and determined to qualify for buffer reduction credits.

ENTRY RESTRICTED PERIOD AND NOTIFICATION

ENTRY RESTRICTED PERIOD

Entry into the application block (including early entry that would otherwise be permitted under the WPS) by any person – other than a correctly trained and PPE-equipped handler who is performing a handling task listed on this labeling – is PROHIBITED - from the start of the application until:

- 5 days (120 hours) after the application is complete for untarped applications, or
- 5 days (120 hours) after the application is complete if tarps are not perforated and removed for at least 14 days after the application is complete, or
- 48 hours after tarp perforation is complete if tarps will be perforated within 14 days after the application is complete and will not be removed for at least 14 days after the application is complete, or
- tarp removal is completed if tarps are both perforated and removed less than 14 days after application is complete.

NOTES:

- O See Tarp Perforation and/or Removal section on this labeling for requirements about when tarps are allowed to be perforated.
- o If early tarp removal occurs for a broadcast application the entry restricted period is a minimum of 5 days after the application is complete.
- o When listing application information for soil fumigant applications to comply with part 170.122 of the WPS, list the entry restricted period time frame in place of the REI.

NOTIFICATION

Notify workers of the application by warning them orally and by posting Fumigant Treated Area signs. The signs must bear the skull and crossbones symbol and state:

- "DANGER/PELIGRO,"
- "Area under fumigation, DO NOT ENTER/NO ENTRE,"
- "Methyl Bromide and Chloropicrin Fumigant in USE,"
- the date and time of fumigation,
- the date and time entry restricted period is over,
- "50-50 PREPLANT SOIL FUMIGANT", and
- Name, address, and telephone number of the certified applicator in charge of the fumigation.

Post the Fumigant Treated Area sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, text size, and sign size (40 CFR §170.120).

Post Fumigant Treated Area signs at all entrances to the application block no sooner than 24 hours prior to application.

Fumigant Treated Area signs must remain posted for no less than the duration of the entry restricted period.

Fumigant Treated Area signs must be removed within 3 days after the end of the entry restricted period.

MANDATORY GOOD AGRICULTURAL PRACTICES (GAPs)

The following GAPs must be followed during all fumigant applications.

Tarps (required for all applications)

- Tarps must be installed immediately after the fumigant is applied to the soil for bedded or broadcast applications.
- A written tarp plan must be developed and included in the FMP.
- Once a tarp is perforated, the application is no longer considered tarped.

Weather Conditions

- To determine if unfavorable weather conditions exist or are predicted (see *Identifying Unfavorable Weather Conditions* section) and whether application should proceed, the National Weather Service weather forecast must be checked by the certified applicator supervising the application:
 - o on the day of, but prior to the start of the application, and
 - o on a daily basis during the application if the time period from the start of the application until the application is complete is greater than 24 hours.
- Do not apply if an air stagnation advisory issued by the National Weather Service is in effect for the area in which the application is planned, during the application, or the 48 hours after the application is complete.
- Do not apply if light wind conditions (< 2 mph) are forecast to persist for more than 18 consecutive hours from the time the application starts until 48 hours after the application is complete.
- Detailed National Weather Service forecasts for local weather conditions, wind speed, and air stagnation advisories may be obtained on-line at: http://www.nws.noaa.gov, on NOAA weather radio, or by contacting your local National Weather Service Forecasting Office.

Identifying Unfavorable Weather Conditions

• Unfavorable weather conditions block upward movement of air, which results in trapping fumigant vapors near the ground. The resulting air mass can move off-site in unpredictable directions. These conditions typically exist within an hour prior to sunset and continue past sunrise and may persist as late as noontime. Unfavorable conditions are common on nights with limited cloud cover and light to no wind and their presence can be indicated by ground fog or smog and can also be identified by smoke from a ground source that flattens out below a ceiling layer and moves laterally in a concentrated cloud.

Soil Temperature

- The maximum soil temperature at the depth of injection must not exceed 90 °F at the beginning of the application.
- If air temperatures have been above 100 °F in any of the three days prior to the start of the application, then soil temperature must be measured and recorded in the FMP. Record temperature measurements at the application depth or 12 inches, whichever is shallower

Soil Moisture

- The soil must be moist 9 inches below the surface. The amount of moisture needed in this zone will vary according to soil type. Surface soil generally dries rapidly and must not be considered in this determination.
- Soil moisture must be determined using one of the following methods:
 - o the USDA Feel and Appearance Method for testing (see below), or
 - o an instrument, such as a tensiometer.
- Available water capacity must be equal to or greater than 50% for shank applications. If there is less than 50% available water capacity 9 inches below the surface, the soil moisture must be adjusted. If irrigation is not available and there is adequate soil moisture below 9 inches, soil moisture can be adjusted by discing or plowing before the start of the application. To conserve existing soil moisture, pretreatment irrigation or pretreatment tillage should be done as close to the time of application as possible.
- Measure soil moisture at a depth of 9 inches at either end of the field, no more than 48 hours prior to the start of the application.

Soil Preparation

- Soil must be properly prepared and at the surface generally be free of large clods that are golf ball size or larger. The area to be fumigated must be tilled to a depth of 5 to 8 inches.
- Field trash must be properly managed. Residue from a previous crop must be worked into the soil to allow for decomposition prior to fumigation. Little or no crop residue shall be present on the soil surface. Crop residue that is present must not interfere with the soil seal. Removing the crop residue prior to fumigation is important to limit the natural "chimneys" that occur in the soil when crop residue is present. These "chimneys" allow the soil fumigants to move through the soil quickly and escape into the atmosphere. This may create potentially harmful conditions for workers and bystanders and limit the efficacy of the fumigant. However, crop residue on the field serves to prevent soil erosion from both wind and water and is an important consideration. To accommodate erosion control, fumigant efficacy, and human health protection, clear fields of crop residue as close to the timing of the fumigation as possible to limit the length of time that the soil would be exposed to potentially erosive weather conditions.

Soil Sealing

- For Bedded Applications: Preformed beds must be sealed by disruption of the chisel trace using press sealers, bed shapers, cultipackers, or by re-shaping (e.g., relisting, lifting and replacing) the beds immediately following injection. Beds formed at the time of application must be sealed by disrupting the chisel trace using press sealers, or bed shapers.
- For Tarped-Broadcast and Tarped-Bedded Applications: The use of a tarp does not eliminate the need to minimize chisel traces prior to application of the tarp, such as by using a Nobel plow or other injection shank that disrupts the chisel traces.

Bedded and Broadcast Shank Applications: Additional Mandatory GAPs

In addition to the GAPs required for all soil fumigation applications, the following GAPs apply for injection applications:

Soil Preparation

• Trash pulled by the shanks to the ends of the field must be covered with tarp, or soil, depending on the application method before making the turn for the next pass.

Application Depth and Spacing

- For Tarped-Broadcast and Tarped-Bedded Applications: The injection point must be a minimum of 8 inches from the nearest final soil/air interface. For tarped bedded applications the injection depth must not be deeper than the lowest point of the tarp (i.e., the lowest point of the tuck).
- Apply 50-50 Preplant Soil Fumigant with chisel equipment. The shank spacing should be equal to the application depth, but may be up to 1½ times the application depth, not to exceed 24 inches. When applying 50-50 Preplant Soil Fumigant with a Nobel plow, use an outlet spacing of 9-12 inches along the sweeps.

Prevention of End Row Spillage

- Do not apply or allow fumigant to spill onto the soil surface. For each injection line either have a check valve located as close as possible to the final injection point, or drain/purge the line of any remaining fumigant prior to lifting injection shanks from the ground.
- Do not lift injection shanks from the soil until the shut-off valve has been closed and the fumigant has been depressurized (passively drained) or purged (actively forced out via air compressor) from the system.

Calibration, Set-up, Repair, and Maintenance for Application Rigs

- Brass, carbon steel or stainless steel fittings must be used throughout. Polyethylene tubing, polypropylene tubing, Teflon® tubing or Teflon® -lined steel braided tubing must be used for all low pressure lines, drain lines, and compressed gas or air pressure lines. All other tubing must be Teflon® -lined steel braided.
- Galvanized, PVC, nylon or aluminum pipe fittings must not be used.
- All rigs must include a filter to remove any particulates from the fumigant, and for pressurized systems a check valve to prevent backflow of the fumigant into the pressurizing cylinder or the compressed air system.
- Rigs must include a flow meter or a constant pressure system with orifice plates to insure the proper amount of fumigant is applied.
- To prevent the backflow of fumigant into the compressed gas cylinder (e.g., nitrogen, other inert gas, compressed air), if used, applicators must:
 - If a compressed gas cylinder is used, make sure that positive pressure is maintained in the compressed gas cylinder at not less than 200 psi during the entire time it is connected to the application rig. (This is not required for a compressed air system that is part of the application rig because if the compressor system fails the application rig will not be operable.)
 - Ensure that application rigs are equipped with properly functioning check valves between the compressed gas cylinder or compressed air system and the fumigant cylinder. The check valve is best placed on the outlet side of the pressure regulator, and is oriented to only allow compressed gas to flow out of the cylinder or compressed air out of the compressed air system.
 - Always pressurize the system with compressed gas or by use of a compressed air system before opening the fumigant cylinder valve.
 - Ensure that application rigs are equipped with properly functioning check valves between the compressed gas cylinder or compressed air system and the fumigant cylinder. The check valve is best placed on the outlet side of the pressure regulator, and is oriented to only allow compressed gas to flow out of the cylinder or compressed air out of the compressed air system.

- Always pressurize the system with compressed gas or by use of a compressed air system before opening the fumigant cylinder valve.
- Before using a fumigation rig for the first time, or when preparing it for use after storage, the operator must check the following items carefully:
 - Check the filter, and clean or replace the filter element as required.
 - Check all tubes and chisels to make sure they are free of debris and obstructions.
 - Check and clean the orifice plates and screen checks, if installed.
 - Pressurize the system with compressed gas or compressed air, and check all fittings, valves, and connections for leaks using soap solution.
- Install the fumigant cylinder, and connect and secure all tubing. Slowly open the compressed gas or compressed air valve, and increase the pressure to the desired level. Slowly open the fumigant cylinder valve, always watching for leaks.
- When the application is complete, close the fumigant cylinder valve and blow residual fumigant out of the fumigant lines into the soil using compressed gas or compressed air. If the rig uses a centrifugal pump instead of compressed gas to inject fumigant into the soil, you may clear residual fumigant from the fumigant lines using an application wand connected to the system's low point via a drain hose. Place the wand in the soil until all residual fumigant has drained from the system. The wand and drain hose must be free of dirt to allow proper drainage. At the end of the application season, disconnect all fumigant cylinders from the application rig. At the end of the season, seal all tubing openings with tape to prevent the entry of insects and dirt.
- Application equipment must be calibrated and all control systems must be working properly. Proper calibration is essential for application equipment to deliver the correct amount of fumigant uniformly to the soil. Refer to the manufacturer's instructions on how to calibrate your equipment, usually the equipment manufacturer, fumigant dealer, or Cooperative Extension Service can provide assistance.

Planting Interval

• Planting or transplanting must not occur until at least 14 days after the application is complete. If odors of the fumigant persist beyond this 14 day period (and after tarps are perforated and/or removed), delay planting and disc or plow the soil to help aeration. See *Tarp Perforation and/or Removal section* on this labeling for further requirements.

Pre-Plant Soil Fumigation in Greenhouses: Mandatory GAPs

- During the application keep all doors, vents and windows to the outside open and fans or other mechanical ventilation systems running within the greenhouse.
- Seal gaps through which gases could leak into adjacent enclosed areas.

MAXIMUM APPLICATION RATES

Table 1. Maximum Rates for Crops/Uses with Critical Use Exemptions (CUEs).

Crop	Treated Area Rate (lbs product/acre)								
Eggplant	700								
Muskmelons, Cantaloupe	500								
Forest Nursery Seedlings ¹	600 sandy soils 800 clay loam soils with less than 30% clay								
Orchard Nursery Seedlings (raspberry, deciduous trees, roses)	600 sandy soils 800 clay loam soils with less than 30% clay								
Strawberry Nurseries	600 sandy soils 800 clay loam soils with less than 30% clay								
Ornamentals	400								
Pepper, Bell	400								
Strawberry Fruit	350 California 480 Eastern US								
Sweet Potato Slips (CA)	700								
Tomato (grown for fresh market)	480								
Growing difficulties in treated soil may be	•								

Delphiniums, Holly Multiflora Rosa, Salvia, Snapdragons, and certain other crops.

Table 2. Maximum Application Rates for Quarantine Uses

This product may be used as part of a quarantine program as described below.

Ouarantine applications with respect to methyl bromide, are treatments to prevent the introduction, establishment and/or spread of quarantine pests (including diseases), or to ensure their official control, where: (i) Official control is that performed by, or authorized by, a national (including state, tribal or local) plant, animal or environmental protection or health authority; (ii) quarantine pests are pests of potential importance to the areas endangered thereby and not yet present there, or present but not widely distributed and being officially controlled. This definition excludes treatments of commodities not entering or leaving the United States or any State (or political subdivision thereof).

USDA-APHIS Quarantine Uses

This product may be used as a soil fumigant at any crop or non-crop site as part of a quarantine program established by the United States Department of Agriculture-Animal and Plant Health Inspection Service (USDA-APHIS) under the Plant Protection Act (7 U.S.C. 7701 et seq.). Limitations including but not limited to application rates and methods and crops and cropping practices must be in accordance with those established by the USDA-APHIS quarantine program.

Other Quarantine Uses (not USDA-APHIS Quarantine uses)

Ouarantine use of methyl bromide is restricted to fields used for the production of plant propagative material listed below and unplanted areas immediately adjacent thereto, where all production from the treated fields will be shipped to areas where a plant regulatory authority requires the source or the incoming material to be free of quarantine pests or be accompanied by a certificate issued by a plant regulatory official.

Forest Seedlings:

Conifer and hardwood seedling for reforestation, Christmas tree seedlings.

Nursery Stock:

Roses, strawberry transplants, sweet potato slips, caneberry and blueberry nursery stock, fruit and nut trees, garlic transplants, onion transplants, vineyard stock, seed potato, tobacco seed beds, food crop transplants, and other wild or cultivated trees, shrubs, vines and forbs.

Ornamental Plants:

Caladiums, chrysanthemums, flower bulbs, flowering plants, ornamental grasses, rhizomes, shrubs, trees, and other perennials and annuals.

Turf or Sod:

For interstate and intrastate shipments to areas that require fumigation with methyl bromide to meet quarantine/phytosanitary requirements.

The maximum application rate for quarantine uses shall be 800 lbs of this product per acre, or less if specified in the applicable quarantine/phytosanitary requirements.


The U.S. Federal, state, or local plant, animal, environmental protection or health authority requiring the quarantine application and the particular quarantine/phytosanitary requirement must be identified in the site-specific fumigant management plan. Additionally, the requirement for the treatment (e.g., the State or Federal law) must be listed in the site-specific fumigant management plan.

Calculating the Broadcast Equivalent Application Rate

To calculate the broadcast equivalent rate for bedded or strip applications the following information is needed:


- pounds of product per treated acre
- strip or bed bottom width (inches)
- center-to-center row spacing (inches)
- application block size (acres)

Pounds of product per treated acre is the ratio of total amount of product applied to the size of the total area treated (e.g., the rate of product applied in the bed). For bedded or strip applications, the total area treated is the summation of the area (i.e., length x width) of each treated bed bottom or strip that is located within the application block as shown by the black areas in Figure 1 (e.g., black areas are 0.6A or 60% of the area within the application block). The area of the space between the beds/strips is not factored in the total area treated. The application block size is the acreage within the perimeter of the fumigated portion of a field (including furrows, irrigation ditches, roadways). The perimeter of the application block is the border that connects the outermost edges of total area treated with the fumigant product.




Space Between Beds/Strips is not treated

The "broadcast equivalent rate" must be calculated with the following formula:



- The bed width must be measured from the bottom of the bed.
- The center-to-center row spacing must be calculated as shown in Figure 2.
- If there are any ditches, waterways, drive rows and other areas that are not fumigated that are in the application block, multiply the above broadcast equivalent equation by (total area of strips or beds + row spacing)/(application block size). A sample calculation is provided below.


Figure 2. Center Row Spacing



Sample broadcast equivalent rate calculation

Assumptions:

- o Application method is shank bedded
- o Bed width is 30 inches (measured at the bottom of bed)
- o Center-to-center row spacing is 60 inches
- o 200 pounds of product per treated acre is applied in the beds
- o Total application block size is 10 acres
- O Ditch in the middle of application block is 0.25 acres
- o Area of beds + row spacing is 9.75 acres



broadcast equivalent rate (pounds product/acre)

center-to-center row spacing (inches)

pounds product/ treated acre applied in the bed

= 97.5 pounds product/acre

BUFFER ZONE REQUIREMENTS

A buffer zone must be established for every fumigant application. The following describes the buffer zone requirements:

- The buffer zone must extend outward from the edge of the application block perimeter equally in all directions.
- All non-handlers, including field workers, residents, pedestrians, and other bystanders, must be excluded from the buffer zone during the buffer zone period except for transit (see *Buffer zone exemption for transit on roadways* section).
 - O Local, state, or federal officials performing inspection, sampling, or other similar official duties are not excluded from the application block or the buffer zone by this labeling. The certified applicator supervising the application and the owner of the establishment where the application is taking place are not authorized to, or responsible for, excluding those officials from the application block or the buffer zone.
- For broadcast shank applications using any tarp that qualifies for a 60% or greater reduction in buffer zone distance:
 - 1. The buffer zone period begins at the start of the application and ends after the tarps have been removed from the application block.
 - 2. As an alternative to (1) above, two buffer zone periods may be established where the first buffer zone period begins at the start of the application and lasts for a minimum of 48-hours after the application is complete. The second buffer zone period begins when the tarps are perforated and ends after the tarps have been removed from the application block.
- For all other applications, the buffer zone period begins at the start of the application and lasts for a minimum of 48-hours after the application is complete.

 See www.tarpcredits.epa.gov for a list of tarps that have been tested and determined to qualify for buffer reduction credits

Buffer zone proximity

- Before the start of application, the certified applicator must determine whether their buffer zone will overlap any methyl bromide buffer zone(s).
- To reduce the potential for off-site movement from multiple fumigated fields, buffer zones from multiple methyl bromide application blocks must not overlap UNLESS:
 - 1. A minimum of 12 hours have elapsed from the time the earlier application(s) is complete until the start of the later application, and
 - 2. Fumigant Site Monitoring or Response Information for Neighbors have been implemented if there are any residences or businesses within 300 feet of any of the buffer zones.

Structures under the control of the owner of the application block

- Buffer zones must not include buildings used for storage (e.g., sheds, barns, garages), UNLESS,
 - 1. The storage buildings are not occupied during the buffer zone period, and
 - 2. The storage buildings do not share a common wall with an occupied structure.

Areas not under the control of the owner of the application block

• Buffer zones must not include residential areas (e.g., employee housing, private property), buildings (e.g., commercial, industrial), outdoor residential areas (e.g., lawns, gardens, play areas) and other areas that people may occupy, UNLESS,

- 1. The occupants provide written agreement prior to the application that they will voluntarily vacate the buffer zone during the entire buffer zone period, and
- 2. Reentry by occupants and other non-handlers must not occur until,
 - o The buffer zone period has ended, and
 - O Sensory irritation is not experienced upon re-entry.
- Buffer zones must not include agricultural areas owned and/or operated by persons other than the owner of the application block, UNLESS,
 - 1. The owner of the application block can ensure that the buffer zone will not overlap with a methyl bromide buffer zone from any other property owners, except as provided in the *Buffer Zone Proximity* section, and
 - 2. The owner of the other property provides written agreement to the applicator that they, their employees, and other persons will stay out of the buffer zone during the entire buffer zone period.
- Buffer zones must not include roadways and rights of way UNLESS,
 - 1. The area is not occupied during the buffer zone period, and
 - 2. Entry by non-handlers is prohibited during the buffer zone period.

Buffer zone exemption for transit on roadways

Vehicular and bicycle traffic on public and private roadways through the buffer zone is permitted.

(NOTE: Buffer zones are not permitted to include bus stops or other locations where persons wait for public transit.)

- For all other publicly owned and/or operated areas such as parks, sidewalks, permanent walking paths; playgrounds, and athletic fields, buffer zones must not include these areas UNLESS,
 - 1. The area is not occupied during the buffer zone period,
 - 2. Entry by non-handlers is prohibited during the buffer zone period, and
 - 3. Written permission to include the public area in the buffer zone is granted by the appropriate state and/or local authorities responsible for management and operation of the area.

Certified applicators must comply with all local laws and regulations.

See the *Posting* section for additional requirements that may apply.

Buffer Zone Distances

Buffer zone distances must be calculated using the application rate and the size of the application block.

Applications in California:

Where a Restricted Materials Permit is required for soil fumigation [pursuant to citation for California law], use the buffer zone distance for the application block that is specified in the Restricted Materials Permit issued by the County Agricultural Commissioner, provided that the buffer zone distance is equal to or greater than the buffer zones distance specified in the December 8, 2004 California Department of Pesticide Regulation Methyl Bromide Field Fumigation Guidance Manual (see http://www.cdpr.ca.gov/docs/county/training/methbrom/mebrman.pdf) in accordance with Title 3, Division 6, Subchapter 4 of the California Code of Regulations in effect on January 1, 2011.

In all other cases, determine the buffer zone distance for your application using the directions under *Applications outside California*.

Applications outside California:

- Buffer zone distances must be based on look-up tables in this labeling (25 feet is the minimum distance regardless of site-specific application parameters).
- If after applying all applicable buffer zone credits the buffer zone is greater than ½ mile (2,640 ft), then the application is prohibited.
- For all other applications, Tables 4, 5, or 6, as appropriate for the method of application must be used to determine the minimum buffer distances. Round up to the nearest rate and block size, where applicable. Applications are prohibited for rates or block sizes that exceed what is presented in the buffer zone tables."

Buffer Zone Credits

The buffer zone distances for 50-50 Preplant Soil Fumigant applications may be reduced by the percentages listed below. Credits may be added, but credits cannot exceed 80%. Also the minimum buffer zone distance is 25 feet regardless of buffer zone credits available.

- See www.tarpcredits.epa.gov for a list of tarps that have been tested and determined to qualify for buffer reduction credits. Only tarps listed on this website qualify for buffer reduction credits.
- 15% reduction in buffer zone distance, IF potassium thiosulfate (KTS) is applied at a minimum rate of 300 pounds per acre.
- 10% reduction in buffer zone distance, IF the organic content of the soil in the application block is ≥ 1% 2%; a 20% reduction in buffer zone distance, IF the organic content of the soil in the application block is >2% 3%; and a 30% reduction in the buffer zone distance, IF the organic content of the soil in the application block is >3%.
- 10% reduction in the buffer zone distance, IF the clay content of the soil in the application block is greater than 27%.

Examples of Buffer Zone Calculations with Credits Applied

If the buffer zone is 50 feet and the application qualifies for a buffer zone reduction credit since the soil organic content is 1.5%, then the buffer zone can be reduced by 10%, i.e., reduced by 5 feet based on the following calculation: 50 feet - (50 feet x 10%) = 45 feet.

If the buffer zone is 50 feet and the application qualifies for two buffer zone credits since the soil organic content is 1.5% and the clay content is greater than 27%, then the buffer zone can be reduced by 20% (10% organic content credit + 10% clay content credit), i.e., reduced by 10 feet based on the following calculation 50 feet - (50 feet x 20%) = 40 feet.

SO 25 25 25 25 25 25 25 2								Ta	hle 4	Tar	ned	Redo	led F	Ruffe	r 7 00/	e Dist	ances	(feet)						
Section Sect									DIC 4	. 141								(icct)						
50 25 25 25 25 25 25 25 25 25 25 25 25 25	ĺ		1 1	2	3	4	5	6	7.	8				_				40	50	60	70	80	90	100
60 25 25 25 25 25 25 25 25 25 25 25 25 25		50				_			<u> </u>	_								_		_			<u> </u>	25
70	.				$\overline{}$				_				_							_				47
80 25 25 25 25 25 25 25 25 25 25 25 25 25	l	$\overline{}$				-	-	$\overline{}$	_					_		_				_				69
90 25 25 25 25 25 25 25 25 25 25 25 25 25					_	_							_	_		_								91
The black The			_	-			_		_	_					1									113
THE PART OF THE PA													_											134
120			_					-	_	_			_							_				156
130	l 1			_									_											178
140	l	$\overline{}$						-	_	_											•	_	_	200
The left							_		_			_	_						_		-		-	265
160 25 30 34 39 44 49 54 59 64 69 88 106 119 131 159 188 231 275 313 350 373 3 38 44 50 57 63 70 77 83 108 133 150 167 196 225 275 325 367 408 435 44 180 25 33 41 48 56 65 65 73 81 90 98 129 160 181 202 232 263 319 375 421 467 497 59 490 49						-			_															331
The branch of th													_											396
180 25 33 41 48 56 65 73 81 90 98 129 160 181 202 232 263 319 375 421 467 497 55 490 491 491 467 497 55 492 494 491 491 494 497 497 498 494 497 498 494 495 494 495 494 495 494 495 494 495 494 495 494 495 494 495 494 495 494 495 494 495 494 495 494 495 494 495 495 494 495 495 494 495 495 494 495 495 494 495 495 494 495 495 494 495 495 495 494 495 495 495 494 495		_				_								_										462
The base of the ba	_												-			_						_		527
220 25 39 35 67 81 96 11 126 141 150 279 306 344 378 458 458 675 746 817 868 9 240 25 42 59 77 94 112 130 149 167 185 254 323 369 415 451 488 581 675 746 817 868 9 250 25 44 63 81 100 120 140 160 180 200 275 350 400 450 488 525 625 725 800 875 930 9 260 27 48 69 90 112 133 154 175 196 217 295 373 427 481 521 562 665 768 848 927 987 105 270 29 52 76 100 123 145 168 190 212 235 315 396 454 512 555 598 705 811 895 979 1044 11 290 33 61 89 118 146 171 195 220 245 269 356 442 508 573 622 671 784 897 990 1083 1158 12 300 35 65 96 127 158 183 209 235 261 287 376 465 535 604 656 708 824 940 1038 1135 1215 12 301 37 70 103 136 169 196 223 250 277 304 396 488 562 635 689 744 864 940 1038 1135 1215 12 302 38 74 110 145 181 209 237 265 293 321 416 512 588 665 723 781 904 1027 1133 1238 144 340 42 83 123 163 204 234 265 295 325 356 457 558 642 727 790 854 983 1113 1228 1342 1442 153 350 44 87 130 173 215 247 278 310 342 373 477 581 669 788 824 890 1023 1156 1275 1394 1499 162 370 48 96 143 191 238 272 306 340 374 408 517 627 723 819 891 963 1103 1224 1370 1498 1613 17 380 50 100 150 200 250 285 320 355 390 425 538 650 750 850 925 1000 1143 1285 1418 1550 1670 17 380 50 100 150 200 250 285 320 355 390 425 538 650 750 850 925 1000 1143 1285 1418 1550 1670 17 380 81 139 197 255 313 350 387 424 461 498 631 762 7723 819 891 963 1103 1224 1370 1498 1613 17 400 63 116 169 222 275 311 347 383 418 454 575 696 802 908 990 1071 1227 1383 1525 1667 1799 19 400 63 116 169 222 275 311 347 483 613 742 854 996 1025 1119 1213 1396 1580 1740 1900 2058 22 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 440 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1281 1481 1679 1898 2122 220 124 140 440 479 518 556 686 800 983 1083 1183 1281 1481 1679 1898 2122 220 124 140 440 479 518 556 608 800 984 113 1216 1319 1323 1428 140 140 140 140 140 140 140 140 140 140	[]	$\overline{}$		_			_	-	_															593
220 25 39 35 67 81 96 11 126 141 150 279 306 344 378 458 458 675 746 817 868 9 240 25 42 59 77 94 112 130 149 167 185 254 323 369 415 451 488 581 675 746 817 868 9 250 25 44 63 81 100 120 140 160 180 200 275 350 400 450 488 525 625 725 800 875 930 9 260 27 48 69 90 112 133 154 175 196 217 295 373 427 481 521 562 665 768 848 927 987 105 270 29 52 76 100 123 145 168 190 212 235 315 396 454 512 555 598 705 811 895 979 1044 11 290 33 61 89 118 146 171 195 220 245 269 356 442 508 573 622 671 784 897 990 1083 1158 12 300 35 65 96 127 158 183 209 235 261 287 376 465 535 604 656 708 824 940 1038 1135 1215 12 301 37 70 103 136 169 196 223 250 277 304 396 488 562 635 689 744 864 940 1038 1135 1215 12 302 38 74 110 145 181 209 237 265 293 321 416 512 588 665 723 781 904 1027 1133 1238 144 340 42 83 123 163 204 234 265 295 325 356 457 558 642 727 790 854 983 1113 1228 1342 1442 153 350 44 87 130 173 215 247 278 310 342 373 477 581 669 788 824 890 1023 1156 1275 1394 1499 162 370 48 96 143 191 238 272 306 340 374 408 517 627 723 819 891 963 1103 1224 1370 1498 1613 17 380 50 100 150 200 250 285 320 355 390 425 538 650 750 850 925 1000 1143 1285 1418 1550 1670 17 380 50 100 150 200 250 285 320 355 390 425 538 650 750 850 925 1000 1143 1285 1418 1550 1670 17 380 81 139 197 255 313 350 387 424 461 498 631 762 7723 819 891 963 1103 1224 1370 1498 1613 17 400 63 116 169 222 275 311 347 383 418 454 575 696 802 908 990 1071 1227 1383 1525 1667 1799 19 400 63 116 169 222 275 311 347 483 613 742 854 996 1025 1119 1213 1396 1580 1740 1900 2058 22 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 440 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1281 1481 1679 1898 2122 220 124 140 440 479 518 556 686 800 983 1083 1183 1281 1481 1679 1898 2122 220 124 140 440 479 518 556 608 800 984 113 1216 1319 1323 1428 140 140 140 140 140 140 140 140 140 140	2								_															658
220 25 39 35 67 81 96 11 126 141 150 279 306 344 378 458 458 675 746 817 868 9 240 25 42 59 77 94 112 130 149 167 185 254 323 369 415 451 488 581 675 746 817 868 9 250 25 44 63 81 100 120 140 160 180 200 275 350 400 450 488 525 625 725 800 875 930 9 260 27 48 69 90 112 133 154 175 196 217 295 373 427 481 521 562 665 768 848 927 987 105 270 29 52 76 100 123 145 168 190 212 235 315 396 454 512 555 598 705 811 895 979 1044 11 290 33 61 89 118 146 171 195 220 245 269 356 442 508 573 622 671 784 897 990 1083 1158 12 300 35 65 96 127 158 183 209 235 261 287 376 465 535 604 656 708 824 940 1038 1135 1215 12 301 37 70 103 136 169 196 223 250 277 304 396 488 562 635 689 744 864 940 1038 1135 1215 12 302 38 74 110 145 181 209 237 265 293 321 416 512 588 665 723 781 904 1027 1133 1238 144 340 42 83 123 163 204 234 265 295 325 356 457 558 642 727 790 854 983 1113 1228 1342 1442 153 350 44 87 130 173 215 247 278 310 342 373 477 581 669 788 824 890 1023 1156 1275 1394 1499 162 370 48 96 143 191 238 272 306 340 374 408 517 627 723 819 891 963 1103 1224 1370 1498 1613 17 380 50 100 150 200 250 285 320 355 390 425 538 650 750 850 925 1000 1143 1285 1418 1550 1670 17 380 50 100 150 200 250 285 320 355 390 425 538 650 750 850 925 1000 1143 1285 1418 1550 1670 17 380 81 139 197 255 313 350 387 424 461 498 631 762 7723 819 891 963 1103 1224 1370 1498 1613 17 400 63 116 169 222 275 311 347 383 418 454 575 696 802 908 990 1071 1227 1383 1525 1667 1799 19 400 63 116 169 222 275 311 347 483 613 742 854 996 1025 1119 1213 1396 1580 1740 1900 2058 22 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 440 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1281 1481 1679 1898 2122 220 124 140 440 479 518 556 686 800 983 1083 1183 1281 1481 1679 1898 2122 220 124 140 440 479 518 556 608 800 984 113 1216 1319 1323 1428 140 140 140 140 140 140 140 140 140 140	3	210						88		115	128	142	192	_	275									723
230 25 41 56 72 88 104 121 138 154 171 233 296 338 379 415 450 538 625 692 758 806 88 240 250 42 59 77 94 112 130 149 167 185 254 323 369 415 451 488 581 675 746 817 868 99 250 25 25 44 63 81 100 120 140 160 180 200 275 350 400 450 488 525 625 725 800 875 930 875 930 276 29 52 76 100 123 145 168 190 212 235 315 396 454 512 555 598 705 811 895 979 1044 110 145 181 209 237 255 250 25 44 83 109 135 158 182 205 228 252 336 419 481 542 588 635 744 854 943 1031 1101 11 290 303 35 65 96 127 158 183 209 235 261 287 36 465 535 604 655 708 849 979 1083 1158 125 300 35 65 96 127 158 183 209 235 250 277 304 396 488 562 635 689 744 864 983 1083 1183 1228 133 304 40 78 116 154 192 222 251 280 309 338 437 535 615 696 757 817 943 1070 1180 1290 1385 143 300 40 78 116 154 192 222 251 280 309 338 437 535 615 696 757 817 943 1070 1180 1290 1385 143 300 40 78 116 154 192 222 251 280 309 338 437 535 615 696 757 817 943 1070 1180 1290 1385 143 300 40 78 116 154 192 222 251 280 309 338 437 535 615 696 757 817 943 1070 1180 1290 1385 143 300 40 78 116 154 192 222 251 280 309 338 437 535 615 696 757 817 943 1070 1180 1290 1385 144 300 337 373 140 480 8517 657 723 819 890 1003 1156 1275 1394 1499 130 1490 1490 1490 1490 1490 1490 1490 149		220		_		-	-			126	141	156	213	269		-	378			575				789
370	=	230	25	-		72	88	104	121	138	154	171	233	296		379						758	806	854
370	ate							112	130		167	185	254	323									_	920
370	اڄا	250	25	44	63	81	100	120	140	160	180	200	275	350	400	450	488	525	625	725	800	875	930	985
370] <u>ē</u> ,	260	27	48	69	90	112	133	154	175	196	217	295	373	427	481	521	562	665	768	848	927	987	1047
370	ig [270	29	52	76	100	123	145	168	190	212	235	315	396	454	512	555	598	705	811	895	979	1044	1109
370	l a	280	31	57	83	109	135	158	182	205	228	252	336	419	481	542	588	635	744	854	943	1031	1101	1171
370	₹	290	33	61	89	118	146	171	195	220	245	269	356	442	508	573	622	671	784	897	990	1083	1158	1233
370	e [300	35	65	96	127	158	183	209	235	261	287	376	465	535	604	656	708	824	940	1038	1135	1215	1295
370	val	310	37	70	103	136	169	196	223	250	277	304	396	488	562	635	689	744	864	983	1085	1187	1272	1357
370	<u>;</u> [320	38	74	110	145	181	209	237	265	293	321	416	512	588	665	723	781	904	1027	1133	1238	1328	1418
370	<u>ਜ</u> [330	40	78	116	154	192		251	280	309	338	437	535	615	696	757	817	943	1070	1180	1290	1385	1480
370	sasi	340	42	83	123	163	204	234	265	295	325	356	457		642	727	790	854	983	1113	1228	1342	1442	1542
370] gd [350	44	87	130	173	215	247	278		342	373	477	581	669	758	824	890	1023	1156	1275	1394	1499	1604
370	ç [360	46	91	137	182	227	260	292	325	358	390	497	604			858		1063	1199	1323	1446	1556	1666
390 56 108 159 211 263 298 333 369 404 440 556 673 776 879 957 1035 1185 1334 1471 1608 1735 18 400 63 116 169 222 275 311 347 383 418 454 575 696 802 908 990 1071 1227 1383 1525 1667 1799 19 410 69 123 178 233 288 324 360 396 433 469 594 719 828 938 1022 1106 1269 1433 1579 1725 1864 20 75 131 188 244 300 337 373 410 447 483 613 742 854 967 1054 1142 1312 1482 1633 1783 1928 20 430 81 139 197 255 313 350 387 424 461 498 631 765 880 996 1086 1177 1354 1531 1686 1842 1993 21 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 450 94 155 216 277 338 375 413 451 489 527 669 810 932 1054 1151 1248 1439 1629 1794 1958 2122 22 460 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1283 1481 1678 1848 2017 2187 23 470 106 170 234 298 363 401 440 479 518 556 706 856 984 1113 1216 1319 1523 1728 1901 2075 2251 24 480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24	" [48	96	143	191	238	272		340	_	408		627					1103		1370	$\overline{}$	1613	1728
400 63 116 169 222 275 311 347 383 418 454 575 696 802 908 990 1071 1227 1383 1525 1667 1799 19 410 69 123 178 233 288 324 360 396 433 469 594 719 828 938 1022 1106 1269 1433 1579 1725 1864 20 420 75 131 188 244 300 337 373 410 447 483 613 742 854 967 1054 1142 1312 1482 1633 1783 1928 20 430 81 139 197 255 313 350 387 424 461 498 631 765 880 996 1086 1177 1354 1531 1686 1842 1993 21 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 450 94 155 216 277 338 375 413 451 489 527 669 810 932 1054 1151 1248 1439 1629 1794 1958 2122 22 460 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1283 1481 1678 1848 2017 2187 23 470 106 170 234 298 363 401 440 479 518 556 706 856 984 1113 1216 1319 1523 1728 1901 2075 2251 24 480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24	[380		100	150	200	250	285		355		425	$\overline{}$							1285	1418		1670	1790
410 69 123 178 233 288 324 360 396 433 469 594 719 828 938 1022 1106 1269 1433 1579 1725 1864 20 420 75 131 188 244 300 337 373 410 447 483 613 742 854 967 1054 1142 1312 1482 1633 1783 1928 20 430 81 139 197 255 313 350 387 424 461 498 631 765 880 996 1086 1177 1354 1531 1686 1842 1993 21 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 450 94 155 216 277 338 375 413 451 489 527 669 810 932 1054 1151 1248 1439 1629 1794 1958 2122 22 460 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1283 1481 1678 1848 2017 2187 23 470 106 170 234 298 363 401 440 479 518 556 706 856 984 1113 1216 1319 1523 1728 1901 2075 2251 24 480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24	[390	56	108	159	211	263	298	333	369	404	440	556	673	776	879		1035	1185	1334	1471	1608	1735	1861
420 75 131 188 244 300 337 373 410 447 483 613 742 854 967 1054 1142 1312 1482 1633 1783 1928 20 430 81 139 197 255 313 350 387 424 461 498 631 765 880 996 1086 1177 1354 1531 1686 1842 1993 21 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 450 94 155 216 277 338 375 413 451 489 527 669 810 932 1054 1151 1248 1439 1629 1794 1958 2122 22 460 100 163 225 288 350 388 427 465 <t< td=""><td> [</td><td>400</td><td>63</td><td>116</td><td>169</td><td>222</td><td>275</td><td>311</td><td>347</td><td>383</td><td>418</td><td>454</td><td>575</td><td>696</td><td>802</td><td>908</td><td>990</td><td>1071</td><td>1227</td><td>1383</td><td>1525</td><td>1667</td><td>1799</td><td>1932</td></t<>	[400	63	116	169	222	275	311	347	383	418	454	575	696	802	908	990	1071	1227	1383	1525	1667	1799	1932
430 81 139 197 255 313 350 387 424 461 498 631 765 880 996 1086 1177 1354 1531 1686 1842 1993 21 440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 450 94 155 216 277 338 375 413 451 489 527 669 810 932 1054 1151 1248 1439 1629 1794 1958 2122 22 460 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1283 1481 1678 1848 2017 2187 23 470 106 170 234 298 363 401 440 479	[
440 88 147 206 266 325 363 400 438 475 513 650 788 906 1025 1119 1213 1396 1580 1740 1900 2058 22 450 94 155 216 277 338 375 413 451 489 527 669 810 932 1054 1151 1248 1439 1629 1794 1958 2122 22 460 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1283 1481 1678 1848 2017 2187 23 470 106 170 234 298 363 401 440 479 518 556 706 856 984 1113 1216 1319 1523 1728 1901 2075 2251 24 480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24] [420																						
450 94 155 216 277 338 375 413 451 489 527 669 810 932 1054 1151 1248 1439 1629 1794 1958 2122 22 460 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1283 1481 1678 1848 2017 2187 23 470 106 170 234 298 363 401 440 479 518 556 706 856 984 1113 1216 1319 1523 1728 1901 2075 2251 24 480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24	[430																						
460 100 163 225 288 350 388 427 465 503 542 688 833 958 1083 1183 1283 1481 1678 1848 2017 2187 23 470 106 170 234 298 363 401 440 479 518 556 706 856 984 1113 1216 1319 1523 1728 1901 2075 2251 24 480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24	[
470 106 170 234 298 363 401 440 479 518 556 706 856 984 1113 1216 1319 1523 1728 1901 2075 2251 24 480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24	[
480 113 178 244 309 375 414 453 493 532 571 725 879 1010 1142 1248 1354 1565 1777 1955 2133 2316 24	[
	[
والمراجع والمراجع والمراجع والمناز النابي المراجع والمراجع والمناز النائن المناز والمراجع والمراجع والمراجع والمراجع	[480	113	178	244	309	375	414	453	493	532	571	725	879	1010	1142	1248	1354	1565	1777	1955	2133	2316	2498
490 119 186 253 320 388 427 467 506 546 585 744 902 1036 1171 1280 1390 1608 1826 2009 2192 2380 25	ł																							
500 125 194 263 331 400 440 480 520 560 600 763 925 1063 1200 1313 1425 1650 1875 2063 2250 2445 26	╽	500	125	194	263	331	400	440	480	520	560	600	763	925	1063	1200	1313	1425	1650	1875	2063	2250	2445	2640

Buffer zone distances cannot be greater than 1/2 mile (2,640 feet). If after applying applicable credits the buffer zone distances are still greater than 1/2 mile (2,640 feet), the application is prohibited.

							Tab	le 5.	Tarp	ed B	road	cast I	Buffer	Zone	Dista	nces (1	feet)						
											App	licatio	n Blo	ck Siz	e (acr	es)							
		1	2	3	4	5	6	7	8	9	10	15	20	25	30	35	40	50	60	70	80	90	100
	: 90	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
	110	25	25	25	25	25	25	25	25	25	25	33	42	48	54	60	67	74	81	89	96	102	108
	130	25	25	25	25	25	25	25	25	25	25	42	58	71	83	96	108	123	138	152	167	179	192
	150	25	25	25	25	25	25	25	25	25	25	50	75	94	113	131	150	172	194	216	238	256	275
	170	25	25	25	25	25	25	25	25	25	25	58	92	117	142	167	192	221	250	279	308	333	358
1	190	25	25	25	25	25	25	25	25	25	25	67	108	140	171	202	233	270	306	343	379	410	442
	210	25	25	25	25	25	25	25	25	25	25	75	125	163	200	238	275	319	363	406	450	488	525
Equivalent Application Rate (lbs product/A)	230	25	30	34	39	43	46	49	51	54	57	114	170	213	255	297	339	391	443	495	548	592	636
ğ	250	25	34	43	52	61	67	72	78	83	89	152	216	263	309	356	402	463	524	585	645	697	748
ľ	270	25	39	52	66	80	88	96	104	112	120	191	261	313	364	415	466	535	605	674	743	801	859
l sc	290.	25	43	61	80	98	109	120	130	141	152	230	307	363	418	474	530	607	685	763	841	906	970
	310	25	48	70	93	116	130	143	157	170	184	268	352	413	473	533	593	680	766	852	939	1010	1082
ate	330	25	52	80	107	134	150	167	183	200	216	.307	398	463	527	592	657	752	847	941	1036		1193
l R	350	25	57	89	120	152	171	190	210	229	248	345	443	513	582	651	720	824	927	1031	1134		1305
Ę.	370	25	61	98	134	170	192	214	236	258	280	384	489	563	636	710	784	896	1008	1120	1232	1324	1416
ica	390	25	66	107	148	189	213	238	262	287	311	423	534	613	691	769	848	968	1089	1209	1330		1527
급	410	25	70	116	161	207	234	261	289	316	343	461	580	663	745	828	911	1040	1169	1298	1427	1533	1639
t A	430	25	75	125	175	225	255		315	345	375	500	625	713	800	888	975	1113	1250	1388	1525	1638	1750
en	450	36	-88	140	191	243	275	307	339	370	402	533	664	756	849	941	1034	1181	1327	1474	1620	1742	1864
[va]	470	48	101	155	208	261	295	329	362	396	430	566	702	800	898	995	1093	1249	1405	1560	1716	1847	1977
l ab	490	59	114	169	224	280	315		386	421	457	599	741	844	947	1049	1152	1317	1482	1647	1811	1951	2091
A	510	70	127	184	241	298	335	372	410	447	484	632	780	888	995	1103	1211	1385	1559	1733	1907		2205
Broadcast	530	82	140	199	257	316	355	394	433	472	511	665	818	931	1044	1157	1270	1453	1636	1819	2002		2318
)ad	550	93	153	214	274	334	375	416	457	498	539	698	857	975	1093	1211	1330	1522	1714	1906	2098		2432
Brc	570 590	105	166 180	228	290	352 370	395 415	438	480	523 549	566 593	731 764	895 934	1019 1063	1142 1191	1265 1319	1389	1590	1791	1992	2193	$\overline{}$	2545
	610	116 127	193	243 258	307 323	389	435	460 481	504 528	574	620	797	934	11063	1240	1319	1448 1507	1658 1726	1868 1945	2078 2165	2289 2384		2659 2773
	630	139	206	273	340	407	455		528 551	600	648	830	1011	1150	1240	1427	1566		2023	2251	2480		2886
	650	150	219	288	356	407	475	525	575	625	675	863	1011		1338	1427	1625	1863	2100	2338	2575	\rightarrow	3000
	670	157	228	300	372	443	495	546	597	649	700	894	1030	1236	1383	1530	1677	_	2173	2420	2668	2886	
	690	164	238	_	387	443	514		620	672	725	926	1127	1278	1428				2245			_	3209
	710	170	248	325	402	480			642	696	750	958		1320	1474			2050				3084	
igsquare	/10	1/0	240	323	402	400	334	200	042	090	130	936	1100	1320	14/4	1028	1/02	2030	2318	2300	2033	3084	5514

Buffer zone distances cannot be greater than 1/2 mile (2,640 feet). If after applying applicable credits the buffer zone distances are still greater than 1/2 mile (2,640 feet), the application is prohibited.

Posting Fumigant Buffer Zones

- Posting of a **buffer zone** is required unless there is a physical barrier that prevents bystander access to the buffer zone.
 - O Buffer Zone signs must be placed along or outside the perimeter of the buffer zone, at all usual points of entry and along likely routes of approach from areas where people not under the owner's control may approach the buffer zone. Some examples of points of entry include, but are not limited to, roadways, sidewalks, paths, and bike trails.
 - O Some examples of likely routes of approach include, but are not limited to, the area between a buffer zone and a roadway, or the area between a buffer zone and a housing development.

- When posting, the certified applicator supervising the application must ensure compliance with all local laws and regulations.
- Buffer Zone signs must meet the following criteria:
 - The printed side of the sign must face away from the application block toward areas from which people could approach.
 - O Signs must remain legible during the entire posting period and must meet the general standards outlined in the WPS for sign size, text size, and legibility (see 40 CFR §170.120).
 - O Signs must be posted no sooner than 24 hours prior to the start of the application and remain posted until the buffer zone period has expired.
 - O Signs must be removed within 3 days after the end of the buffer zone period.
 - O Buffer Zone signs which meet the criteria above will be provided at points of sale for applicators to use. Templates may be downloaded from http://www.epa.gov/pesticides/reregistration/soil fumigants/index.htm.
 - o The Buffer Zone signs must contain the following information:
 - "Do Not Walk" symbol
 - DO NOT ENTER/NO ENTRE,
 - Methyl Bromide [Name of Product] Fumigant BUFFER ZONE,
 - Contact information for the certified applicator in charge of the fumigation.

Exception: If multiple contiguous blocks are fumigated within a 14-day period, the entire periphery of the contiguous blocks' buffer zones may be posted. Buffer Zone signs must be posted no sooner than 24-hours prior to the start of the first application. The signs must remain posted until the last buffer zone period expires and signs must be removed within 3 days after the buffer zone period for the last block has expired.

RESTRICTIONS FOR DIFFICULT TO EVACUATE SITES

Difficult to evacuate sites are pre-K to grade 12 schools, state licensed daycare centers, nursing homes, assisted living facilities, hospitals, in-patient clinics, and prisons.

- No fumigant application with a buffer zone greater than 300 feet is permitted within 1/4 mile (1,320 feet) of difficult to evacuate sites unless the site is not occupied by children from state-licensed day care centers, students (pre-K to grade 12), patients, or prisoners during the application and the 36-hour period following the end of the application.
- No furnigant application with a buffer zone of 300 feet or less is permitted within 1/8 mile (660 feet) of difficult to evacuate sites unless the site is not occupied by children from state-licensed day care centers, students (pre-K to grade 12), patients, or prisoners during the application and the 36-hour period following the end of the application.

EMERGENCY PREPAREDNESS AND RESPONSE MEASURES

If the buffer zone is 25 feet, then the Emergency Preparedness and Response Measures are not applicable.

Triggers for Emergency Preparedness and Response Measures:

The certified applicator must either follow the directions under the Fumigant Site Monitoring section or follow the directions under the Response Information for Neighbors section if:

- the buffer zone is greater than 25 feet but less than or equal to 100 feet, and there are residences or businesses within 50 feet from the outer edge of the buffer zone, or
- the buffer zone is greater than 100 feet but less than or equal to 200 feet, and there are residences or businesses within 100 feet from the outer edge of the buffer zone, or
- the buffer zone is greater than 200 feet but less than or equal to 300 feet, and there are residences or businesses within 200 feet from the outer edge of the buffer zone, or
- the buffer zone is greater than 300 feet or the buffer zones overlap, and there are residences or businesses within 300 feet from the outer edge of the buffer zone.

Fumigant Site Monitoring for Products

NOTE: Fumigant Site Monitoring is ONLY required if the Emergency Preparedness and Response Measures are triggered AND directions from the Response Information for Neighbors section are not followed.

From the start of the application until the buffer zone period expires, a certified applicator or handler(s)under his/her supervision must:

- Monitor for sensory irritation in areas between the buffer zone outer perimeter and residences and businesses that trigger this requirement.
- Monitoring for sensory irritation must begin in the evening on the day of application and continue until the buffer zone period expires. Monitor a minimum of 8 times during the buffer zone period, including these periods:
 - 1 hour before sunset,
 - during the night,
 - 1 hour after sunrise, and
 - during daylight hours.

Implement the emergency response plan immediately if a handler monitoring experiences sensory irritation.

Response Information for Neighbors

NOTE: Response Information for Neighbors is ONLY required if the Emergency Preparedness and Response Measures are triggered AND directions from the Fumigant Site Monitoring section are not followed.

The certified applicator supervising the application must ensure that residences and businesses that trigger the requirement have been provided the response information at least 1 week before the application starts. The information provided may include application dates that range for no more than 4 weeks. If the application does not occur when specified, the information must be delivered again.

Information that must be included:

- The location of the application block.
- Fumigant(s) applied including the active ingredient, name of the fumigant product(s), and the EPA Registration number.
- Contact information for the applicator and property owner.
- Time period in which the application is planned to take place (must not range more than 4 weeks).
- Early signs and symptoms of exposure to the fumigant(s) applied, what to do, and who to call if you believe you are being exposed (911 in most cases).
- How to find additional information about fumigants.

The method used to share the response information for neighbors can be accomplished through mailings, door hangers, or other methods that will effectively inform the residences and businesses within the required distance from the edge of the buffer zone.

NOTICE TO STATE AND TRIBAL LEAD AGENCIES

If your state and/or tribal lead agency requires notice, information must be provided to the appropriate state or tribal lead agency prior to the application. Please refer to www.epa.gov/fumigantsstatenotice for a list of states and tribal lead agencies that require notice and information on how to submit the information.

The information that must be provided to state and tribal lead agencies includes the following:

- Location of the application blocks,
- Fumigant(s) applied including EPA registration number,
- Applicator and property owner/operator contact information, and
- Time period that fumigation may occur.

EMERGENCY RESPONSE PLAN

The certified applicator must include in the FMP a written emergency response plan that identifies:

- evacuation routes,
- locations of telephones,
- contact information for first responders and local/state/federal/tribal personnel, and
- emergency procedures/responsibilities (e.g., adding water to the field, repairing tarps, fixing equipment, evacuating upwind) if:
 - o there is an incident.
 - o sensory irritation is experienced outside of the buffer zone, and/or
- o there are equipment/tarp/seal failure or complaints, or other emergencies.

SITE-SPECIFIC FUMIGATION MANAGEMENT PLAN (FMP)

Prior to the start of application, the certified applicator supervising the application must verify that a site-specific FMP exists for each application block. In addition, an agricultural operation fumigating multiple application blocks may format the FMP in a manner whereby all of the information that is common to all the application blocks is captured once, and any information unique to a particular application block or blocks is captured in subsequent sections.

The FMP must be prepared by the certified applicator, the site owner, registrant, or other party.

The certified applicator supervising the application must verify in writing (sign and date) that the site-specific FMP(s) reflects current site conditions before the start of application.

Each site specific FMP must contain the following elements:

- Certified Applicator Supervising the Application
 - > name,
 - > phone number,
 - > pesticide applicator license and/or certificate number,
 - > specify if commercial or private applicator,
 - > employer name,
 - > employer address, and
 - > date and location of completing EPA approved soil fumigant training program.
- ❖ General site information
 - > Application block location (e.g., county, township-range-section quadrant), address, or global positioning system (GPS) coordinates
 - Name, address, and phone number of application block owner
 - Map, aerial photo, or detailed sketch showing:
 - application block location
 - application block dimensions
 - buffer zone dimensions
 - property lines
 - roadways
 - rights-of-ways
 - sidewalks
 - permanent walking paths
 - bus stops
 - nearby application blocks
 - surrounding structures (occupied and non-occupied)
 - locations of Buffer Zone signs, and
 - locations of difficult to evacuate sites with distances from the application block labeled.
- General application information
 - > Target application date/window,
 - > Fumigant Product Name,
 - > EPA registration number.
 - > Identify if application:

- Qualifies for a critical use exemption (CUE) at time of application and is listed in Table 1,
- Qualifies for a quarantine exemption and is listed in Table 2, or
- Does not qualify for a CUE and is listed in Table 3.
- > If application qualifies for a quarantine exemption, identify:
 - U.S. Federal, state, or local plant, animal, environmental protection or health authority requiring the quarantine application and the particular quarantine/phytosanitary requirement
 - Requirement for the treatment (e.g., the State or Federal law)
- > Documentation of pest(s) for control of (if applicable):
 - Oak Root Fungus (Armillaria mellea) and/or endoparasitic nematodes such as root-knot (Meloidogyne spp.), dagger (Xiphinema spp.), ring (Criconemoides spp.), lesion (Pratylenchus spp.), and pin (Paratylenchus spp.) nematodes for orchard replant
 - Fusarium, Macrophomina, and/or Verticillum for strawberry fruit

Tarp Plan

- > Schedule for checking tarps for damage, tears, and other problems,
- Minimum size of damage that will be repaired,
- > Factors used to determine when tarp repair will be conducted,
- > Equipment/methods used to perforate tarps,
- > Target dates for perforating tarps, and
- > Target dates for removing tarps.

Soil conditions

- > Description of soil texture and moisture in application block,
- Method used to determine soil moisture, and
- > Soil temperature measurement if air temperatures were above 100 °F in any of the 3 days prior to the application

Buffer zones

- > Application method,
- > Injection depth,
- > Application rate from lookup table on label,
- > Application block size from lookup table on label,
- > Credits applied and measurements taken (if applicable),
 - Tarp brand name, lot number, thickness, manufacturer, batch number, and part number
 - Potassium thiosulfate
 - Organic matter content
 - Clay content
- > Buffer zone distance, and
- Description of areas in the buffer zone that are not under the control of the owner of the application block. If buffer zones extend onto areas not under the control of the owner, attach the written agreement and keep it with the FMP.
- * Record Emergency Response Plan as described in the *Emergency Response Plan* section.
- ❖ Posting of Fumigant Treated Area and Buffer Zone
 - > Person(s) who will post and remove (if different) Fumigant Treated Area and Buffer Zone signs, and
 - > Location of Buffer Zone signs.
- Emergency Preparedness and Response Measures (if applicable)

- > Fumigant site monitoring (if applicable):
 - When and where it will be conducted.
- Response information for neighbors (if applicable):
 - List of residences and businesses informed.
 - Name and phone number of person providing information, and
 - Method of providing the information.
- State and/or tribal lead agency advance notification (if state and/or tribal lead agency requires notice, provide a list of contacts that were notified and date notified)
- ❖ Plan describing how communication will take place between the certified applicator supervising the application, the owner, and other on-site handlers (e.g., tarp perforators/removers, irrigators) for complying with label requirements (e.g., buffer zone location, buffer zone start and end times, timing of tarp perforation and removal, PPE).
 - > Name and phone number of persons contacted by the certified applicator, and
 - > Date contacted.
- ❖ Handler (including Certified Applicators) Information and PPE
 - Names, addresses and phone numbers of handlers
 - Names, addresses, and phone numbers for employers of handlers
 - > Tasks that each handler is authorized and trained to perform
 - > Date of PPE training for each handler
 - > Applicable handler PPE including:
 - Long-sleeved shirts/long pants, shoes, socks
 - Chemical-resistant apron
 - Chemical-resistant footwear
 - Protective eyewear (not goggles)
 - Chemical-resistant gloves
 - Air-purifying respirators
 - Respirator make, model, type, style, size, and cartridge type
 - SCBAs
 - Respirator make, model, type, style, size
 - Other PPE
 - > For handlers: Confirmation of receipt of Fumigant Safe Handling Information.
 - For certified applicator(s) supervising the application: Completion date and location of the soil fumigant training program listed on the following EPA website www.epa.gov/fumiganttraining for the active ingredient(s) in this product.
 - For handlers designated to wear respirators (air-purifying respirator or SCBA):
 - date of medical qualification to wear a respirator,
 - date of respirator training, and
 - date of fit-testing for the respirator.
 - ➤ Unless exempted in the *Protection of Handlers* section, verify that:
 - at minimum 2 handlers have the appropriate respirators and cartridges during handler activities, and
 - the employer has confirmed that the appropriate respirator and cartridges are immediately available for each handler who will wear one.
- ❖ Air monitoring plan
 - > For monitoring after tarp perforation is complete and before tarp removal begins, indicate:
 - Monitoring equipment to be used, and

- Timing of monitoring.
- > If sensory irritation is experienced, indicate whether operations will cease or operations will continue with use of an air-purifying respirator
- Good Agricultural Practices (GAPs)
 - Identify (e.g., list, attach applicable label section) applicable mandatory GAPs.
- ❖ Pesticide Product Labels and Material Safety Data Sheets (MSDS)
 - Ensure that labels and MSDS are on-site and readily available for employees to review.

Record-Keeping Procedures

The owner of the application block as well as the certified applicator supervising the application must keep a signed copy of the site-specific FMP for 2 years from the date of application.

For situations where an initial FMP is developed and certain elements do not change for multiple application blocks (e.g., applicator information, certified applicator, handlers, record-keeping procedures, emergency procedures) only elements that have changed need to be updated in the site-specific FMP provided the following:

- The certified applicator supervising the application has verified that those elements are current and applicable to the application block before it is fumigated.
- Record-keeping requirements are followed for the entire FMP (including elements that do not change).

The certified applicator must make a copy of the FMP immediately available for viewing by handlers involved in the application. The certified applicator or the owner of the application block must provide a copy of the FMP to any local/state/federal/tribal enforcement personnel who request the FMP. In the case of an emergency, the FMP must be made immediately available when requested by local/state/federal/tribal emergency response and enforcement personnel. The certified applicator supervising the application must ensure the FMP is at the application block during all handler activities.

Within 30 days after the application is complete, the certified applicator supervising the application must complete a Post-Application Summary.

Post-Application Summary

The Post-Application Summary must contain the following elements:

- ❖ Actual date and time of the application
- ❖ Application rate
- Size of application block
- Weather Conditions
 - > Summary of the National Weather Service weather forecast during the application and the 48-hours after the application is complete including:
 - o wind speed, and
 - o air stagnation advisory (if applicable).

- > Forecast must be checked on the day of, but prior to the start of the application, and on a daily basis during the application if the time period from the start of the application until the application is complete is greater than 24 hours.
- ❖ Tarp damage and repair information (if applicable)
 - > Date of tarp damage discovery,
 - > Location and size of tarp damage,
 - > Description of tarp/tarp seal/tarp equipment failure, and
 - > Date and time of tarp repair completion.
- * Tarp perforation/removal details (if applicable)
 - > Date and time tarps were perforated,
 - > Date and time tarps were removed, and
 - > Record if tarps were perforated and/or removed early. Describe the conditions that caused early tarp perforation and/or removal.
- Complaint details (if applicable)
 - > Person filing complaint (e.g., on-site handler, person off-site),
 - > If off-site person, name, address, and phone number of person filing complaint, and
 - > Description of control measures or emergency procedures followed after complaint.
- Description of incidents, equipment failure, or other emergency and emergency procedures followed (if applicable)
- ❖ Air monitoring results:
 - > When sensory irritation was experienced:
 - Date, time, location, and handler task/activity where irritation was observed and
 - Resulting action (e.g., cease operations, continue operations with air-purifying respirators, implement Emergency Response Plan).
 - > When using a direct read detection device:
 - Sample date(s), time(s), location(s), and concentration(s),
 - Handler task/activity monitored (if applicable), and
 - Resulting action (e.g., cease operations, continue operations with air-purifying respirators, implement Emergency Response Plan).
- ❖ Fumigant Treated Area and Buffer Zone Signs
 - > Dates of posting and removal.
- ❖ Any deviations from the FMP (e.g., changes in emergency response actions, changes in handler information, changes in handlers responsible for completing emergency tasks, changes in communication between certified applicator, owner, and other handlers).

Record-Keeping Procedures

The owner of the application block, as well as the certified applicator supervising the application, must keep a signed copy of the post-application summary for 2 years from the date of application.

SPILL AND LEAK PROCEDURES

- In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor.
- Evacuate everyone from the immediate area of the spill or leak.

- For entry into affected area to correct the problem, wear the personal protective equipment specified in the *Personal Protective Equipment (PPE)* section.
- Approach from upwind to make necessary repairs.
- Do not enter area without the required PPE until the spill has evaporated or the leak has been fixed.
- Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 lbs. is exceeded.

NOTE: Following soil fumigation, undesirable concentrations of chloropicrin may drift to nearby areas. If this occurs, immediately cover treated area with a plastic tarpaulin. Leave tarpaulin on overnight and remove during the daytime. Recover the area if eye irritation indicates that the undesirable concentration is continuing. These concentrations are most likely to occur in the evening or at night when the air is most likely to be static in movement. Do not make application of 50-50 when there is little or no air movement or there is an inversion condition in the atmosphere.

NOTE CAREFULLY: Following fumigation, the level of soluble salts and ammonia nitrogen may be raised. This is most likely to occur when heavy rates of fumigant and fertilizers are applied to soils that are acid, wet, cold, or high in organic matter. Fertilizers containing ammonium salts should not be used. Apply only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65 F in order to avoid ammonia injury, nitrate starvation, or both. After fumigation, fertilize as indicated by soil test to protect against injury to plant roots. It is best that highly acid soils be limed before application to stimulate nitrification and reduce the possibility of ammonia toxicity.

NOTICE: Contains methyl bromide, a substance which harms public health and the environment by destroying ozone in the upper atmosphere.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE AND HANDLING: Store in a secure manner either outdoors under ambient conditions or indoors in a well-ventilated area. Post as a pesticide storage area. Persons moving, handling, or opening containers must wear the personal protective equipment specified in the *Hazards to Humans and Domestic Animals* section of this labeling. Open container only in a well-ventilated area. Store cylinders upright, secured to a rack or wall to prevent tipping. Do not subject cylinders to rough handling, or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use. When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinder.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use

according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Cylinders are the property of manufacturer or distributor and must be returned promptly by collect freight. Do not ship cylinders without safety caps or valve protection bonnets. When a cylinder is partially full and there is no further requirement for the product, contact the manufacturer or distributor for return instructions. Do not refill containers or use them for any other product or purpose.

SHIPPING: This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin and Methyl Bromide Mixtures, 2.3, UN 1581, Poison-Inhalation Hazard, Hazard Zone B and no exemptions from specifications, packaging, marking, or labeling are allowed. Describe empty cylinders as having last contained Chloropicrin and Methyl Bromide Mixtures (inhalation hazard). Do not ship with foods, feeds, or clothing.

RETURN OF CYLINDERS:

- 1) Cylinders are the property of the manufacturer or distributor where purchased and must be returned promptly by collect freight.
- 2) Do not ship cylinders without safety caps or valve protection bonnets.
- 3) When a cylinder is partially full and there is no further requirement for the product, contact the manufacturer or distributor for return instructions.
- 4) Do not refill the cylinder or use it for any other product or purpose.

Warranty: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.