

P-239 NOBRUSH®

U.S. Patent No. 3,235,357 and 3,352,862 EPA Reg. 9286-2

(EXTRA POWERFUL, NON-SELECTIVE WEED, GRASS, AND BRUSH KILLER) Where children or animals may take internally Harmful if swallow

Bromacil

(5-bromo-3-sec-butyl-6-methyluracil)

UNDER THE FEDERAL INSECTICIDE
FUNCICIDE AND RODENTICIDE ACT
INERT INGREDIENTS A LCONOLING POISON REGISTER.

EL UNDER NO.

ONET WEIGHT: 125 lb.

KEEP OUT OF REACH OF CHILDREN.

Avoid contamination of feed and foodstuffs. Do not leave container

where children or animals may take internally. Harmful if swallowed. May cause irritation of eyes, nose, throat, and skin. Avoid breathing dust. Avoid contact with skin and clothing.

CONTAINER DISPOSAL: Do not re-use container. Destroy when empty.

For complete information on all Randustrials products, see the Randustrials Maintenance Catalog attached to a drum lid in this shipment.

P-239 NOBRUSH®

(Extra Powerful, Nonselective Weed, Grass, and Brush Killer)

EPA Reg. No. 9286-2

GENERAL INFORMATION

NOBRUSH Weed Killer is a dry, granular product to be applied with ordinary granular hand application on noncropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions.

IMPORTANT

Do not apply or clean equipment on or near desirable trees or other plants or on areas where their roots may extend, or in locations where the chemical may be moved into contact with their roots. Do not use on lawns, walks, driveways or similar areas. Do NOT contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds. Clean application equipment after use.

DIRECTIONS

Apply NOBRUSH just before or during period of active growth of weeds. Sufficient moisture is necessary after treatment to carry the chemical into the root zone of the weeds. Do not apply when ground is frozen.

Before treating, calibrate equipment to insure uniform cover of the area to be treated. Weigh the proper amount of NOBRUSH and apply.

GENERAL WEED CONTROL: To control most weeds for an extended period of time on noncropland areas such as parking lots, fence rows, loading ramps, railroad siding, storage yards, and industrial plant sites, apply 1,500 lbs. per acre (35 lbs. per 1,000 sq. ft. or 3.5 lbs. per 100 sq. ft.).

To control ANNUAL WEEDS and GRASSES such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, bromegrass, ragweed, lambsquarter, and turkey mullein, apply 300 to 600 lbs. per acre (7 to 14 lbs. per 1,000 sq. ft. or .7 to 1.4 lbs. per 100 sq. ft.).

To con. PERENNIAL WEEDS and GRASSES such as smooth brome, Canada bluegrass, purpletop, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot, apply 700 to 1,000 lbs. per acre (16 to 23 lbs. per 1,000 sq. ft. or 1.6 to 2.3 lbs. per 100 sq. ft.).

BRUSH CONTROL: Apply as a broadcast treatment in spring or summer to control undesirable woody plants on noncropland areas such as railroad right-of-ways, storage areas, industrial plant sites, and drainage ditches.

NOTE: For effective brush control and prevention of damage to desirable vegetation do not apply to brush standing in water; do not use water from treated ditches for irrigation; do not use in irrigation ditches not on right-of-ways or other sites where marketable timber or other desirable trees or shrubs are immediately adjacent to the treated area.

IMPORTANT

Do not apply or clean equipment on or near desirable trees or other plants or on areas where their roots may extend, or in locations where the chemical may be moved into contact with their roots. Do not use on lawns, walks, driveways or similar areas. Do NOT contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds. Clean application equipment after use.

DIRECTIONS

Apply NOBRUSH just before or during period of active growth of weeds. Sufficient moisture is necessary after treatment to carry the chemical into the root zone of the weeds. Do not apply when ground is frozen.

Before treating, calibrate equipment to insure uniform cover of the area to be treated. Weigh the proper amount of NOBRUSH and apply.

GENERAL WEED CONTROL: To control most weeds for an extended period of time on noncropland areas such as parking lots, fence rows, loading ramps, railroad siding, storage yards, and industrial plant sites, apply 1,500 lbs. per acre (35 lbs. per 1,000 sq. ft. or 3.5 lbs. per 100 sq. ft.).

To control ANNUAL WEEDS and GRASSES such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, bromegrass, ragweed, lambsquarter, and turkey mullein, apply 300 to 600 lbs. per acre (7 to 14 lbs. per 1,000 sq. ft. or .7 to 1.4 lbs. per 100 sq. ft.).

To con. pPERENNIAL WEEDS and GRASSES such as smooth brome, Canada bluegrass, purpletop, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot, apply 700 to 1,000 lbs. per acre (16 to 23 lbs. per 1,000 sq. ft. or 1.6 to 2.3 lbs. per 100 sq. ft.).

BRUSH CONTROL: Apply as a broadcast treatment in spring or summer to control undesirable woody plants on noncropland areas such as railroad right-of-ways, storage areas, industrial plant sites, and drainage ditches.

NOTE: For effective brush control and prevention of damage to desirable vegetation do not apply to brush standing in water; do not use water from treated ditches for irrigation; do not use in irrigation ditches not on right-of-ways or other sites where marketable timber or other desirable trees or shrubs are immediately adjacent to the treated area.

BROADCAST TREATMENT: Apply 700 to 1,000 lbs. per acre (16 to 23 lbs. per 1,000 sq. ft. or 1.6 lbs. to 2.3 lbs. per 100 sq. ft.) to control oak, willow, sweet gum, and pine; apply 1,250 to 2,500 lbs. per acre (40 to 58 lbs. per 1,000 sq. ft. or 4.0 to 5.8 lbs. per 100 sq. ft.) to control brush such as American elm, winged elm, hackberry, sumac, and cottonwood. Use the higher levels of the dosage ranges on absorptive soils (those high in organic matter or carbon).

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label use directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller, buyer assumes all risk of any such use. Seller makes no other warranties, expressed or implied.