

EPA Est. No. 9313-OH-1

DIRECTIONS

SANITIZATION OF GLASSWARE, SILVERWARE, DISHES AND COOKING UTENSILS - Clean with a suitable detergent, rinse thoroughly, then immerse in a rinse containing 1 oz. per 4 gallons water and dry. Do not use a towel for drying.

SANITIZATION OF EQUIPMENT IN FOOD PROCESSING PLANTS, DAIRIES AND MEAT AND POULTRY PROCESSING ESTABLISHMENTS - Clean and rinse equipment thoroughly. Terminally rinse with a solution of 1 oz. per 4 gallons of water.

Note: This product fulfills the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance 1965 recommendations of the U.S. Public Health Service in waters up to 750 p.p.m. (45 grains) hardness calculated as CaCO₃, when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - Official Method.

LAUNDRY RINSE - Add 3½ oz. per 100 lbs. of laundry (dry weight) to the final rinse water. This treatment will provide residual bacteriostatic activity against Staphylococcus aureus, Escherichia coli and Brevibacterium ammoniagenes, and will impart self-sanitizing action against Staphylococcus aureus and Escherichia coli. Residual self-sanitizing activity is provided where high relative humidities are present or when the treated surface is contaminated via a liquid contaminant.

ACCEPTED
JUL 19 1974
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 9313-9

DECIDE

DISINFECTANT - SANITIZER - DEODORIZER
Bactericidal - Virucidal* - Fungicidal**



ACTIVE INGREDIENTS

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	5.0%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5.0%
Inert Ingredients	90.0%
	100.0%

DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Use product according to directions. Do not reuse empty container. Rinse thoroughly with water and destroy.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

Mfg. by: Rose Chemical Products, Inc.
545 Stimmel Road
Columbus, Ohio 43223

DIRECTIONS

DEODORIZATION OF SURFACES - Remove source of odor by cleaning with a suitable detergent. Rinse, then apply a solution of 1-2 oz. per gallon of water.

GENERAL DISINFECTION OF HARD SURFACES SUCH AS URINALS, FLOORS AND WALLS IN HOSPITAL WARDS, SICK ROOMS, OPERATING ROOMS AND LAVATORIES - Clean with a suitable detergent and rinse. To the clean surface, apply a solution containing 3½ oz. per 5 gallons water. This dilution provides activity against Pseudomonas aeruginosa, PRD-10. *This dilution is also effective against the following viruses on inanimate environmental hard surfaces. Influenza A₂, Herpes Simplex, Adenovirus Type 5 and Vaccina.

**Fungicidal claim specific to pathogenic fungi only.

Phenol Coefficients:
Staphylococcus aureus 91
Salmonella typhosa 60

EPA Reg. No. 9313-9

Net contents _____ gallon(s)

Lab control no. _____

1213-19

CONCENTRATED SYNTHETIC DETERGENT, VIRUCIDAL*, BACTERICIDAL AND FUNGICIDAL ACTIVITY FOR BROAD SPECTRUM OF GRAM POSITIVE AND GRAM NEGATIVE ORGANISMS. INSURES OUTSTANDING CLEANING AND DISINFECTING IN ONE OPERATION. EFFECTIVE DEODORIZER FOR SURFACES CONTAMINATED BY ORGANIC PUTREFACTIVE ODOR. EXCELLENT SOLUBILITY IN HARD OR SOFT WATER. CONTAINS BLENDABLE DETERGENTS, AND IS PHOSPHATE

Sanitization coefficients:
Staphylococcus aureus 42
Salmonella typhosa 27

Disinfectant against the following pathogenic microorganisms on environmental, inanimate hard surfaces at a use rate of 1/2 oz. per gal. of water.

BACTERIA
Staphylococcus aureus ATCC #6538
BACTERIA
Vibrio choleraesuis ATCC #10708
Aeruginosa, PRD-10 ATCC #15442
BACTERIA
Pseudomonas interdigitale Strain #640

Box type 2

Net contents _____ gal(s)

Lab control no. _____

NEW FORMULA

ROSECIDE

CLEANER-DISINFECTANT-DEODORIZER-SANITIZER



Active Ingredients:	
n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium carbonate	3.00%
Tetrasodium ethylenediamine tetraacetate	1.00%
Inert Ingredients:	91.50%
(Includes compatible synthetic detergents, essential oils and organic dye)	100.00%

EPA Reg. No. 9313-19

WARNING KEEP OUT OF REACH OF CHILDREN

Causes severe eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

Dilute as directed, do not mix with soaps or other cleaners. Do not reuse empty container, rinse thoroughly with water and discard.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

Mfg. by: ROSE CHEMICAL PRODUCTS, INC.
545 Stimmel Road, Columbus, Ohio 43223

FOR PROFESSIONAL USE ONLY

HOSPITAL USE

1. To clean, disinfect and deodorize other similar contaminated surfaces, use 4 ounces per gallon of water.
2. To clean, disinfect and deodorize painted surfaces, use 4 ounces per gallon with special emphasis on corners and trim.
3. To fog an unoccupied room preceding or following disinfecting procedures use 4 ounces per gallon of water per room. Allow minimum 30 minutes to have stopped before entering.

GENERAL USE

1. To clean, disinfect and deodorize tables, drinking fountains, stoves, restroom fixtures, mail and bird cages, etc. with solution containing 4 ounces per gallon of water. Remove gross filth from surfaces prior to treatment with solution.
2. For light duty cleaning of walls, use 4 ounces per gallon water.
3. To clean and disinfect brushes, razors, scissors, etc. goods; wipe articles, clean cutlery in a solution containing 4 ounces of water.
4. To disinfect fabrics such as towels and uniforms; soak in solution containing 4 ounces per gallon of water.
5. To clean grease laden surfaces use 4 to 6 ounces per gallon of water.

A HIGHLY CONCENTRATED SYNTHETIC DETERGENT WITH VIRUCIDAL*, BACTERICIDAL AND FUNGICIDAL ACTIVITY FOR BROAD SPECTRUM KILL OF GRAM POSITIVE AND GRAM NEGATIVE MICRO-ORGANISMS. INSURES OUTSTANDING CLEANING AND DISINFECTING IN ONE OPERATION. AN EFFECTIVE DEODORIZER FOR SURFACES CONTAMINATED BY ORGANIC PUTREFACTION, AND DOES NOT LEAVE A STRONG RESIDUAL ODOR. EXCELLENT SOLUBILITY IN HOT, COLD, HARD OR SOFT WATER. CONTAINS BIODEGRADABLE DETERGENTS, AND IS PHOSPHATE FREE.

Phenol coefficients:
 Staphylococcus aureus 42
 Salmonella typhosa 27

Effective as a disinfectant against the following pathogenic microorganisms, on environmental, inanimate hard surfaces at a use-dilution of 2 oz. per gal. of water.

GRAM POSITIVE BACTERIA
 Staphylococcus aureus ATCC #6538

GRAM NEGATIVE BACTERIA
 Salmonella choleraesuis ATCC #10708
 Pseudomonas aeruginosa, PRD-10 ATCC #15442

FUNGI
 Trichophyton interdigitale Strain #640

***VIRUS**
 Influenza A₂
 Herpes Simplex
 Adenovirus type 2
 Vaccinia

Net contents _____ gal(s)

Lab control no. _____

NEW FORMULA

ROSECIDE

CLEANER-DISINFECTANT-DEODORIZER-SANITIZER



Active Ingredients:
 n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides 2.25%
 n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 2.25%
 Sodium carbonate 3.00%
 Tetrasodium ethylenediamine tetraacetate 1.00%
 Inert Ingredients: 91.50%
 (Includes compatible synthetic detergents, essential oils and organic dye) 100.00%

EPA Reg. No. 9313-19

WARNING KEEP OUT OF REACH OF CHILDREN

Causes severe eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

Dilute as directed, do not mix with soaps or other cleaners. Do not reuse empty container, rinse thoroughly with water and discard.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

Mfg. by: ROSE CHEMICAL PRODUCTS, INC.
 545 Stimmel Road, Columbus, Ohio 43223