1359 - 25 1°M-31 UNITED STATES ENVIRONMENTAL PROTECTION AGENC

OCT 0 5 1994

Surpass Chemical Co. Inc 1254 Broadway Albany, NY 12204

)

)

Ken =

Attention: Bill Mafilios Vice President

Subject: Product Name: Algaecide II EPA Registration No. 9359-25 Your Amendment Dated December 9, 1993

The amendment (label update and revised CSF) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:

1. Make the following labeling changes below before you release the product for shipment bearing the amended labeling.

a. For consistency, revise the Total percentage to read: 100.00%

b. The Inert Ingredient percentage should read: 95.00% not 95.0%

c. Delete the phrase: General Classification.

d. Add the letter "s" to the heading: Inert Ingredients.

e. The referral statement must be placed directly below the signal word: Danger (center panel orly).

2. A release for shipment of the product bearing the amended labeling constitues acceptance of these conditions.

3. A stamped copy of the labeling is enclosed for your records.

CONCURRENCES								
SYMBOL								
SURNAME								
DATE					*****			

- 2 -

4. The submitted Confidential Statement of Formula (dated December 9, 1993) is acceptable. Note also that this confidential will supersede all previous confidentials.

However note for future reference that the upper certified limit (Block 14a) should be around 5.25% and the lower certified limit (Block 14b) should be around 4.75% for this product.

If you have any questions concerning this letter, contact V. Goncarovs at 703-305-6663.

Sincerely,

Marshall Swindell Acting Product Manager (31) Antimicrobial Program Branch Registration Division (H7505C)

Enclosures

. .

1

)

)

4 3 M

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep out of reach of children. Corrosive, Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of lood.

rating of rata it swallowed, Avoid communation of lood. STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contami-nated clothing before reuse. It swallowed, drink promptly a large quantity of egg whites, gelatin solution or if these are not avail-able, drink large quantities of water. Avoid alcohol, Call a physi-cian immediately cian immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contra-indicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

ENVIRONMENTAL HAZARDS This pesticide is toxic to lish. Do not discharge elliuent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requiraments of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to saver systems without previously notifying the local severale treatment pain authority. For guidance contact your State Water Board or Regional Office of the EPA.

÷

. -

...

STORAGE AND DISPOSAL

1. STORAGE INSTRUCTIONS

Store in original containers and place in locked storace area.

Keep from freezing.

Do not contaminate water, food, or feed by storage or disposal.

2. SPILL OR LEAK PROCEDURE

Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

3. PESTICIDE DISPOSAL

Securely wrap original container in several layers of newspaper and discard in trash.


·۴

4. CONTAINER DISPOSAL

Do not reuse container (bottle, cans, jars). Rinse thoroughly before discarding in trash.

E.P.A. Reg. No. 9359-20 E.P.A. Est. No. 9359-NY-02

• KEEPS POOL WATER CLEAR AND FREE OF VISIBLE ALGAE • CONTROLS ALGAE AND SLIME IN SWIMMING POOLS	
ACTIVE INGREDIENTS: N-Alkyl (60% C14, 30% C16, 5% C16) dimethyl benzyl ammonium chloride	



BRAND

See side panel for additional precautionary statements.

KEEP OUT OF REACH OF CHILDREN

DANGER

MANUFACTURED BY SURPRES CHEMCHL CC. NC. 1254 BROADWAY, ALBANY, NY 12204 518-434-8101

ACCEPTED with COMMENTS in EPA Letter Dated: ln.

M m w

In S١

w ai 76 р

m

M V

h H

С

a

W

С

ir

0 n

re

M

i.

(

s

W

C

ir

OCT 0 5 1994

"Under the Fold of Lassitida Fundicide, and the based of a set

Mrs. reachded. The the w pressered under ESA Roy No. 359-

9

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

NGER: Keep out of reach of children. Corrosive, Causes severe 2 and skin damage. Do not get in eyes, on skin or on clothing. ar goggles or face shield and rubber gloves when handling. rmful or fatal if swallowed. Avoid contamination of tood.

ATEMENT OF PRACTICAL TREATMENT: In case of contact. nediately flush eyes or skin with plenty of water for at least 15 autes. For eyes, call a physician. Remove and wash contamiled clothing before reuse. If swallowed, drink promptly a large antity of egg whites, gelatin solution or if these are not availe, drink large quantities of water. Avoid alcohol. Call a physin immediately.

ITE TO PHYSICIAN: Probable mucosal damage may contraicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

TOTAL

.r

This pesticide is toxic to tish. Do not discharge elfluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge elfluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office oi the EPA.

STORAGE AND DISPOSAL

STORAGE INSTRUCTIONS

ore in original containers and place in locked stor-:e area.

sep from freezing.

not contaminate water, food, or feed by storage or sposal.

SET L OR LEAK PROCEDURE

nall spills may be mopped up or flushed away with ster or absorbed on some absorbent material and cinerated.

PESTICIDE DISPOSAL

scurely wrap original container in several layers of wspaper and discard in trash. CONTAINER DISPOSAL

> not reuse container (bottle, cans, jars). nse thoroughly before discarding in trash.

2A. Reg. No. 9359-20 P.A. Est. No. 9359-NY-02

		-				
	,		-			
	,				7	
•					•	
		÷	·	_		

	A 4	
• •		
	•	
•	· •	
•		-

• KEEPS POOL WATER CLEAR AND FREE OF VISIBLE ALGAE • CONTROLS ALGAE AND SLIME IN SWIMMING POOLS	
ACTIVE INGREDIENTS: N-Alkyl (60% C14, 30% C14, 5% C16) dimethyl benzyl ammonium chloride	
M-Dialkyl (60% C14, 30% C16, 5% C12, 5% C16) methyl benzyl ammonium chloride	

SPAS FOR POOLS AND

100.0%



BRAND

See side panel for additional precautionary statements.

KEEP OUT OF REACH OF CHILDREN

DANGER MANUFACTURED BY SURPRISE CHEMICAL CILINC 1254 BROADWAY, ALBANY, NY 12204 518-434-8101

ACCEPTED with COMMENTS in EPA Letter Dated

للمصحاب اللقوا إصميو رهادة وأجبته والدانج

OCT 0 5 1994

BEST AVAILABLE COPY

"Buder the Rode of Electricide, "Fondeide, and the deside as • the trainided, for the peak site Ngamerod under blick Roy, No. 9359-25

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOT RECOMMENDED FOR SPAS OR HOT TUBS IN SWIMMING POOLS:

Initial Dose: Add 1 gallon ALGAECIDE II swimming pool algaecide for each 25,000 gallons of pool water.

Maintenance Dose: Add 1 quart ALGAECIDE II swimming pool algaecide for each 25,000 gallons of pool waler.

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove algae debris. If visible algae are still present or reappear, repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose.

Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

If make-up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of ALGAE-CIDE II for each 5,000 gallons of fresh make-up water added per week.

When swimming season is over, add 1 gallon of ALGAE-CIDE II to 25,000 gallons of water in treating water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

When ALGAECIDE II is used as directed, it will control the growth of Chlorella pyrenoidosa (green), Phormidium inundatum, Phormidium retzii, Lyngba versicolor (blue-green) and other swimming pool algae.

ALGAECIDE II is compatible with most commonly used swimming pool chemicals, but should not be mixed with soap or other water-treating chemicals. ALGAE-CIDE II works best when added by itself directly to pool water, ALGAECIDE II at use dilution is non-corrosive to inanimate surfaces.

NET CONTENTS: 1 GALLON