


ACCEPTED



WARNING!
**CONTAINS XYLOL, BUTYL ALCOHOL
AND CUPROUS OXIDE**

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Avoid breathing of vapor or spray mist. Avoid contact with skin. Do not take internally. Close container after using. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

Do not contaminate water by cleaning of equipment or disposal of waste.

FIRST AID: If swallowed, do NOT induce vomiting. CALL A PHYSICIAN.

USE WITH ADEQUATE VENTILATION

DIRECTIONS FOR USE

WARRANTY

MATERIALS


FIRST AID

NEW YORK, ROYAL CANADIAN MOUNTED POLICE



ONE U.S. GALLON

NAVICOTE[®] ANTIFOULING

ACCEPTED
11-2-73
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
EPA UNDER NO. 9461-77



WARNING!
KEEP OUT OF REACH
OF CHILDREN



ACTIVE INGREDIENTS
Cuprous Oxide 42.92%*
INERT INGREDIENTS 57.08%

WARNING!
CONTAINS XYLOL, BUTADIENE
AND CUPROUS OXIDE

DO NOT USE, POUR, SPILL,
HEAT OR OPEN FLAME. AVOID
vapor or spray mist. Avoid
skin. Do not take internally
or after using. Do not reuse
container. Destroy it by perforating
Bury or discard in a safe place.
Do not contaminate water,
equipment or disposal of
FIRST AID: If swallowed,
vomiting. CALL A PHYSICIAN
USE WITH ADEQUATE

NAVICOTE 1000
RED ANTI-FOULING PAINT
MD-3559