

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

APR 30 1984

Ritter's REX TICK AND FLEA POWDER FOR DOGS (front label)

Dog  
sketch

Ritter's REX  
TICK & FLEA  
POWDER for DOGS

Contains  
SEVIN

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

ACTIVE INGREDIENTS:

\*SEVIN=Carbaryl (1-Naphthyl N-Methylcarbamate) . . . . . 5.00%

\*\*Methoxychlor, technical . . . . . 0.25%

INERT INGREDIENTS: (Calcium Carbonate) . . . . . 94.75%

100.00%

9468-2

\*SEVIN is the registered trade mark of Union Carbide Corporation  
for carbaryl insecticide.

\*\*[Equivalent to 0.22% 2,2-Bis (P-methoxyphenyl)-1,1,1-  
trichloroethane & 0.03% other isomers & related compounds]

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT - 6 OZ.

EPA Reg. No. 9468-2

Manufactured by Ritter Chemical Company

EPA Est. No. 9468-TX-1

503 Sul Ross, Houston, Texas 77006

(side panel)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling. For best results, dust liber-  
ally over entire body. Make sure that the powder is applied on feet, pads  
and between toes. Dust living quarters freely. Repeat treatments if  
necessary. Should not be used more often than once weekly.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: HARMFUL IF SWALLOWED. Avoid prolonged breathing of powder.  
Avoid contact with eyes, skin, or clothing. Avoid contamination of food  
or feedstuffs or domestic water supplies. Wash hands after using. Keep  
out of the reach of children (or domestic animals). Avoid treatment of  
kittens or puppies less than 4 weeks of age.

NOTE TO PHYSICIANS: Sevin = Carbaryl is a moderate, reversible,  
cholinesterase inhibitor. Atropine is antidotal. Usual symptoms are the  
same as other anticholinesterases; these are headaches, nausea, vomiting  
and blurring of vision.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER.

INDUCE VOMITING WITH SYRUP OF IPECAC OR BY DRINKING 1 OR 2 GLASSES OF  
WATER AND TOUCHING BACK OF THROAT WITH FINGER. TO AN UNCONSCIOUS OR  
CONVULSING PERSON DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH.

IF IN EYES: FLUSH EYES WITH PLENTY OF WATER(15 MIN.) & CALL PHYSICIAN.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Wash with soap and water.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other  
wildlife. Do not apply directly to water. Do not contaminate water  
by cleaning of equipment or disposal of wastes. Apply this product only  
as specified on this label. This product is highly toxic to bees exposed  
to direct treatment or residues on plants.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Store in a dry, cool  
place, preferably in a locked storage area.

PESTICIDE DISPOSAL: Securely wrap original container in several layers  
of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse container thoroughly  
before discarding in trash.