

orchard mouse bait

(Contains Zinc Phosphide)

ACTIVE INGREDIENT:	
Zinc Phosphide*	1.88%
INERT INGREDIENT:	
Cracked Corn	98.12%
	Total 100.00%
*Commercial Grade Zinc Phosphide	2.00%

Read Entire Label. Use Strictly in Accordance with Label Cautions, Warnings, and Directions.

STATEMENT OF LIABILITY: The use of this material being beyond our knowledge and control and involving elements of risk to vegetation, we do not make any warranty, express or implied, as to the effects of such use, whether or not in accordance with directions or claimed so to be. In particular, Agway makes no warranty, express or implied, that the product herein described shall be merchantable, nor that it shall be fit for any particular purpose, and any affirmation of fact or promise made by Agway or its agents or servants shall not be deemed to create an express warranty that the goods shall conform to the affirmation or promise. User assumes all risk of direct, indirect and/or consequential damage arising from such use.

APPLICATION: Do not broadcast over growing crops. Do not apply over bare ground. Follow label recommendations carefully as to timing and mode of application to assure best possible control, to adequately protect wildlife, domestic fowl and animals. Adjust and operate equipment to spread or scatter baits evenly.

There are three acceptable methods:

Aircraft: Apply 8 to 10 pounds per acre evenly distributed over the tree rows directly after harvest. Carefully avoid broadcasting any over growing crops and over bare soil such as farm roadways.

Mechanical Seeder: Apply 10 to 20 grains per foot with either a hand operated garden seeder or a tractor powered type of seeder. Sow two parallel rows of baits in this manner one on either side of the tree row at the drip line of the branches. 3 to 5 pounds of bait per acre are needed. The bait should be carefully placed and evenly distributed on the surface of the soil, not planted, and underneath the grass, cover crop or weeds directly after harvest. Do not drop any on bare ground.

Hand Treating of Trails: Later in the fall after rains or the first snowfall have matted down the cover or weeds, locate the trails or runways established by the rodents. Treat each quarter of the tree by carefully opening the weeds or grass over the runway and placing several baits within. Do this for each quarter in several places at 1 to 2 foot intervals.

Orchard Mouse Bait should be applied immediately after harvest before leaves fall, grass and weed growth mat down, unless trail baiting by hand is to be practiced

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

WARNING: KEEP OUT OF REACH OF CHILDREN AND ANIMALS

May be fatal if swallowed. Do not breathe dust or fumes. Avoid contact with skin. Wear rubber gloves. Do not contaminate feed and foodstuffs.

MANUFACTURED BY

GERMANN

