

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
(& DOMESTIC ANIMALS)

OCT 14 1982

# PRO KILL

## CAUTION

Under the Federal Insecticide, Fungicide, and Rodenticide Act

Harmful if swallowed. Contact with skin can be harmful. For the avoidance of contact with skin, wash with soap and water. Avoid contamination of food and food-stuffs. Keep out of reach of children.

## STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED** Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED** Remove victim to fresh air and apply respiration if indicated.



**IF ON SKIN** Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES** Rinse eyes for at least 15 minutes with water and call physician immediately.


**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**  
Do not use, pour, spill or store near heat or open flame.

**DISPOSAL**  
Do not reuse empty container. Wrap container and put in trash collection.



**TERMITE CONTROL**



**One gallon makes 100 gallons.**

**45% EMULSIFIABLE CONCENTRATE**

Active Ingredients	
Technical Chlordane ★ ★	45%
Petroleum Hydrocarbons	45%
Inert Ingredients	10%
Total	100%

★ ★ equivalent to 27% Octachloro — 4.  
7-methanotetrahydroindane and 18% related compounds  
Contains 4 pounds Technical Chlordane per gallon

EPA registration no. 8581-6  
EPA establishment no. 8581-04-1

NET CONTENTS ONE GALLON

**CAUTION** KEEP OUT OF REACH OF CHILDREN  
See side panel for additional precautionary statements

## SUBTERRANEAN TERMITES—DIRECTIONS FOR NON PROFESSIONAL USE.

This is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Basement or crawl space construction:**  
First remove all wood debris and wood forms. Around piers, posts, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a wooden post or rod about one half apart that extend from the trench bottom to the footing. Make holes closer on hard packed clay soils. Never dig below the top of the footing. Apply the solution in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back fill. Measure, treat along the entire of foundations of crawl space buildings. Cover treated soil with a thin layer of untreated soil and take care to avoid contaminating water supplies.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation and pour one-half gallon of solution into each hole. Seal holes. Slabs with heat ducts or radiating heat pipes should be treated by professional pest control operators. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Professional Pest Control Service.

## Slab-on-ground construction.

(Preconstruction application)  
(a) Apply an over all treatment under entire surface of floor slab including porch floors and entrance platforms. Apply at a rate of 1 gallon per 10 square feet, except that if fill under slab is gravel or other coarse aggregate material apply at a rate of 1 gallon per 7 square feet.  
(b) Apply to critical areas along both sides of foundation wall at a rate of 1 gallon per 2 1/2 linear feet on foot of depth.  
(c) Yards of sand masonry foundation walls. Apply to voids at a rate of 1 gallon per 3 linear feet. The objective is to establish a treated soil barrier which will prevent termite entry.  
Food contamination of public and private water supplies by following these precautions. Use anti-back flow siphonage equipment. Refer to Federal (Federal Housing Administration) state and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells should not be treated if it is water saturated or by injecting the solution under pressure. Soil should be removed to an area safe from well contamination, treated, and returned to the trench which has been lined with plastic sheeting.

## MIXING DIRECTIONS

For use with Spraying Gun or Pressure Type Garden Sprayer. Thoroughly mix 1 part of concentrate with 20 parts of water (1/2 tablespoon per gallon) for 1% emulsion (recommended treatment).

	Recommended Treatment	Minimum Treatment
45% Concentrate	For 1% Solution Mix with water to make gallons listed below.	For 1/2% Solution with water to make gallons listed below.
1 gallon	60	100
1/2 gallon	25	50

Do not apply where ground is frozen.

465/56512  
17/3

OCT 14 1982

TJP

Nationwide Chemical Products Inc.  
P.O. Box 3027  
Hamilton, OH 45013

Attention: David Valentine

Gentlemen:

Subject: Termiticide L.I.F.  
Pro Kill termite Control 454 E.C.  
EPA Registration No. 9591-6  
Your Application of November 17, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing, incorporate the following revisions:

1. In the Precautionary Statements, under the subheading "Hazards To Humans and Domestic Animals," remove the parenthesis from "and Domestic Animals."
2. Revise the statement of practical treatment to read:

**STATEMENT OF PRACTICAL TREATMENT**

- If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Get medical attention immediately.

3. The appropriate heading for the specific use directions should read:

"Subterranean Termites - Directions for Home Use"

Since this product is subject to the child-resistant (special) packaging regulations, submit a signed certification statement that the packaging complies with these requirements.

Refer to 40 CFR 152.15, "Pesticides Requiring Special Packaging," and the Federal Register, Vol. 46, No. 41, Tuesday, March 3, 1981, pp. 15184-15189, "Clarification of Policy Issues on Special Packaging," for guidance and proper submission requirements.

Sincerely yours,

George T. Lakoos  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure