

| | | | |
|--|--|---|--|
| | United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460 | <input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input type="checkbox"/> Other | OPP Identifier Number 166293 |
| | Application for Pesticide: | | |

Section I

| | | |
|---|--|---|
| 1. Company/Product Number 9630-4,5,6,7,8,10,11,12,15,16,17,19,21,22,24,26,27,28,29,30,31,32,34 | 2. EPA Product Manager C. Giles-Parker | 3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) OMG AMERICAS, INC. (MOONEY CHEMICALS) | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |
| 5. Name and Address of Applicant (Include ZIP Code) OMG Americas, Inc. 2301 Scranton Road Cleveland, OH 44113 <input type="checkbox"/> Check if this is a new address | | |

Section II

| | |
|---|---|
| <input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below. |
|---|---|

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Our company has officially changed its name from Mooney Chemicals, Inc. to OMG Americas, Inc. In addition, we have added the "Effluent Discharge Statement" to all our labels.

NOTIFICATION

NOTIFICATION
 AUG 15 1996

Section III


| | | | |
|--|---|---|--|
| 1. Material This Product Will Be Packaged In: | | | |
| Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No * Certification must be submitted. | Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | 2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ |
| 3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container | 4. Size(s) of Retail Container If "Yes," Unit Package wgt. No. per container If "Yes," Package wgt. No. per container | 5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product | |
| 6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | |

Section IV

| | | |
|---|---|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name Laura J. Sydro | Title Product Compliance Specialist | Telephone No. (Include Area Code) 216-575-3679 |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | 6. Date Application Received (Stamped) |
| 2. Signature | 3. Title Product compliance Specialist | (Stamp area) |
| 4. Typed Name Laura J. Sydro | 5. Date 6/26/96 | |

S
H
T
O
P

P.O.#

CONTROL
NET
TARE
GROSS


WOOD-GARDTM 5560 PRESERVATIVE

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting.

GET MEDICAL ATTENTION

IF INHALED: Remove to fresh air.

IF ON SKIN: Wash with soap and plenty of water.

IF IN EYES: Flush immediately with water.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Use only with adequate ventilation. Avoid breathing of vapor or spray mist.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Apply this product only as specified on the label.
Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

EFFLUENT DISCHARGE STATEMENT

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

| ACTIVE INGREDIENTS: | |
|-------------------------------------|----------|
| Zinc Naphthenate (2% Zinc Metal) | 15.70% |
| INERT INGREDIENTS | 84.30% |
| TOTAL | 100.00% |
| PRODUCT WT/GAL | 6.8 LBS. |

CAUTION**COMBUSTIBLE**

See other precautionary statements on side panel.
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.

EPA Reg. No. 9630-16
EPA Est. No. 9630-PA-01

COVERAGE: 100-300 sq. ft.-depending on porosity of wood and method of application

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities.
CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
STORAGE: PRODUCT WILL FREEZE. Store at temperatures between 0 F and 100 F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread Absorbant, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in original container only. Do not store with fertilizers, food or feed. Keep container closed when not in use.

NOTES TO USER

Do not apply over pressure treated, painted or varnished surfaces. Do not apply over bark. Do not use on wood intended for food, feed, potable water, livestock or dairy animal contact surfaces. May injure living plants during application. Cover plants to protect against contact.

APPLICATION:
Can be used to preserve both interior and exterior wood when wood is subjected to frequent or constant moisture (seepage). Can be used for above ground and below ground use. For above ground use, apply one brush coating. For below ground use, apply one brush coating. Material not absorbed into wood will wash off. Below ground or ground contact situations. Remove any excess preservative material. For further protection, dip for one hour. For fence posts, immerse for 12-48 hours. For wood buried in soil, immersion for 12-48 hours. For wood of adequate thickness, except for wood of less than 1/2 inch thickness, apply preservative at a faster rate. All wood must be dry before use in the structure.

WOOD PRESERVATION:
Protects the following types of wood: furniture, docks, piers, posts, pilings, spars, house siding. Protects wood in lumber, slats and beehive crates.

PHYSICAL PROPERTIES:
Inhibits warping, shrinking, swelling, cracking, and staining of wood. Can be painted after drying for 24 hours. Materials, weathering will enhance penetration of preservative which will not wash off.

FUNGICIDE:
Protects and preserves wood against staining and attack by termites.

FABRIC AND CARPET PROTECTION:
Can be used to protect and preserve fabrics from destroying and staining fungus, including mildew and other fabrics. Material should be dry before use. Material can either be sprayed or applied. Approximately 75 square feet of fabric or feed contact surfaces or close contact situations.



S
H
I
P

773

CONTROL
NET
TARE
GROSS

P.O.#

NOTIFICATION

AUG 15 1988



GARD S562 WOOD PRESERVATIVE WATER REPELLANT

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting.
GET MEDICAL ATTENTION
IF INHALED: Remove to fresh air.
IF ON SKIN: Wash with soap and plenty of water.
IF IN EYES: Flush immediately with water.

PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Use only with adequate ventilation. Avoid breathing of vapor or spray mist.

ENVIRONMENTAL HAZARDS
This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS
Apply this product only as specified on the label.
Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

EFFLUENT DISCHARGE STATEMENT

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACTIVE INGREDIENT:
Zinc Naphthenate 15.70%
(2% Zinc metal)
INERT INGREDIENTS 84.30%
TOTAL 100.00%
PRODUCT WT/GAL = 6.8 LBS.

CAUTION

COMBUSTIBLE

See other precautionary statements on side panel.
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.

EPA Reg. No. 9630-116
EPA Est. No. 9630-PA-01

COVERAGE: 100-300 sq.ft.-depending on porosity of wood and method of application

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities.
CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
STORAGE: PRODUCT WILL FREEZE. Store at temperatures between 0 F and 100 F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in original container only. Do not store with fertilizers, food or feed. Keep container closed when not in use.

NOTES TO USER

Do not apply over painted or varnished surfaces. Do not apply over bark. Do not use on wood intended for food, feed, potable water, livestock or dairy animal contact surfaces. May injure living plants during application.

APPLICATION SITE

Can be used to preserve both interior and exterior wood. Interior use is only needed when wood is subjected to frequent or prolonged wetting (e.g. condensation or rain seepage). Can be used for above ground, ground contact and below ground uses. Below ground or ground contact use requires a minimum 5 minute dip. For even further protection, dip for one hour. Wood to be treated should be dry and well seasoned. Fence posts must have bark removed. For fence posts, finished timbers to be buried in soil, immersion for 12-48 hours provides long term protection (pine species may be adequately penetrated in 6-8 hours). Cut timbers should be immersed 15-30 minutes per inch of thickness, except in case of pine species which absorbs the preservative at a faster rate. For above ground use, apply two brush coats, or spray until the surface is completely wet or dip for 3 minutes per inch of thickness. All wood should be treated after all cuts are made and before use in the structure.

WOOD PRESERVATIVE USES

Protects the following types of wood: shingles, millwork, windows, outdoor furniture, docks, piers, posts, pilings, block flooring, staking material, decks, spars, house siding. Protects wood in all the above applications including nursery lumber, slats and beehive crates.

PHYSICAL PROTECTION

Inhibits warping, shrinking, swelling, checking, cracking and water marking of the wood. Can be painted after drying for 24 hours. For wood containing resins and other materials, weathering will enhance paint adhesion. This colorless product offers a penetrating fungicide which will not bloom.

FUNGICIDAL ACTIVITY

Protects and preserves wood against mold, mildew, rot, wood destroying fungi, mildew stain and attack by termites.

FABRIC AND CORDAGE PROTECTION

Can be used to protect and preserve fabric against mildew, mold and fabric destroying and staining fungus, including rope, fish net, twine, canvas, burlap and other fabrics. Material should be thoroughly saturated until wet and air dried before use. Material can either be sprayed or dipped for complete saturation. Treats approximately 75 square feet of fabric per gallon. Do not use on fabric intended for food or feed contact surfaces or clothing. Not for use on fabric or cordage in in ground contact situations.

UNFAILING INTEGRITY - QUALITY - DELIVERY

CMG
AMERICAS

TWO MILE RUN RD., FRANKLIN
VENANGO COUNTY, PA 16323 • 814-432-2125