Constitution and bear and the	Winner	and the same of the	— :	• "			page 18
Please read Instructions on r				roved.	OMB No. 2070	0-0060	Approval expires 11-30-93
United States Environmental Protect Office of Pesticide Programs (H Washington, DC 20460					Registration		OPP Identifier Number
					Amendme	ent	100000
<b>\//    /</b>	sticide:		Other		166293		
	-	Section I			······		
Company/Product Number	EPA Product Manager     3. Proposed Classification						
9630-4, 5, 6, 7, 8, 10, 11, 12, 15, 16, 17/19, 21, 22			C. Giles-Parker				
			PM# None Restricted				
32,39					•		<del></del>
OMG AMERICAS, INC. (MOONEY CHEMICALS)  5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Review. In accordance with FIFRA Section 3(c)(3)				
OMG Americas, Inc.			(b)(i), my product is similar or identical in composition and labeling				
2301 Scranton Road			to:				
Cleveland, OH 44113			EDA Dan No.				
			EPA Reg. No				
Check if this is a new address			Product Name				
		Section I I					
Amendment - Explain belo	Final printed labels in response to						
<b></b>	Agency letter dated						
Resubmission in response to Agency letter dated			"Me Too" Application.				
XXX Notification - Explain below.			Other - explain below.				
Explanation: Use additional page(s) if necessary. (For section I and Section II.)							
Our company has of	ficially ch	anged its nam	e from Mooney	7 Che	emicals. T	nc.	to OMG
Our company has officially changed its name from Mooney Chemicals, Inc. to OMG Americas, Inc. In addition, we have added the "Effluent Discharge Statement"							
Americas, Inc. In addition, we have added the "Effluento is charge Statement" to all our labels.							
NOTIFICATION  NOTIFICATION  106 / 5 1996							
NO11	FICH	11010			1796		-
		Section III				٠	
1. Material This Product Will	Be Packaged In:						
Child-Resistant Packaging U	nit Packaging	Water	Soluble Packaging		2. Type of Co	ntainer	
Yes*	Yes		Yes			letal	
	No		No			lastic lass	
1 1	 "Yes."	No. per If Yes	·········		- P	aper	•
	nit Package wgt.			ainer	Lo	ther (S	pecify)
submitted.					<u> </u>		
3. Location of Net Contents Info	ormation	4. Size(s) of Retail Co	ontainer	5. L	ocation of Labe	l Direct	ions*
Label Conta						accom	panying product
6. Manner In Which Label Is Af	Oth	er (					
		Paper glued Stenciled			a		•
4.0-4-17:110		Section IV					
Contact Point (Complete ite.  Name	ms airectly below f	or identification of indit	noual to be contacted	, IT NO			s application.) e No. (Include Area Code)
	•					·	
Laura J. Sydro	i	Prod	uct Complianc	e SI	pecialist	21	6-575-3679
Certification 6. Date Application							
certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.							
l acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law.							(Stamped)
2. Signature		3. Title			4 7 1	2.0	*****
2. Signature		3. 1109			***	7 7 4	4 ^4
I Tours V San	1.2	Produ	ct compliance	SD6	ecialist		* * .
4. Typed Name		5. Date					* * * *
1	. •					-	•• •
Laura J. Sydro		1 6/2	6/96				1

6/26/96

Yellow - Applicant copy

EPA Form 8570-1 (Rev. 12-90) Previous editions are obsolete. White - EPA File Copy (original)

Laura J. Sydro

P. O. #

CONTROL **TARE GROSS** 

# RESERVATIUE

KEEP OUT OF REACH OF CHILDRENS

CAUTION
STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce womiting. GET NEDICAL ATTENTION

IF INHALED: Remove to fresh wir.

IF ON SKIN: Wash with soap and plenty of water.

IF IN EYES: Flush inmediately with water.

# PRECAUTIONARY STATEMENTS CALTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS Avoid contact with skip, eyes or clothing. In case of contact, inmediately flush eyes or skin with plenty of water. Use only with adequate ventilation. Avoid breathing of vapor or spray mist.

ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS
Apply this product only as specified on the label.
Be not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

# EFFLUENT DISCHARGE STATEMENT

)o not discharge effluent containing this product into lakes, streams, onds, estuaries, oceans or other waters unless in accordance with 1e requirements of a National Pollutant Discharge Elimination ystem (NPDES) permit and the permitting authority has been otified in writing prior to discharge. Do not discharge effluent ontaining this product to sewer systems without previously otifying the local sewage treatment plant authority. For guidance ontact your State Water Board or Regional Office of the EPA.

ACTIVE INGREDIENT:

Zinc Naphthenate (2% Zinc Metal)

INERT INGREDIENTS TOTAL

47

305

84.30% 100.00%

15.70%

PRODUCT WT/GAL = 8.25 LBS.

COMBUSTIBLE

See other precautionary statements on side panel.

IT IS A UIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

EPA Reg. No. 9630-**24/**8 EPA Est. No. 9630-PA-01

COVERAGE: 100-300 sq.ft.-depending on porosity of wood and method of application

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. STORAGE: PRODUCT HILL FREEZE. Store at temperatures between 40 F and 100 F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread Absorbant, then pick up and place in containers. Them, where applicable, wash area with detergent and water. Store product in original container only. Do not contaminate fertilizers, food or feed. Keep container closed when not in use.

NOTES TO USER

Do not apply over painted or warnished surfaces. Do not apply over bark. Do not use on wood intended for food, feed, potable water, livestock or dairy animal contact surfaces. May injure living plants during application. Cover plants to profect against direct contact.

APPLICATION SITE

Can be used to preserve both interior and exterior wood. Interior use is only needed when wood is subjected to frequent or prolonged wetting (e.g. condensation or rain seepage). Can be used for above ground, ground contact and below ground uses. Below ground or ground contact use requires a minimum 5 minute dip. For even further protection, dip for one hour. Wood to be treated should be dry and well seasoned. Fence posts must have bark removed. For fence posts, finished timbers to be buried in soil, innersion for 12-48 hours provides long term protection (pine species may be adequately penetrated in 6-8 hours). Cut timbers should be immersed 15-30 minutes per inch of thickness, except in case of pine species which absorbs the preservative per inch or inickness, except in case or pine species which absorus the preservation at a faster rate. For above ground use, apply two brush coats, or spray until the surface is completely met or dip for 3 minutes per inch of thickness. All mood should be treated after all cuts are made and before use in the structure.

WOOD PRESERVATIVE USES

Protects the following types of mood: shingles, millmork, mindows, outdoor furniture, docks, piers, posts, pilings, block flooring, staking material, decks, proper bonce siding. Protects used in all the above applications including nurseary.

spars, house siding. Protects wood in all the above applications including nursery lumber, slats and beehive crates.

PHYSICAL PROTECTION
Inhibits warping, shrinking, swelling, checking, cracking and water warking of the wood. Can be painted after drying for 24 hours. For wood containing resins and other materials, meathering will enhance paint adhesion. This coloriess product offers a penetrating fungicide which will not bloom.

FUNGICIBAL ACTIVITY
Protects and preserves wood against wold, wildew, rot, wood destroying fungi, wildew stain and attack by termites.

FABRIC AND CORDAGE PROTECTION

Can be used to protect and preserve fabric against mildem, mold and fabric destroying and staining fungus, including rope, fish net, twine, canvas, burlap and other fabrics. Material should be thoroughly saturated until met and air dried before use. Material can either be sprayed or dipped for complete saturation. Treats approximately 75 square feet of fabric per gallon. Do not use on fabric intended for food or feed contact surfaces or clothing. Hot for use on fabric or cordage in in ground contact situations.

ALWAYS ADD M-GARD TO WATER.



TWO MILE RUN RD., FRANKLIN VENANGO COUNTY, PA 16323 - 814-432-2125

CONTROL NET **TARE** 

P.O.#

# PRESERUATIUE

# KEEP OUT OF REACH OF CHILDREN

# CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SHALLOHED: Do not induce vomiting.

GET HEDICAL ATTENTION

IF INHALED: Remove to fresh air. IF ON SKIN:

Hash with soap and plenty of water.

IF IN EYES: Flush immediately with water.

# PRECAUTIONARY STATEMENTS CALITION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS Avoid contact with skin, eyes or clothing. In case of contact, inmediately flosh eyes or skin with plenty of water. Use only with adequate ventilation. Avoid breathing of vapor or spray mist.

ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS apply this product only as specified on the label. Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

# EFFLUENT DISCHARGE STATEMENT ·

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACTIVE INGREDIENT: Zing Naphthenate

(2% Zinc Metal) INERT INGREDIENTS TOTAL

84.30% 100.00%

15.70%

PRODUCT HT/GAL = 8.25 LBS.

See other precautionary statements on side panel. IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

EPA Reg. No. 9630(18) EPA Est. No. 9630-PA-01

COUERAGE: 100-300 sq.ft.-depending on porosity of wool and method of application

# STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities. CONTAINER BISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. STORAGE: PRODUCT WILL FREEZE. Store at temperatures between 0 F and 100 F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread Absorbant, then pict up and place in containers. Then, where applicable, wash area with detergent and water. Store product in original container only. Do not store with fertilizers, food or feed. Keep container closed when not in use.

NOTES TO USER Do not apply over painted or varnished surfaces. Do not apply over bark. Do not use on wood intended for food. feed, potable water, livestock or dairy animal contact

surfaces. May injure living plants during application.

APPLICATION SITE

Can be used to preserve both interior and exterior wood. Interior use is only needed when wood is subjected to frequent or prolonged wetting (e.g. condensation or rain seepage). Can be used for above ground, ground contact and below ground uses. Below ground or ground contact use requires a minimum 5 minute dip. For even further protection, dip for one hour. Wood to be treated should be dry and well seasoned.
Fence posts must have bark removed. For fence posts, finished timbers to be buried
in soil, immersion for 12-48 hours provides long term protection (pine species may
be adequately penetrated in 6-8 hours). Cut timbers should be immersed 15-30 minutes per inch of thickness, except in case of pine species which absorbs the preservative at a faster rate. For above ground use, apply the brush coats, or spray until the surface is completely met or dip for 3 minutes per inch of thickness. All mood should be treated after all cuts are made and before use in the structure.

WOOD PRESERVATIVE USES

Protects the following types of mood: shingles, millmork, mindoms, outdoor furniture, docks, piers, posts, pilings, block flooring, staking material, decks,

spars, house siding. Protects wood in all the above applications including nursery lumber, slats and beehive crates.

PHYSICAL PROTECTION
Inhibits warping, shrinking, swelling, checking, cracking and water warking of the wood. Can be painted after drying for 24 hours. For wood containing resins and other waterials, weathering will enhance paint adhesion. This colorless product offers a

penetrating fungicide which will not bloom.
FUNGICIDAL ACTIVITY
Protects and preserves wood against mold, mildem, rot, wood destroying fungi, mildem stain and attack by termites.

FABRIC AND CORDAGE PROTECTION

Can be used to protect and preserve fabric against mildem, mold and fabric destroying and staining fungus, including rope, fish net, twine, canvas, burlap and other fabrics. Material should be thoroughly saturated until met and air dried before use. Material can either be sprayed or dipped for complete saturation. Treats approximately 75 square feet of fabric per gallon. Do not use on fabric intended for food or feed contact surfaces or clothing. Not for use on fabric or cordage in in ground contact situations.

UNFAILING INTEGRITY - QUALITY - DELIVERY



TWO MILE RUN RD., FRANKLIN VENANGO COUNTY, PA 16323 • 814-432-2125