



O.F.-15

ACC. FEED
with COMMENTS
In EPA file

NOV 03 1983

Printed in U.S.A.

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate

9657-12-15.0%

INERT INGREDIENTS

85.0%

This product contains 1.33 lb. of active ingredient per gallon and weighs 8.86 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN
WARNING

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 mL) of pepto syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of fruit, gelatin solution, beaten egg whites, flour and water, or other nonalicy demulcent. *Do not induce vomiting or give anything by mouth to an unconscious person.* *Do not induce vomiting.* Probable mucous membrane damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not apply in marine and/or estuarine or fresh water. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

BEST DOCUMENT AVAILABLE

Manufactured by:
Solvent Manufacturing Co., Inc.
15170 Cantor Blvd P.O. Box 18732
Midwest City, OK 73118

EPA REG. NO.

EPA EST. NO.

NET CONTENTS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

O.F.-15 is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime. Prior to the use of O.F.-15 in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and oily deposits. Then make an initial slug addition of 8 to 12 fl. oz. of O.F.-15 per 1000 gal. of water, to provide 67 to 100 ppm of O.F.-15, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 4 to 12 fl. oz. of O.F.-15 per 1000 gal. of water (33 to 100 ppm O.F.-15) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

O.F.-15 is used in industrial air washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 18 to 23 fl. oz. of O.F.-15 per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 14 to 23 fl. oz. of O.F.-15 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the airwash system.

O.F.-15 is used to control both aerobic and anaerobic bacteria, including sulfate-reducing organisms, in petroleum secondary-recovery waterflooding operations. In systems fouled with microbiological deposits, O.F.-15 should be added as a slug dose to provide a concentration of 27 to 53 ppm (3 to 6 fl. oz. of O.F.-15 per 1000 gal. of water treated). This should be followed by a continuous addition of O.F.-15 employing a chemical-metering pump to maintain a concentration of 27 ppm, based on total weight of water treated. Both slug additions and continuous addition of O.F.-15 should be made at the heater-treater dump, gathering lines, or receiving tanks. Addition should always be made upstream to the filter.

O.F.-15 is also used to inhibit the growth of fungi and bacteria in water-based drilling muds, completion fluids, packer fluids, and other water-based drilling fluids containing starch, gums, sugars, or other organic materials. For these purposes O.F.-15 is added at rates of 2 to 12 gal. per 100 barrels of fluid (0.05 to 0.28% by volume).

O.F.-15 is used to control bacterial and fungal slime in pulp and paper mill systems. Recommended treatment rates are 1 to 4 lb. of O.F.-15 per ton of pulp or paper produced for periods of 2-6 hours out of each 8, each 12, or each 24 hours. Required concentrations and frequency of treatment will depend on the rate of slime accretion. O.F.-15 is added to the white water or stock going to the fan pump, and, if necessary, to fresh water, slush pulp, broke, or other machine furnish components. To inhibit the growth of bacteria and fungi in paper making additives (including alum solutions, animal glue solutions, pigment slurries, coating formulations, and starch slurries and solutions), O.F.-15 is added to these materials in concentrations of 166 to 1333 ppm (weight/weight).

BEST AVAILABLE

STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a manner approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

METAL Triple-rinse for equivalent and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.

PLASTIC Containers under 30 gallons must not be reused but should be triple-rinsed and disposed of in an approved landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and triple-rinsed for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

GENERAL Consult Federal, State, or local disposal authorities for approved alternative procedures.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE PROGRAMS REGISTRATION DIVISION (R11 367) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	08 NOV 1983
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended.)</i>		
NAME AND ADDRESS OF REGISTRANT (include ZIP code)		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF REPRESENTATIVE OFFICIAL		DATE