

Ms. Kathie J. Tryson
 Chemsico
 Division of United Industries Corp.
 P.O. Box 15842
 St. Louis, MO 03114

24 AUG 1992

Dear Ms. Tryson:

Subject: Revised Labeling and Corrected Confidential Statement
 of Formula
 Chemsico Insecticide for Flying Insects
 EPA Reg. No. 9688-21
 Submission dated July 30, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Modify the last sentence in the Hazards to Humans and Domestic Animals paragraph to read as follows:

"After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound followed by a potable water rinse."

This will acknowledge receipt of the revised alternate Confidential Statement of Formula dated July 30, 1992 for the subject product. This amendment is acceptable, and a copy of the Confidential Statement of Formula has been placed in the appropriate file.

Sincerely,



Richard F. Mountfort
 Product Manager (10)

CONCURRENCES
~~Insecticide-Rodenticide Branch~~
 Registration Division (H7505C)

SYMBOL							
SURNAME							
DATE							

BEST AVAILABLE COPY

EPA reg. No.: 9688-21

page 1

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL before each use. Hold can upright. Remove protective cap. Aim spray opening away from people. Push button to spray.

When used as directed, it will not harm carpeting, drapes, upholstery fabrics, bedspreads, clothing, linens, furniture, walls, floor tiles, ceilings, shades or blinds.

SPECIAL NOTE: Prior to use, be sure to test spray on delicate or expensive fabrics by applying to inconspicuous area.

INDOORS - for Houseflies, Mosquitoes and Gnats: Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS - for Crawling Insects: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS - to Kill Flying Insects: Spray areas infested with mosquitoes, gnats (midges), houseflies, biting flies and pyralid and noctuid flying moths. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.



INSECTICIDE FOR FLYING INSECTS WITH 1382

FOR HOUSE & ORNAMENTAL GARDEN

Also for moths
No unpleasant odor
Protects for 6 months
For clothes and closets
Non-staining · Non-flammable
Water-Based

Active Ingredients:
*Resmethrin 0.25%
Inert Ingredients 99.75%
*cis/trans isomer ratio max. 30% () cis and min. 70% () trans

Keep Out of Reach of Children
CAUTION
See Back Panel for Additional
Precautionary Statements

Net Contents: 16 oz.

ACCEPTED with COMMENTS to EPA Letter Dated 24 AUG 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 9688-21

OUTDOORS - to Protect aphids, exposed thrip, adult bugs, spittlebugs and Japanese rhododendrons, pines, spruce, palm, mimosa, hoyan, viburnum, locust, forsythia and althea, mimosa, spray directly on infest form the infested plants. • Spray 3 seconds of spray at the rate of 1 per second. Direct spray to slightly moist. Avoid heavy water obtain control. • Spray peonies, geraniums, chrysanthemums, marigolds, daphne, fatsia, broad leaf acacia for control of white flies, leafhoppers, Japanese beetles. Spray aspen, quince, juniper, cypress, cotoneaster, rose, camellia, caenothus may also be treated but use with extreme caution some leaf burn under certain heavy dosage. Repeat as necessary.

OUTDOORS - to Protect African violets, philodendron for control of listed pests. Repeat as necessary.

OUTDOORS - to Control trails, nests and points of entry where possible. Repeat as necessary. Application should be made in the morning at rest. Spray liberally into cracks and crevices as many insects as possible.

To Spot Treat Flea Infestation pet bedding or destroy. Shake thoroughly. Spray baseboard and crevices in walls and floors. Import it to spray carpets and hide. This should be repeated as necessary.

EPA reg. No.: 9688-21

page 2 of 2

Fleas on Dogs and Cats: Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of the neck. On long-haired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitals. An application of 30 to 45 seconds is usually sufficient for an average size dog; for cats, about 10 seconds is adequate. Repeat application weekly if necessary.

NOTE: Do not treat or cause exposure of kittens or puppies less than four weeks old.

In kennels or other sleeping quarters to control these insects and to deodorize the quarters, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as possible.

CONTROLS MOTHS, MOTH EGGS, MOTH LARVAE, CARPET BEETLES, SILVERFISH, SPIDERS, CRICKETS, BEDBUGS and most other insects that can damage clothing and other fabrics.

DIRECTIONS: Shake well before each use. Remove protective cap. Aim opening away from people. Push button to spray.

CLOTHING AND BLANKETS should be dry cleaned or washed before treating. Hold the container 14 to 18 inches from the fabric and apply the spray while moving evenly in a forward and back motion across the fabric while covering one foot per second. Spray the entire fabric surface until it is slightly moist or damp to the touch. When possible treat both sides of the fabric. For maximum protection place treated fabrics after drying in plastic or paper bags.

CARPETS, RUGS AND DRAPERIES should be cleaned by thoroughly brushing before treating. Treat as in directions for Clothing and Blankets.

SPECIAL NOTES: Prior to use, be sure to test spray on delicate or expensive fabrics by applying to inconspicuous area.

CLOSETS: Also treat cracks and crevices of closets, chests and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of two seconds per linear foot. When applied as directed on fabric and in storage areas this treatment will offer protection for 6 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make applications outdoors. If application is made indoors do not remain in treated areas. Ventilate the area after treatment is complete.

This unit effectively treats the same area as three 1 lb. boxes of moth balls.

STORAGE AND DISPOSAL

Store in a cool, dry area away from heat or open flame. Discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION:

Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

Environmental Hazards

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters.

Physical or Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured in the U.S.A.

by Chemisco, Division of United Industries Corp,
St. Louis, MO 63114

EPA Reg. No. 9688-21
Form: REG/A1

EPA Est. No. 9688-MO-1
© 1992