

DIRECTIONS

T. = tablespoon

t. = teaspoon


To Control	On	Use	Area Treatment
Grasshoppers Aphs Thrips Flea Beetles	Lawns and Turf	1 T. per gal. ½ pint per 35 gals.	per gal. of mixture Treat 9000 sq. ft.
Army Grubs Cutworms Wireworms Seed Corn Maggots White Grubs Japanese Beetle Larvae	Subsurface Soil Treatment on non crop land	1 T. per gal. ½ pint per 35 gals.	Treat 100 sq. ft. Treat 3000 sq. ft.

Apply when soil is wet. Late afternoon preferred. Apply approximately 2 weeks before Japanese Beetles emerge in the spring and again in fall. Wash insecticide into the soil or turf.


TERMITES: (Around buildings with crawl spaces) Mix 1 quart 50% Chlordane to 12 gallons water.

Dig a narrow trench about 12 inches deep (but not below the top of the foundation footing) along the inside and outside of foundation walls, around piers, sewer pipes, conduits and other parts of the building in contact with the soil. Apply 2 gal. per 5 lineal foot of trench. Pour half of the dosage in the trench and let soak. Return 2/3 of the soil to the trench and pour the remaining half of the mixture into the trench. Fill with the remaining soil, mixing the insecticide with the soil.

Inspect annually for reinfestation.



NET CONTENTS:



50% CHLORDANE
EMULSIFIABLE

ACTIVE INGREDIENTS:

Technical Chlordane

Aromatic Petroleum Derivative

INERT INGREDIENTS:

TOTAL

Equivalent to 30.0% DDT and 70.0% related compounds.

CAUTION: KEEP OUT

SEE SIDE PANEL FOR

MANUFACTURER

B&G CO.

MIAMI, FLA.

1. = 1 teaspoon

per gal.	Treat 9000 sq. ft.
per 35 gals.	Treat 100 sq. ft.
per gal.	Treat 3000 sq. ft.
per 35 gals.	

approximately 2 weeks before Japanese Beetles
the soil or turf.

30% Chlordane to 12 gallons water.

top of the foundation footing) along the inside
conduits and other parts of the building in
Pour half of the dosage in the trench and let
sinking half of the mixture into the trench. Fill



30% CHLORDANE

EMULSIFIABLE INSECTICIDE

ACTIVE INGREDIENTS:

Technical Chlordane	50.0%
Aromatic Petroleum Derivative Solvent	43.0%

OTHER INGREDIENTS:

	7.0%
TOTAL	100.0%

Equivalent to 30.0% (D) DDT, 4, 7-methanotetrahydroindane
and 0% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR OTHER CAUTIONS.

MANUFACTURED FOR
B&G COMPANY
MIAMI, FLORIDA

HOUSTON, TEXAS
DALLAS, TEXAS

Harmful if smearing spray mist, contamination of
DO NOT feed
slaughter. DO NOT
off treated are
thoroughly dry.
ponds. NOTE: E

Seller's guarantee
buyer assumes
accepts the pro

ACCEPTED

MAY 15 1968

UNDER THE FEDERAL INSECTICIDE
ACT AND REGULATIONS AND
FOR RECORDING TO THE REGISTRAR
ON APRIL 11, 1968. SUBJECT
TO ATTACHED CONDITIONS.