

ACID  
ACT  
D

In connection with the steel industry it affords a readily available source of copper for pickling and wire plating.

The petroleum industry recognizes its value as a catalyst in the production of high test gasoline.

Dyestuff producers rely on its effectiveness as a color stabilizer in various dyes.

In chemical manufacturing, as a raw material used in making other copper compounds such as Copper Carbonate, Copper Chloride, Copper Naphthenate, etc.

## **PUBLIC HEALTH-WATER AND SEWER LINE TREATMENTS**

As an algicide to purify public and other water supplies, potable water reservoirs, fish ponds, lakes, etc.

As a preparation for use in the elimination of roots and fung-

## **PUBLIC HEALTH-WATER AND SEWER LINE TREATMENTS**

As an algicide to purify public and other water supplies, potable water reservoirs, fish ponds, lakes, etc.

As a preparation for use in the elimination of roots and fungous growths in sanitary sewers and storm drains.

(Refer to brochure for details on above treatments.)

**This product is toxic to fish. Application rates in excess of 10 ppm will kill fish and other aquatic life. Apply this product only as specified on this label.**

**Copper Sulfate can be harmful to wildlife, farm animals, fish and humans if not used according to instructions. Consult brochure for proper dosages and toxicity precautions.**

**Consult your State Fish and Game Agency before applying this product to public waters.**

**NET WEIGHT 80 LBS.**

**ACCEPTED**  
OCT 21 1968  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 9905-1

**MANUFACTURED IN U. S. A. BY**

**ACM**

**CORPORATION  
AGUILA, ARIZONA**

**COPPER SULFATE**

**LABOR**

**LARGE**

**TECHNICAL GRADE - NOT FOR MEDICINAL PURPOSES**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
HARMFUL IF SWALLOWED**

**USDA REG. NO. 8805-1**

<b>ACTIVE INGREDIENT</b>	<b>(COPPER SULFATE)</b>	<b>NOT LESS THAN</b>	<b>99.0%</b>
<b>INERT INGREDIENTS</b>		<b>NOT MORE THAN</b>	<b>1.0%</b>
			<b><u>100.0%</u></b>

**COPPER AS METALLIC NOT LESS THAN 25.2%**


LITHO USA



9956-1

FOR THAT

IMPORTANT AREA



ER HEAVY DUTY

# ANTI-FOULING

The dry coat of **KL-990** contains powerful marine growth inhibitors. Tried and proven in Florida's coastal waters.



# KL-990®

ONE U. S. GALLON

SUPER HEAVY