

10088-75 1/2 11-21-90 PM 12

6/6/90

Send with phase 2 response
This 82409 is the actual label in use.
Differs from stamped accepted label 81808 only in the
deletion of petroleum distillate as an active.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Do not breathe spray mists. Wear pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health under 30 CFR Part 11. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and launder contaminated clothing before reuse. Keep all unprotected persons out of treatment area.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, aquatic invertebrates, aquatic life stages of amphibians, and other wildlife. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters. Do not apply where run-off is likely to occur. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

CHEMICAL AND PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

TO CONTROL ADULT MOSQUITOES, FLIES, GNATS, BITING MIDGES AND MOTHS on non-crop outdoor areas: Dilute 1 gallon of insecticide concentrate with 25 gallons of fuel oil (for thermal fogging) or water (for mist blowers and pressure sprayers). Apply this mixture as a thermal fog or aerosol spray at the rate of 5 to 10 gallons per acre. For severe infestations and heavy insect populations, use 2 gallons of concentrate to 25 gallons of water or fuel oil. Thermal fogging is most effective in early morning or late evening, and when winds are less than 5 miles per hour.

OUTDOOR INSECTICIDE

ACTIVE INGREDIENTS:

*Methoxychlor, Technical 17.50%
Malathion: O,O-diethyl phosphorodithioate of diethyl mercaptosuccinate 11.70%
INERT INGREDIENTS: 70.80%
TOTAL 100.00%

*Equivalent to 15.41% 2,2-bis(4-methoxyphenyl)-1,1,1-trichloroethane and 2.1% other isomers and related compounds.

EPA Reg. No. 10088-75-

EPA Est. No. 10088-WI-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with a finger, or by giving 1 to 2 tablespoons of syrup of ipecac in 2 or 3 ounces of water. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **NOTE TO PHYSICIAN:** Solvent presents aspiration hazard. Gastric lavage is indicated if swallowed. If symptoms of cholinesterase inhibition are present, atropine sulfate and 2 Pam are antidotal.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash skin immediately with soap and water.

IF IN EYES: Flush immediately with plenty of water. Call a physician immediately.

See side panel for additional precautionary statements.

**KILLS MOSQUITOS, FLIES AND COCKROACHES
IMMEDIATE KNOCKDOWN**

TO CONTROL MOSQUITO LARVAE IN INTERMITTENTLY FLOODED AREAS, stagnant water, temporary rain pools, sloughs and log ponds: Mix one pint of this insecticide concentrate with 10 gallons of water or fuel oil to treat one acre. Apply with mist blower or power sprayer to thoroughly wet the surface of all areas where mosquitoes and flies breed or congregate, such as garbage dumps, refuse heaps, outdoors of buildings, low damp areas and around undergrowth near stagnant water. Repeat applications when necessary.

FOR CONTROL OF ROACH AND ANT POPULATIONS in outdoor non-crop areas: Mix 1 gallon of this product to 10 gallons of water. Apply as a wet spray, thoroughly treating the insides of manholes and sewer lines. Also apply to garbage dumps, refuse containers and cans, and around building foundations. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If this container is damaged, stop leaks by repositioning container or by patching or repairing leaks. To clean up spills, wear protective gear to prevent contact with pesticide or vapors. Cover spill with absorbent material such as sand, sawdust or clay. Sweep up and place in closed, labeled container for disposal. Scrub the contaminated area with bleach, then rinse with water. Keep container closed when not in use. Keep from freezing. If stored in cold or freezing temperatures, warm to room temperature and stir thoroughly before using.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of or used according to label instructions, contact your state Pesticide or Environmental Control agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

40282409

Manufactured by:

ATHEA LABORATORIES, INC.

P.O. Box 23926

Milwaukee, WI 53223

NET CONTENTS:

Net contents of this product are to be in accordance with the label for Phase 2 of this product.