

903

FOR HOSPITAL AND INSTITUTIONAL USE

AAOC Phenol Coefficients

DIRECTIONS

MINT DISINFECTANT CLEANER

FOR HOSPITAL& INSTITUTIONAL USE

CLEANER-DISINFECTANT DEODORIZER - FUNGICIDE

CAUTION: READ LABEL CAREFULLY BEFORE USING. KEEP OUT OF THE REACH OF CHILDREN Staph. aureus (ATCC No. 6538)
Salmonella typhosa (ATCC No. 6539)

ACTIVE INGREDIENTS
Didecyl dimethyl
ammonium chloride

E.P.A. Reg. No.: 10292-16 E.P.A. Est. No.: 10292-IL-01

INERT INGREDIENTS

WARNING

KEEP OUT OF THE REACH OF CHILDREN

Causes skin irritation. May cause eye damage. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

VENUS LABORATORIES, Inc. 855 Lively Blvd. Wood Dale, IL 60191 Add 4 ozs, per gallon of water.

Apply Mint Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 4 ounces per gallon use-level, Mint Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

CONTAINER DISPOSAL DIRECTIONS


Triple rinse, (or equivalent), and offer for recycling or reconditioning, or, puncture and dispose of in a


Triple rinse, (or equivalent), and offer for recycling or reconditioning, or, puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FIRST AID

In case of contact, flush skin or eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluids, and call a physician immediately.

Net Contents:





50.0

20.0

2.125%

97.875%

100.000%

1:1 16 1:1 31 1/21)



9

903

FOR HOSPITAL AND INSTITUTIONAL USE

AAOC Phenol Coefficients

DIRECTIONS

MINT DISINFECTANT CLEANER

FOR HOSPITAL& INSTITUTIONAL USE

CLEANER-DISINFECTANT DEODORIZER - FUNGICIDE

CAUTION: READ LABEL CAREFULLY BEFORE USING. KEEP OUT OF THE REACH OF CHILDREN

Net Contents:

Stap: aureus (ATCC No. 6538) Salmonella typhosa (ATCC No. 6539) ACTIVE INGREDIENTS	50.0 20.0		
		Didecyl dimethyl	
		ammonium chloride	2.125%
INFRT INGREDIENTS	97 8759		

E.P.A. Reg. No.: 10292-16 E.P.A. Est. No.: 10292-IL-01

WARNING

KEEP OUT OF THE REACH OF CHILDREN

Causes skin irritation. May cause eye damage. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

VENUS LABORATORIES, Inc. 855 Lively Blvd. Wood Dale, IL 60191 Add 4 ozs. per gallon of water.

Apply Mint Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 4 ounces per gallon use-level, Mint Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

CONTAINER DISPOSAL DIRECTIONS

Triple rinse, (or equivalent), and offer for recycling or

Triple rinse, (or equivalent), and offer for recycling or reconditioning, or, puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FIRST AID

100.000%

In case of contact, flush skin or eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluids, and call a physician immediately.

Her Beviewed. Hery strant callins to be in accordance with her equatration of Pesticide Product Guidance for Phase 2 Hers mo. No. Page 2-12, Active to Inert Change in Status. PM31 FPH # 10242-15 P, 101 CLF 1/32/90.

94 901

PINE ODOR DISINFECTANT CLEANER

MAKES INDOOR AIR PLEASANT Cleaner - Disinfectant - Fungicide FOR HOSPITAL AND INSTITUTIONAL USE

AOAC Phenol Coefficients
Staph. aureus (ATCC No. 6538) 100
Salmonella typhosa (ATCC No. 6539) 43.8
Active Ingredients
Didecyl dimethyl ammonium chloride 4.25%

Inert Ingredients 95.75% 100.00%

E.P.A. Registration No. 10292-15 E.P.A. Est. No. 10292-IL-01

WARNING
KEEP OUT OF REACH OF CHILDREN
SEE LEFT PANEL FOR FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS.

Controlling cross contamination is of major house-keeping concern not only in hospitals, but in schools, institutions, and industry. Pine Disinfectant Cleaner is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

WARNING

Keep out of reach of children. May cause severe eye irrtation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If SWALLOWED, GIVE MILK, RAW EGG WHITE, GELATIN solution; or if these are not available, drink water. Call a physician immediately.

Service of the Property of the Artist

Directions

Add two ounces per gallon water.

Apply Pine Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two ounces per gallon use-level, Pine Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

Rinse empty container with water before discarding it.

MFG. by VENUS LABORATORIES, INC. 855 LIVELY BLVD. WOOD DALE, IL 60191

NET CONTENTS: