

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER!

KEEP OUT OF REACH OF CHILDREN
FLAMMABLE. CORROSIVE. CAUSES SEVERE SKIN AND EYE DAMAGE. HARMFUL OR FATAL IF SWALLOWED.
Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

Flammable - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

EMPTY CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or recycle and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Not Reviewed. Registered



NALCO®
ADOMITE®CHEMICALS
ADOMALL®

OIL FIELD AQUEOUS FRACTURING ADDITIVE

ACTIVE INGREDIENTS	
Allyl (CO-C10) bis (2-hydroxyethyl) benzyl ammonium chloride.....	23.6Z
INERT INGREDIENTS 76.9Z	
TOTAL	100.0Z
* As in fatty acids of coconut oil. (C0-1Z, C10-57Z, C12-20Z, C14-11Z, C16-2Z, C18-9Z)	

KEEP OUT OF REACH OF CHILDREN
DANGER!

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 5 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

IF SWALLOWED, do not induce vomiting, drink large quantities of fluid and call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

BEST AVAILABLE COPY

NALCO CHEMICAL COMPANY

P.O. BOX 87 . SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

DIRECTIONS . OR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY.

For control of bacteria in oil field fracturing fluids add 0.1 to 1.0 gallons ADOMALL per 1000 gallons of fracturing fluid (100-1000 ppm).

Assistance of individual site problems obtainable from your Nalco Representative.

Refer to Adomite Bulletin No. 50 for additional information on ADOMALL.

For surface tension reduction and emulsion prevention use 1 to 2 gallons ADOMALL per 1000 gallons of fracturing fluid or acid (1000-2000 ppm).

ADOMALL may be added and premixed prior to the fracturing operation or may be added directly from the drum by means of a proportioning pump to the blender during the operation.

EPA Reg.No. 10047-3

EPA Est.No. 1704-TX-1

EMERGENCY TELEPHONE NUMBER

(312) 928-1510