PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CORROSIUE CAUSES SEVERE EYE INJURY AND SKIN IRRITATION Do not get in eyes, on skin or on clothing. Hear goggles or face shield and robber gloves when handling, Harnful if smalloued. See front panel for first aid.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Bo not discharge efficent contains this active ingredient into lates, streams, pends, estuaries, oceans, or public maters unless this product is specifically identified and addressed in a MOPES permit. Do not discharge effluent containing this product to sever systems without previously netifying the sevage treatment plant authority. For guidance contact your State Mater Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS FLANDWALE - DO NOT USE 6.7 STORE HEAP HEAT OR open flame.

STORAGE AND DISPOSAL

Do not contaminate mater, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide Hastes are texic. Improper disposal of excess pesticide, sprag mixture, er rinsate is a violation of Federal Cau. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or Hazardous Haste representaive at the mearest EPA Regional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



oil and haterflood or salthater DISPOSAL SYSTEM BACTERIA CONTROL CHEMICAL AND CORROSION INHIBITOR

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT IF SIMLLOWED: Be not induce vaniting, drink promptly a large quantity of milk, egg mbites er gelatia selution. If those are not available, dřink large aväätities of uäter. Avoid alcohol, 🔞 la abasician immediatelu.

IF On SKIN: Invediately flush skin with copious quantities of water for at least 15 minutes.

IF IN EYES: Immediately flush eyes with copious quantities of mater, call a physician SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR CENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with it's labelim.

FOR USE WITH CLOSED DELIWAY SYSTEMS ONLY. For control of bacteria in oil field, waterflood, or saltuater disposal systems.

VISCO 1151 may be fed interwittently at a rate of 50-100 ppm (5-20 gallous per 2900 barrels of mater) for 1-2 hours a day, 1-f times a week, or as needed to waintain control. VISCO 1151 may also be fed continworsly at a rate of 50-200 ppm until the desired degree of control is achieved. Follow up with 10-25 ppm UISCO 1151 (1-2.5 gallons per 2400 birrels of water) continwows feed to maintain control.

Feed VISCO 1151 directly from the dron through and type chemical pump.

EPA Reg. No . 10347-14 EPA Est. No. 1706-TX-1

EMERGENCY TELEPHONE NUMBER (312) 920-1510

P. D. BOX SUGAR LAND. TEXAS. *77487-0087*

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D. D. T. PROPER SHIPPING NAME:FLAMMABLE LIQUID, N. O. S. (CONTAINS ISOPROPANOL) UN1993