1087 10347 20

JAN 1 6 1985

Haloo Chemical Company 7701 Highemy 90-A P.O. Box 87 Sugarland, TX 77478

Attention: Nr. E. S. Littmann

Contlemen

Subject: Malor Visco 3960 EPA Registration No. 10349-29 Your Application Dated November 2, 1984

The label referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

- Submit five (5) copies of your final printed labeling before you release the preduct for shipment.
- 2. A stamped copy of the labeling is enclosed for your record.
- 3. At the next printing of the label make the following label changes:
 - (a) Delete the "Environmental Masards" paragraph, and replace with the currently recommended "Environmental Masards" paragraph helow:

This preduct is toxic to fish. Do not discharge this active ingredient into lakes, etreme, pends, estuaries, eccans, or public vaters unless this product is specifically identified and addressed in an MPDSS permit. Do not discharge effluent containing this product to sever systems without previously notifying the sawage treatment plant authority. For quidance contact your State Water Spard or Regional Office of the EPA.

	 	et L. Mignet gas				
9114EDL -			T		· + -	
and the same of th	 	•	Ť	†	•	
64.79		1	†	+	1	
SPA Form 1339 I (4-81)	 		-	_ ^	OFFICIAL I	NE COPY

(b) The proposed Pesticide Disposal paragraph/instructions should have the heading "Pesticide Disposal."

Sincerely yours,

John H. Lee

Product Manager (31)

Disinfectants Branch

Registration Division (TS-767C)

Job-91006:Lee:Kendrick:898-1270:cac:CBI-11:1/4/85:Del.1/14/85

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes eye and skin Irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing (long sleeve shirt, long pant: and boots) when handling. Harmful if swallowed. Avoid contamination of food and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. Do not apply in marine and/or estuarine oil fields. For guidance, contact your Regional Office of the Environmental Protec-


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these westes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



3960

ACTIVE INGREDIENTS	•
Sodium Dimethyldithiocarbamate 15%	
Nabam (Disodium Ethylene	
Bisdithiocarbamate)	
INERT INGREDIENTS	6
TOTAL	•
EPA Registration No. 10349-29 EPA Est. No. 1706-TX-	1

KEEP OUT OF REACH OF CHILDREN WARNING!

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for et least 15 minutes. For eyes, cell a physicien, flamove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg whites, galetin solution or if these are not evallable, drink large quantities of water. Call a physician immediately.

See Side Panel for Additional Precautionary Statements

NALCO CHEMICAL COMP

P.O.BOX 87 SUGAR LAND, TEXAS 77487

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

DIR

It is a violation in a manner inco

3960 is a highlicontrolling the in secondary an flood systems.

3960 can be injutainer. It should duced water, fre of the secondar systems for effe also be diluted w

3960 is used at quart per 100 bl

3960 is a highlest controlling the in water based d

3960 is used at of mud. (0.02%