

AUG 18 1995

335
17
5-481068

Agrevo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

Attention: Ms. Christina Lawes

Subject: Organocide Dip
EPA Registration No. 10370-207
Your amended application of January 19, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Change the use directions as follows:

DIRECTIONS FOR USE

It is a violation ... with its labeling.

Use Restrictions:

For use only on dogs to kill fleas, ticks, and lice. Do not use on cats. Do not treat puppies less than 4 weeks of age. Avoid contact of material with eyes, nose, or mouth of animal.

HOW TO APPLY TO YOUR PET:

2. Use the current name of the registrant, Agrevo Environmental Health, on the label.
3. Under WARNING, make "NOTE TO PHYSICIAN" a separate paragraph.
4. Put the STORAGE AND DISPOSAL section after the use directions.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Daniel R. Forrester

Robert A. Forrester
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

- Enclosures: 1. Stamped label
2. A-79 Enclosure


294

394

Ford's

ORGANICIDE™ DIP

- * CONTAINS ROTENONE & PYRETHRINS
- * FOR DILUTION WITH WATER
- * FOR FLEAS & TICKS ON PETS
- * 8 OUNCES CAN MAKE UP TO 16 GALLONS OF DIP, WASH OR SPRAY
- * CAN BE USED ON YOUR PET AS A SPRAY, WASH OR DIP
- * KILLS FLEAS, TICKS AND LICE ON DOGS



ACTIVE INGREDIENTS:

| | |
|----------------------------------|--------------|
| Rotenone | 1.1% |
| Other Associated Resins | 2.2% |
| Pyrethrins..... | 0.8% |
| INERT INGREDIENTS*: | 95.9% |
| | 100.0% |

*This product contains an aromatic petroleum solvent.

™Organicide is a trademark of Roussel Uclaf Corporation.
{PRECAUCION AL USUARIO: Si usted no lee ingles, no use producto hasta que la etiqueta haya sido explicado ampliamente.}

EPA REG. NO.10370-207

EPA EST.NO.

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. Promptly drink large quantities of milk, egg whites, gelatin solution, or, if these are not available, large quantities of water. Avoid Alcohol. Do not induce vomiting. Aromatic solvent content may present aspiration hazard.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.

IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.

See Side Panel for Additional
Precautionary Statements

NET CONTENTS

ROUSSEL UCLAF

Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

1207 081993k

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

WARNING

May be fatal if swallowed. Harmful if absorbed through the skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Provide adequate ventilation in treatment area. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Avoid contamination of food, utensils and food preparation areas. NOTE TO VETERINARIANS: If animal swallows significant amount of dip, administer an emetic, or gastric lavage if not convulsive; assist respiration as necessary. Deep IM or slow IV drip of diazepam to control convulsions. Calcium gluconate IV and Vitamin B should be administered to preserve liver functions.

Environmental Hazards

This pesticide is extremely toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwater.

Physical and Chemical Hazards

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store product in its original container in a cool, dry, locked place out of reach of children.

Disposal: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

Not for use on plants being grown for sale or other commercial use or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes, or climate modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

KILLS FLEAS, TICKS, AND LICE, ON DOGS

IMPORTANT: Avoid spray or dip contact with pet's eyes, nose or mouth. Treat pet's ears for ticks.

HOW TO APPLY TO YOUR PET

FOR USE ON DOGS. While wearing neoprene or rubber household gloves spray or sponge in against the lay of pet hair until liquid penetrates to skin; or dip the entire pet's body making sure not to get head or face into dipping solution. Make sure to treat animal's back, head to tail, around neck and ears, the underbelly, the legs, the base of the tail and where fleas, ticks or lice are seen. Do not get solution into pet's eyes, nose or mouth. Afterwards, do not rinse pet since treatment will be ineffective.

3

To Apply To Your Pet.* Do not use on puppies less than 4 weeks old.

FOR ADULT DOGS: *Fleas and Lice:* Dilute 1 fluid ounce (2 tbsp.) per 1 gallon of water. For young adults use 1/2 fluid ounce per 1 gallon of water. Apply directly to animals as a spray, or as a sponge-on wash; or, dip animals until animal's skin is wet. See "How To Apply To Your Pet."

TICKS: Dilute at the rate of 2 fluid ounces (4 tbsp.) per 1 gallon of water. For young animals use 1 fluid ounce per 1 gallon of water. Apply directly to the animals as a spray or as a sponge-on wash; or dip until animal's skin is wet. For ticks, examine pet's ears and treat as needed. See "HOW TO APPLY TO YOUR PET."

Liquid measure conversion:

- 1. 1/2 oz = 1 tablespoonful per gallon = 15 milliliter per 3.79 Liters
- 2. 1 oz = 2 tablespoonful per gallon = 30 milliliter per 3.79 Liters
- 3. 2 oz = 4 tablespoonful per gallon = 60 milliliter per 3.79 Liters

NOTICE: Buyer assumes all risk of liability of use, storage and/or handling of this product not in accordance with the terms of this label.