

READ ENTIRE LABEL BEFORE USING

DANGER POISON

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1/100-grain (0.6 mg.) atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

INTERNAL: If swallowed, call a physician immediately. Induce vomiting by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of warm water). Repeat until vomit fluid is clear.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Take or administer two 1/100-grain atropine tablets immediately. Get medical attention at once. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR** (See WARNING SYMPTOMS below). Have patient lie down and keep quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase regeneration has been allowed as determined by blood test.

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves; clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Wash thoroughly with soap and water after

2/27/71

10825-6


10835-1



TOP DOG BRAND

7.5 Lb. METHYL PARATHION

EMULSIFIABLE INSECTICIDE CONCENTRATE



1 gallon of TOP DOG BRAND 7.5 LB. METHYL PARATHION contains 7.5 pounds of Methyl Parathion

PRECAUTIONS

Do not apply or allow to drift to beneficial animals. Do not remain in treated areas until treatment is completed. Vacated fields should be treated with insecticide and volatile residues handled with care. Workers entering treated areas should wear protective clothing. Do not graze livestock in treated fields.

Highly toxic to wildlife. Birds should not be fed when weather conditions where runoff is likely to occur. Use of protective equipment, or disposal of waste should apply to any area not specified on label. Do not contaminate food or feed. Containers should be decontaminated and destroyed in a safe place in a manner that contact with humans is avoided.

GENERAL INFORMATION

TOP DOG 7.5 Methyl Parathion low-volume ground applicators, recommended purposes at recommended rates. Mix with water by agitation; agitate stand, re-agitate before use. Suggest a minimum of ten gallons of water per acre.

DIRECTIONS FOR USE

INSECT CONTROL ON COTTON: control Aphids, Boll Weevil, Cotton Bollworm, Spider Mites.

7.5 Methyl Parathion spray is recommended at 2 pints per acre depending upon local conditions. Consult your local representative or repeat applications as local conditions warrant.

DISPOSAL OF CONTAINER

DO NOT re-use the container. (Do not use for any other purpose.) unused chemical at least 18 inches from buildings and supplies.

FIVE GALLON AND FIFTY-FIVE GALLON DRUMS: mixtures into the empty container. 5-GALLON DRUMS - 2 qts detergent. 55-GALLON DRUMS - 5 gal detergent, 1 cup detergent.

Rotate container carefully until all residue is rinsed out. Rinse solution at least 18 inches from buildings and supplies.

DO NOT use container in any condition. (CAUTION: Handle caustic soda on skin, in eyes, or on clothing. R package.)

Punch holes in the top and bottom of the container.

BEFORE USING

POISON

FIRST AID TREATMENT

FOR METHYL PARATHION
Obtaining an adequate supply of
for emergency use. CALL A PHYSICIAN
IN CASE OF POISONING.

Immediately. Induce vomiting by in-
gesting warm salt water (1 tablespoon of
per 1/2 cup of fluid is clear.

IF UNCONSCIOUS PERSON.

On the skin, immediately remove
clothing. Wash with water. If the material gets into the
eyes, wash with water for at least ten minutes.

Administer two 1/100-grain atro-
pine at once. NEVER ADMINISTER
DRUGS APPEAR (See WARNING
SECTION). Keep quiet. Start artificial respir-
ation. Transport the patient immediately
to a hospital.

SYMPTOMS

Weakness, headache, tightness in
chest, salivation, sweating, nausea,

Antidote: Atropine, an anticholinergic antagonist of choice against
the signs of parasympathetic stim-
ulation. Give 1-2 mg. at 10-minute intervals, in doses of 1
mg. if no effect has occurred. Morphine is contra-
indicated. Oxygen administration may be
useful. Repeat exposure to
the insecticide, cause prolonged susceptibility
to the insecticide. Allow no further exposure
unless as been allowed as determined by

OR ABSORBED THROUGH
SKIN. REPEATED INHALATION
SYMPTOMS, PROGRESSIVELY
WORSENING. METHYL PARATHION POISONING.

Wash clothing. Do not breathe dust or
fumes. Clean, waterproof protective
clothing and destroy used gloves. Wear
mask. U. S. Department of Agriculture
Labeling. Wash thoroughly with soap and water after


2/27/71
10825-6
10825-1



TOP DOG BRAND

7.5 Lb. METHYL PARATHION

EMULSIFIABLE INSECTICIDE CONCENTRATE

DANGER  **POISON** KEEP OUT OF REACH OF CHILDREN
READ INSTRUCTIONS AND OTHER WARNINGS ON SIDE PANEL

1 gallon of TOP DOG BRAND 7.5 LB. METHYL PARATHION contains 7.5 pounds of Methyl Parathion

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or bene-
ficial animals. Do not remain in treated areas and ventilate the area after
treatment is completed. Vacated areas should not be re-entered until drifting in-
secticide and volatile residues have dissipated. Do not apply within 5 days of
hand picking. Workers entering fields within 24 hrs. after application should
wear protective clothing. Do not graze dairy animals or animals being finished for
slaughter in treated fields.

Highly toxic to wildlife. Birds feeding on treated areas may be killed. Do not
apply when weather conditions favor drift from areas treated. Do not apply
where runoff is likely to occur. Do not contaminate water by cleaning of
equipment, or disposal of wastes. Do not contaminate any body of water nor
apply to any area not specified on the label.

Do not contaminate food or feed products. To prevent re-use, empty containers
to be decontaminated and destroyed. Keep container closed. Leaking containers
should be removed to a safe place. Do not dispose of any unused material in such
a manner that contact with humans or beneficial animals may occur.

GENERAL DIRECTIONS

TOP DOG 7.5 Methyl Parathion can be used in conventional hydraulic sprayers,
low-volume ground applicators, or airplane sprayers. Use this product only for
recommended purposes at recommended dosages.

Mix with water by agitation; agitate the mixture while spraying. If allowed to
stand, re-agitate before use. Suggested total mixture of 3 to 10 gallons per acre by
air and a minimum of ten gallons of water per acre by ground equipment.

DIRECTIONS FOR USE

INSECT CONTROL ON COTTON - TOP DOG 7.5 lb. - Methyl Parathion will
control Aphids, Boll Weevil, Cotton Leaf Worm, Fleahopper, and some species of
Spider Mites.

7.5 Methyl Parathion spray is recommended to be used at the rate of 1 to 1.5
pints per acre depending upon local conditions. For timing of applications, con-
sult your local representative of extension service or experiment station and
repeat applications as local conditions warrant.

DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the
unused chemical at least 18 inches deep in an isolated location away from water
supplies.

FIVE GALLON AND FIFTY-FIVE GALLON DRUMS - Pour the following
mixtures into the empty containers:

5-GALLON DRUMS - 2 qts. water, 1/2 cup caustic soda (household lye), 2
tablespoons detergent.

55-GALLON DRUMS - 5 gallons water, 2 pounds caustic soda (household
lye), 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the
rinse solution at least 18 inches deep in an isolated area away from water
supplies.

DO NOT use container in any connection with feed, food, or drinking water.

(CAUTION: Handle caustic soda (household lye) with extreme care. Do not get
on skin, in eyes, or on clothing. Read and carefully follow the precautions on the
package.)

Punch holes in the top and bottom of container, crush the container and bury



7.5 Lb. METHYL PARATHION

EMULSIFIABLE INSECTICIDE CONCENTRATE

92.8% Methyl Parathion is equivalent to 80% Technical Concentrate.

ACTIVE INGREDIENTS (by weight)

*O,O-dimethyl O-p-nitrophenyl thiophosphate	74.0%
Aromatic Petroleum Solvent	18.5%
INERT INGREDIENTS (by weight)	7.5%
TOTAL	100.0%
*Methyl Parathion	

NOT WARRANTY NOTICE: Buyer accepts without warranty either express or implied.

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

COMBUSTIBLE Keep away from fire.