



891 Wasp & Hornet Killer IV

DIRECTIONS FOR USE

Read and understand the following directions for use before using this product. Do not use as a space spray indoors.

To operate: To kill wasps, hornets, and yellow jackets, spray directly into the nest or on the insects. Avoid breathing the spray mist.

Apply wasps, hornets, and yellow jackets. This spray is fast-acting when insects are hit directly with the stream of spray.

STORAGE: Store in a cool, dry place inaccessible to children and pets.

DISPOSAL: Replace cap, wrap container in several layers of newspaper and discard in trash.

Precautionary Statements: Hazards to Humans & Domestic Animals

WARNING: May be harmful if absorbed through skin or swallowed. Do not get in eyes. Avoid breathing spray mist.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to water.

PHYSICAL & CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.

FOR PROFESSIONAL AND INDUSTRIAL USE SPRAYON PRODUCTS Industrial Supply



ACCEPTED JAN 11 1992 Under the Federal Insecticide, Fungicide, and Rodenticide Act...

891

Wasp & Hornet Killer IV

- CONTAINS SYNERGIZED BENDIOCARB • KILLS WASPS, HORNETS & YELLOW JACKETS • QUICK KILLING ACTION • JET SPRAY UP TO 20 FOOT RANGE

DIELECTRIC STRENGTH: Breakdown at 23 000 volts. ACTIVE INGREDIENTS: Bendiocarb (2,2-dimethyl-1,3-bis (2,2-dichloroethyl) methacrylamide) 0.50%

Protected by U.S. Patent No. 3,736,338. Equivalent to min. 0.40% (butylcarbamyl) (6-propylhexanonyl) ether and 0.10% related compounds.



WARNING! KEEP OUT OF REACH OF CHILDREN See side panel for additional precautionary and practical treatment statements

0.25 lb net wt.

ST 5648-1 Norwood Studio P.O. N9-199 First Proof 9-4-90 m5 trade/helv-sp16 JD

ST 5648-1a Norwood Studio P.O. N9-199 First Proof 9-4-90 m5 trade/helv-sp16 JD

Air equipment: Use a minimum of 5 gallons per acre (except 10 gallons if foliage is dense) and a maximum of 40 psi pressure.

Use standard high pressure pesticide hollow cone or flat fan nozzles. Do not use flood or whirl chamber nozzles.

Do not use selective application equipment such as recirculating prayers, wiper applicators or shielded applicators.

Application Rate Table For VANTAGE (Pacific Northwest Only)

GRASS SPECIES	APPLICATION TIME (Weed Size)	VANTAGE* (Rate per Acre)
ANNUAL GRASSES		
Annual Ryegrass (<i>Lolium multiflorum</i>)	4-8"	2 1/4 pts.
Downy Brome (<i>Bromus tectorum</i>) also called cheatgrass)	2-6"	3 3/4 pts.
PERENNIAL GRASSES		
German Velvetgrass (<i>Holcus mollis</i>)	2-4"	3 - 3 3/4 pts.
Colonial and Highland Bentgrasses (<i>Agrostis tenuis</i>)	2-4"	2 1/4 - 3 3/4 pts.
The higher rate of VANTAGE is recommended for use on well established grass weeds.		
*If regrowth occurs or new plants emerge, make a second application at the same rate and time.		