

10951-13

05/13/2003

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Masuo Robinson
Authorized Agent
Britz Fertilizer, Inc.
P.O. Box 366
Five Points, CA 93624

MAY 13 2003

SUBJECT: Britz Botran 6 Dust
EPA Registration Number: 10951-13
Your amendment dated February 27, 2003

Dear Mr. Robinson:

The amendment referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended, is acceptable provided you make the following change:

The numerical percentages of the product's ingredients must be lined up by the decimal point.

Submit one copy of your final printed labeling before you release the product for shipment. If you have any questions, please contact Michael Nieves of my staff by phone at (703) 308-6351 or by email at nieves.michael@epa.gov.

Sincerely,

Mary L. Waller

Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7505C)

Enclosure: stamped label

2/4

BRITZ BOTRAN 6 DUST

ACTIVE INGREDIENT:
 2, 6-Dichloro-4-nitroaniline 6.0%
INERT INGREDIENTS..... 94.0%
TOTAL..... 100.0%

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10951-13

ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAY 13 2003

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact day or night, 1-800-424-9300	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the worker protection standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. **IMPORTANT:** When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

USER SAFETY RECOMMENDATIONS:

USERS SHOULD:
 Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

3/4

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff conditions are likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the worker protection standard, 40 CFR, Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. **EXCEPTION:** If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allow workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the worker protection standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves made of any waterproof material and shoes plus socks.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Pesticide Container: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

4/4

RECOMMENDATIONS

NECTARINE, PEACHES: For the control of brown rot, blossom blight (*Monilinia*) apply 60 lbs. per acre at pink bud and full bloom. For the control of brown rot, fruit decay (*Monilinia*) apply 60 lbs. per acre. Apply 18, 10 and 1 day before harvest. For the control of brown rot (*Rhizopus* rot) using 60 lbs. per acre applied one day before harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

SWEET CHERRY: For the control of brown rot, blossom blight (*Monilinia*) apply 50 lbs. per acre. Apply at popcorn, bloom, full bloom and petal fall. For the control of fruit decay (*Monilinia*) and rhizopus fruit rot, apply 50 lbs. per acre. Apply 10 days and 1 day prior to harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

GRAPES: For the control of Botrytis Bunch and Storage Rots, apply 30 lbs. per acre. Begin application while clusters are still loose and repeat application at two week intervals. Do not apply later than one day before harvest.

TOMATOES (Greenhouse): For the control of stem canker (*botrytis*), apply 30 lbs. per acre. Dust stem of plant from ground level up to a height of 18 to 24 inches. Repeat weekly or as necessary.

ONIONS, GARLIC (Not for use in North Central States): For control of white rot (*sclerotium*), apply 250 - 400 lbs. per acre. For direct seeding use, mix into top 1.5 inches of soil one to two weeks before onions are seeded, for planting sets or buds apply broadcast and mix into top 1.5 inches, or apply same rate /43,560 linear feet of furrow to soil around sets or buds. Do not plant spinach as a follow-up crop on treated soil. When lettuce is to be planted as a follow-up crop, plow soil to 8 inches and cross disk the area prior to seeding.

LETTUCE (Leaf, Greenhouse Only): For control of blight (*botrytis* rot) apply 30 lbs. per acre. Apply 7 days after transplanting. Repeat when plants are half mature. Do not apply to wilted plants or seedlings. Do not apply later than 14 days of harvest.

LETTUCE (Head Field): For control of botrytis rot, sclerotinia wilt, apply 33.3 pounds per acre. Apply at thinning, repeat seven to ten days later. Do not apply within 14 days of harvest.

CONDITIONS OF SALE AND WARRANTY**CONDITIONS OF SALE:**

1. **Britz Fertilizers, Inc.** warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon.

Britz Fertilizers, Inc. neither makes, nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, expressed or implied, concerning this material.

2. Critical and unforeseeable factors beyond the control of **Britz Fertilizers, Inc.** prevent it from eliminating all risk in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants, and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by **Britz Fertilizers, Inc.** under 1 above) resulting from handling, storage, and use of this material.

NET CONTENTS 50 pounds

(22.67 Kg)

BRITZ FERTILIZERS, INC.

P. O. BOX 366

FIVE POINTS, CA 93624-0366