


ACCEPTED

TARGET
CHEMICAL COMPANY



SBP 1382 3.0% E.C.

Active Ingredients:

(5-Benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	3.000% w/w
Related compounds	0.409%
Aromatic petroleum hydrocarbons	91.471%

Inert Ingredients:

	5.120%
	100.000%

*Cis-trans isomers ratio: max. 30% (-) cis and min. 70% (-) trans.
U.S. Patent No. 3,465,007.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Do not use, pour, spill or store near heat or open flame. Keep container closed.

This product is toxic to fish and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

FOOD AREAS — Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

DIRECTIONS FOR USE

FOR USE IN HOMES, WAREHOUSES, FOOD PROCESSING PLANTS, BUSINESS OFFICES, INDUSTRIAL PLANTS, HOSPITALS, AND RESTAURANTS.

Contact Spray — For control of roaches. Mix 1 1/4 fluid ounces of 3.0% emulsifiable concentrate in a gallon of water to make a 0.25% emulsion. Mix well before using. Spray thoroughly into hiding places such as cracks, crevices, and moist areas around pipes, under refrigerators, and along base boards. Spray directly on insects when possible. Repeat as necessary.

Space Spray — For control of flies, mosquitoes, and gnats. Remove or cover exposed food and food handling surfaces including utensils. Remove pets, birds and cover fish aquariums before spraying. Shut off ventilating systems, air ducts and air conditioning equipment. Mix 4 1/2 fluid ounces of the 3.0% emulsifiable concentrate in a gallon of water to make a 0.10% emulsion. Mix well before using. Apply as a fine spray at the rate of 2 fluid ounces per 1,000 cubic feet, or 1 gallon per 64,000 cubic feet. Direct nozzle to upper corners of the room and along ceiling. Avoid inhaling the spray mist. Close off room for at least one half hour after spraying. Ventilate room before re entry. Repeat as necessary. Do not remain in treated areas. Ventilate the area after treatment is completed.

CONTAINER DISPOSAL

Do not reuse container. Crush used container and bury in non cropland soil away from water.

Manufactured by

TARGET CHEMICAL CO.

17710 STUDEBAKER ROAD
CERRITOS, CALIFORNIA 90701