INSECTICIDE, PYRETHRIN

Directions for Use

For Houseflies, Mosquitoes and gnats. If possible, close space to be treated. Release 3 feet from any surface, holding the dispensar above the head. Dispense only for time indicated. USE SPARINGLY Seven seconds of solaying is ample for each 1,000 cubic feet (10 feet X 10 feet X 10 feet). It is not necessary to spray directly on insects but merely spray into the air since the aerosol will disperse throughout the enclosed space. FOR USE in food processing plants, restaurants or other areas where food is prepared or served observe CAUTION BELOW.

CAUTION

Before using spray in areas where food is prepared or served, ALL FOOD should be removed or covered during treatment, ALL FOOD processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in food processing or serving areas, apply only when the facility is not in operation.

5-4-72

FSN-6840-823-7850 CONTRACT #SB2-10-8(a) 72C (025) ORDER #N W-96162 1

Active Ingredients	134
Pyrethrin	0 60 °
*Pipero. Butoxide Technical	1 40%
Petroleum Distillate	11 00%
*Consists of 1.12% (butylcarbityl piperonyl) Ether and 0.28% compounds.	•
Inert Ingredients:	87%
Trichlorodifluoromethane	

CAUTION KEEP OUT OF REACH OF CHILDREN

See Other Precautions On Side Panel

For use in House, Offices, Storage Areas, Food Processing Plants, and Restaurants... See Directions.

EPA Reg. No. 11534-1

Net Wgt. 12oz. Avdp.

WARNING CONTENTS UNDER PRESSURE

Do Not Puncture Do Not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

CAUTION

Avoid contamination of feed and food stuff (see directions). Never Spray directly on plastics.

EPACT CORPORATION Brooklyn, N.Y. 11222

Date of Pack Mo. 4 Yr. 72