

MAR - 2 1989

Celanese Chemical Company
1250 West Mockingbird Lane
P.O. Box 569320
Dallas, TX 75356-9320

Attention: J.D. Wilson

Gentlemen:

Subject: 37% Formaldehyde, 12-15% Methanol
EPA Registration No. 11558-10
Your Submission Dated February 19, 1988
EPA Received Date March 1, 1988


The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,

John H. Lee 
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosure

50253:I:Lee:LL-11:KENCO:1/30/89:3/13/89:rw:ek:rv

CONCURRENCES

SYMBOL	SURNAME	DATE					

P1731

11558-10

202

ACCEPTED
with COMMENTS
in EPA Letter Dated:
MAR. 02 1989


Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.
11558-10

The CPS Group / 1451 Empire Central, Suite 110 / Dallas, Texas 75247 / 630-5001

L4104

(Please retain this information for revisions)

TAKE 7 (64,66) • L.H. Kelsey • 11-14-87 • brenda • PSR 1 •



(Duped L4104-4, 11-2-87)

10/10 Helvetica Bold Condensed x11-1/2 l2

F 5 Helvetica Condensed w/Bold Condensed xr x11-1/2 l2

: 5 Helvetica Bold rc x17-1/2

B/b Helvetica l2

10-10, 8 8 Helvetica Bold Condensed rc

6 5-6 5 Helvetica Condensed w Bold Condensed xr l2

BEST AVAILABLE COPY

ID #46 TX

DANGER!

**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Inhalation or contact with skin or clothing. Avoid contamination of food. Avoid prolonged or repeated contact with skin, eyes and clothing. Use with adequate ventilation. Wash thoroughly after handling. Do not use or store near heat or open flame.

HANDLING INSTRUCTIONS

Handling formaldehyde solutions, wear goggles, no- or rubber gloves, and impervious clothing. Wash thoroughly with soap and water after handling. Observe conditions listed in "Storage" section below. Use full-face MOSH-approved formaldehyde or acid gas cartridge or canister respirator within use limitations of these devices; in all other situations, use self-contained breathing apparatus (SCBA).

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

IN CASE OF FIRE

Use CO₂ or dry chemical for small fires, alcohol-type aqueous film-forming foam or water spray for large fires. Use water spray to cool fire-exposed vessels and structures. Wear self-contained breathing apparatus (SCBA) and complete personal protective equipment when potential for exposure to vapor or products of combustion exists.

IN CASE OF SPILL

Clean up spills promptly. Place leaking containers in well ventilated area. Eliminate ignition sources. To clean up spill, flush area sparingly with water or use an absorbent. Avoid runoff into storm sewers and ditches leading to natural waterways. Neutralize with ammonium hydroxide or sodium sulfite. NOTE: This reaction is reversible.

**37% FORMALDEHYDE
12% Methanol**

FOR FORMULATION OR REPACKAGING OF PESTICIDES

Active ingredient Formaldehyde	37	% wt.
Inert Ingredients	63	% wt.
TOTAL	100.0	

This product contains approximately 3.5 lbs. of Formaldehyde per gallon.

DANGER!

**MAY BE FATAL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF INHALED, ABSORBED OR SWALLOWED
MAY CAUSE CHEMICAL BURN OF EYES
MAY CAUSE SKIN REDDENING AND SWELLING
COMBUSTIBLE
MAY CAUSE ALLERGIC REACTION**

SPECIAL HAZARD DESIGNATIONS

	HMS*	HFA*	KEY
HEALTH	3	2	0-Minimal
FLAMMABILITY	2	2	1-Slight
REACTIVITY	0	0	2-Moderate
			3-Severe
			4-Extreme
PERSONAL PROTECTION	0*	-	

*Protective equipment, see "Handling Precautions"



POISON

OSHA HAZARD COMMUNICATIONS STANDARD EVALUATION: Hazardous

STATEMENT OF PRACTICAL TREATMENT

If inhaled, remove to fresh air. If breathing has stopped, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
In Case of Contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before re-use. Discard contaminated leather clothing.
If Swallowed, induce vomiting. Give tablespoon of salt in a glass of warm water or stick a finger down the throat. Repeat until vomit liquid is clear. Give milk or white of egg beaten with water. Never give anything by mouth to an unconscious person. Call a physician.
NOTE TO PHYSICIAN: Pulmonary edema can occur. Signs and symptoms of pulmonary edema can be delayed for several hours.

DIRECTIONS FOR USE

For manufacturing use only. It is a violation of Federal law to use this product in a manner inconsistent with this label. When used as a pesticide or as a component of a pesticide product, the repackaged, relabeled or formulated pesticide product must be registered for its intended use with the Environmental Protection Agency.

Note: This product may not be used to formulate products intended for use on food or feed.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage. Should be stored in a cool, dry place with adequate ventilation and apart from other combustibles, acids or oxidizing agents. Storage facilities should be non-combustible and provided with automatic sprinklers.

Disposal: Do not contaminate water, food or feed by disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty drum into application equipment. Then dispose of empty drum in accordance with Federal, state or local regulations.

BEFORE USING THIS CHEMICAL, REVIEW THE INFORMATION ON THE MATERIAL SAFETY DATA SHEET.

WARRANTY

FOR INDUSTRIAL USE ONLY: The supplier makes no warranty (a) by itself, express or implied, concerning the use of this product with spray or in combination with other substances. User assumes all risks incident to its use. To the best of our knowledge, the information contained herein is accurate. However, we do not warrant or assume any liability whatsoever for the accuracy or completeness of the information contained herein.

FOR CHEMICAL EMERGENCY - SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT - CALL CHEMTREC - DAY OR NIGHT 800 424-1300.

EPA EST. NO. 11558-TX-2 6-9 REF. NO. 11558-10
46 TX (12/87) 46 TX (12/87) 46 TX (12/87)

Hoechst Celanese Chemical Group
P.O. Box 500320
Dallas, Texas 75256-0320
Hoechst Celanese

NET WEIGHT 480 POUNDS (218.2kg)