

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. May cause irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and fish. Wildlife feeding on treated bait may be killed. Do not contaminate water by cleaning of equipment or disposal of waste. Do not feed to livestock or poultry. Do not mix with grain for livestock or poultry feed.

STORAGE AND DISPOSAL

1. PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Title 6 of the Resource Conservation and Recovery Act.

2. CONTAINER DISPOSAL

Completely empty bag by shaking and tapping sides and then to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill by incineration if allowed by state and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Restrictions

Do not use where food (grain or meat) might become contaminated. Avitrol must not be exposed in any manner that may endanger desirable and protected bird species. If there is a question of such hazard, consult local, state and Federal game authorities before undertaking bird management with Avitrol.

Investigate local laws that may prohibit the use of any toxic chemical in bird control.

**RESTRICTED USE
PESTICIDE**

For sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

AVITROL

Pelletized Feed

Active Ingredient: 4-Aminopyridine 15%
Inert Ingredients: 85%
Total 100%

Avitrol is a poison with flock alarming properties used for the control of Starlings in, on or in the area of feedlots, structures, feeding, roosting and roosting sites, in such a way that a part of a flock may react and frighten the rest away. Birds that react and alarm a flock usually die.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: If the patient is unconscious, maintain breathing and heart beat (CPR, Cardiopulmonary resuscitation). Contact your local Poison Control Center, hospital or physician immediately.

If patient is conscious: Induce vomiting with syrup of ipecac (if not available), stimulate the back of the throat with finger. Never give anything by mouth to an unconscious person. Contact your Poison Control Center, hospital or physician immediately.

If in eyes: Flush with plenty of water and seek medical attention if irritation persists.

See side panel for additional precautionary statements.

Manufactured by

AVITROL
Registration
320 S. R Street
Tulsa, OK 74103

EPA Reg. No. 11649-2
EPA Est. 11649-01

Avitrol I.C. No.
Net Content

Prebaiting Directions

This product must not be applied where nontarget birds are feeding. Careful observations of the birds' feeding habits must therefore be made to establish proper feeding locations and to determine that no nontarget birds are feeding on the prebait. Prebaiting with untreated pellets of the same size and texture as the Avitrol carrier is usually essential to the effective deterrence of birds with Avitrol. Starlings are primarily ground feeders and the pellets should be placed at ground level if possible.

Dilution Directions

Avitrol treated pellets should be thoroughly mixed with untreated pellets of the same composition as the Avitrol carrier at the dilution ratios indicated below for the control of starlings in feedlots with Avitrol. No dilution ratio less than one part treated to nine parts untreated is recommended.

Baiting Directions

To ensure minimal mortality, the distribution of Avitrol should be limited to scattered spot placements that will provide feeding opportunities only for the necessary number of target birds. After the birds' feeding pattern has been established through prebaiting, replace untreated bait with Avitrol treated bait only at sites where the target birds are actively feeding. Do not use treated bait to create feeding sites. Where you are unable to be certain whether birds are feeding, it should be spread up at the end of each day. Do not place bait in areas applied where nontarget birds spend most feeding time. The first feeding baiting with Avitrol should be done in the evening when the birds are most active. Do not apply baiting in areas where nontarget birds are feeding.

State, Federal and local laws may prohibit the use of this pesticide on certain birds and animals.

ACCEPTED
JUN 11 1984
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 11649-2

NOT REVIEWED
In Accordance with FR Notice 82-23
Based on Draft Labeling Dated 6/11/84

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. May cause irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and fish. Wildlife feeding on treated bait may be killed. Do not contaminate water by cleaning equipment or disposal of waste. Do not mix with grain for livestock or poultry feed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not use where food (grain or meat) might become contaminated.

Avitrol must not be exposed in any manner that may endanger desirable and protected bird species. If there is a question of such hazard, consult local state and federal game authorities before undertaking bird management with Avitrol.

Investigate local laws that may prohibit the use of any toxic chemical in bird control.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

1. STORAGE INSTRUCTIONS:

Store in original container only. Store apart from food or animal feed and protect against rodent penetration of the carton. Store apart from other pesticides, fertilizers, food or feed that may cause cross-contamination of odor or insect infestation.

2. DISPOSAL INSTRUCTIONS:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

RESTRICTED USE PESTICIDE

For sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.



PELLETIZED FEED

Active Ingredient: 4-Aminopyridine	0.8%
Inert Ingredients	99.2%
Total	100.0%

Avitrol is a poison with flock alarming properties used for the control of Starlings in and on the area of feedlots, structures, feeding, nesting and roosting sites in such a way that a part of a flock may react and frighten the rest away. Birds that react and alarm a flock usually die.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: If the patient is unconscious, maintain breathing and heart beat. CPR. Cardiopulmonary resuscitation. Contact your local Poison Control Center, hospital, or physician immediately.

If patient is conscious: Induce vomiting with syrup of Ipecac, if not available, stimulate the back of the throat with finger. Never give anything by mouth to an unconscious person. Contact your Poison Control Center, hospital or physician immediately.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.

Manufactured By
AVITROL CORPORATION
Tulsa, Oklahoma 74145
EPA Reg. No. 115412
EPA Est. 11549 OK 1

Avitrol, lot No.

Net Contents

Pounds

PREBAITING DIRECTIONS

This product must not be applied where nontarget birds are feeding. Careful observations of the birds' feeding habits must therefore be made to establish proper feeding locations and to determine that no nontarget birds are feeding on the prebait. Prebaiting with untreated pellets of the same size and texture as the Avitrol carrier is usually essential to the effective deterrence of birds with Avitrol. Starlings are primarily ground feeders and the pellets should be placed at ground level if possible.

DILUTION DIRECTIONS

Avitrol treated pellets should be thoroughly mixed with untreated pellets of the same composition as the Avitrol carrier at the dilution ratios indicated below. For the control of Starlings in feedlots with Avitrol, no dilution ratio less than one part treated to five parts untreated is recommended.

BAITING DIRECTIONS

To obtain maximum mortality, the distribution of Avitrol should be limited to scattered spot placements that will provide feeding opportunities only for the necessary number of target birds. After the birds' feeding pattern has been established through prebaiting, replace untreated bait with diluted treated bait only at sites where the target birds are actively feeding. Do not apply treated bait to inactive feeding sites. Where untreated bait may be a hazard to other birds (chickens, etc.) it should be picked up at the end of each day. This product must not be applied where nontarget bird species are feeding. During the first few days, baiting with Avitrol may require successive applications until control is obtained. Note that retreatment may also be necessary after rainfall.

BEST AVAILABLE COPY

The Buyer and the user assumes all risks of use and the selling of these materials contrary to label instructions.