PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid inhalation and skin contact. Wash thoroughly with soap and water after handling and before eating or smoking.

Cover or remove exposed foods Avoid contamination of cooking utensils and food preparation surfaces. DO NOT use in edible products areas of focd processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in food serving areas while food is exposed. Keep children and pets out of treatment area and cover fish bowls and aquariums during treatment. Do not allow children or pets on treated areas until spray has dried.

Do not use as a space spray - FOR SUR-FACE APPLICATION ONLY.

STATEMENT OF PRACTICAL TREATMENT If swallowed — Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person Get medical attention immediately.

Get medical attention immediately. If on skin—Wash promptly with soap and water. Rinse thoroughly. If in eyes—Rinse eyes for at least 15 min-

utes with water and call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish birds and other wildlife. Do not apply directly to water Do not contaminate water by filean ing of equipment or disposal of wastes Apply this product only as specified on this label.

PHYSICAL HAZARDS

Contents under pressure Do to to consistent and the pressure Do to to constrainty of the product of the product

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal of this product Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

WORLD

(PROFESSIONAL STRENGTH)

RESIDUAL INSECTICIDE

BAYGON' with SYNERGIZED PYRETHRINS

KILLS FLEAS, BROWN DOG TICKS AND ROACHES

(Pleasantly Scented) See Additional Insects on Right Panel 15-DAY KILLING POWER

FAST ACTING - KILLS CRAWLING INSECTS ON CONTACT

LONG LASTING - KEEPS ON KILLING EVEN AFTER SURFACE IS DRY

ACTIVE INGREDIENTS:

1

*Piperonyl butoxide, technical 0.100° tN-oclyl bicycloheptene dicarboximide 0.166° **2 (1 methylethoxy) Phenyl methylcarbamate 1.000° Petroleum distiliate 0.200° INERT INGREDIENTS 96.484°	Pyrethrans	0 C50° n
**2 (1 methylethoxy) Phenyl methylcarbamate 1.000°c Petroleumdistillate 0.200°s	*Piperonylbutoxide, technical	0 100°°
methylcarbamate 1.000°c Petroleumdistillate 0.200°s	tN-octy1bicycloheptene dicarboximide	0 166°°
Petroleumdistillate 0200%	**2 (1 methylethoxy) Phenyl	
	methylcarbamate	1.000°a
INERT INGREDIENTS 98.484%	Petroleumdistillate	0 200°s
	INERT INGREDIENTS	96.484 %

*Mis K 264 Insecticide Synergist *BAYGON* is a Reg. TM of the Parent Company of * inter-fabriken Bayer GmbH, Leverkusen * inter t No. 3 111 539

KEEP OUT OF REACH OF CHILDREN CAUTION

See Additional Precautions on Left Panel

Net Wt. _____ oz.

,

Manufactured by. SPEER PRODUCTS, INC. Memphis, TN 38118

EPAReg Nu 31715-127 EPARst No 31715 TN 1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its Inhering.

IMPORTANT -- HOLD CONTAINES IN UPFIGHT POSITION TO SPRAY. Direct spray away from face Hold container 10-12 inches from surface and spray at a rate of 1 foot per second or until surfaces are wet if reinfestations occur, repeat application as necessary.

FLEAS AND BROWN DOG TICKS: Remove all bedding. Thoroughly spray cracks, crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings where pets normally lie down. Do not spray on pets. Allow the sprayed areas to dry thoroughly. Treat your pet with a registered flea and tick product to control the source of your infestation. Replace bedding before permitting use by animals. For dog kennels, apply to outside runways, window sills and ledges.

ROACHES, WATERBUGS, CRICKETS, AND CENTIPEDES: Thoroughly spray cracks, crevices, baseboards and around garbage containers and other places where insects habitate.

ANTS: Spray ant trails, window frames, door sills and other places where ants may enter. Spray directly on ant hills or on swarming ants outdoors only.

FLIES, MOSQUITOES, GNATS, WASPS: Apply to screens, walls, door and window frames, light lixtures and other outdoor surfaces where insects congregate.

CLOVER MITES, SOWBUGS, AND EARWIGS: Spray window and door sills and other points of entry-outside only. Apply also to outside foundation and porches to ground level.

SILVERFISH AND FIREBRATS: Apply to cracks, baseboards, behind shelving, book-cases and other storage areas.

PAPER NEST WASPS AND MUD DAUBERS: Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

SCORPIONS AND SPIDERS: Spray directly on pests when possible. Treat surfaces of out buildings and garages where pests hide or congregate. Spray points of entry such as window sills and along crevices.