

**Precautionary Statements
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with an effective cleaning compound followed by a potable water rinse after spraying. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, and cover fish aquariums before spraying.

Harmful if swallowed or absorbed through skin. May cause eye or skin irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If **swallowed**: Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvent. Aspiration may be a hazard.

If in **eyes or on skin**: Flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established sale practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such or in combination with other materials.

**MAGIC GUARD
AUTOMATIC ROOM FOGGER
FORMULA II**

ONE CAN TREATS UP TO 6,000 CU. FT.

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Program.

ACTIVE INGREDIENTS:

*† Resmethrin [5-(phenylmethyl)-3-furanyl] methyl-2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0.20% w/w
Allethrin (Allyl Homolog of Cinerin I)	0.60%
‡ Piperonyl Butoxide, Technical	1.20%
Petroleum Distillate	8.63%
INERT INGREDIENTS	89.37%
	100.00% w/w

*Cis/trans isomers ratio: max 30% (±) cis and min 70% (±) trans

†U.S. Patent Nos. 3,465,007 and 3,542,928

Perick's SBP-1382 brand of resmethrin insecticide. Perick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071

‡Equivalent to 0.96% (Butylcarbitol) (5-propylpiperonyl) ether and 0.24% related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for Additional Precautionary Statements and Statement of Practical Treatment.

EPA Reg. No. 11715-148

EPA Est. No. 11715-TN-1

Net Weight: 6 oz. (170.1g)

Manufactured By:
SPEER PRODUCTS, INC.
Memphis, TN 38118

DIRECTIONS FOR USE (Continued)

For use in hotels, motels, homes, preschools, nurseries, day camps, greenhouses, lathhouses, seedhouses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage buildings, milk storage rooms, milk handling areas or milk plants, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. **IN HOSPITALS:** Patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, trucks, and boxcars. Also for use in dog kennels and horse stables. **IN HORSE STABLES:** not for application if horses will be used for food.

Prior to spraying, cover asphalt tile, waxed wood floors, waxed furniture, and fabrics which may come in contact with the fog (newspapers can be used). Close outside doors and windows, and shut off fans and air conditioners.

For best results, open cabinet doors and drawers so that fog may contact all areas where insects can hide and breed. If flea or tick infestation is suspected, destroy pets' bedding and treat pets with a product registered for animal application.

SHAKE WELL BEFORE USING

With can at arm's length, direct spray away from face and depress tab until it clicks into locked position. Moving quickly, direct spray into areas which harbor insects such as under sinks, under and behind stoves and refrigerators, and other similar dark areas. Place can on level raised surface such as a stand or table with protective covering underneath to protect the surface. Exit immediately. Leave area closed for 30 min. to kill house flies, fruit flies, mosquitoes, stable flies (dog flies), gnats (midges), small flying moths (millers), vinegar flies, wasps, hornets, bees, yellow jackets. Leave area closed for 2 hours to kill flying insects listed above and ants, booklice, carpet beetles, centipedes, crickets, earwigs, silverfish (firebrats), fleas (adults and larvae), grasshoppers, ticks (Lone Star and Brown Dog), millipedes, sowbugs (pillbugs), spiders and scorpions. To kill cockroaches as well as all of the listed insects, leave the area closed for 4 hours. Ventilate the treated area for 30 min. Repeat treatment in two weeks or as necessary.

04-043
20-217

ACCEPTED
SEP 23 1985
Federal Reserve
of New York
11715-198