

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)

401 "M" St., S.W. ... Washington, D.C. 20460 EPA Reg. Number:

Date of Issuance:

11 DEC 1995

Term of Issuance:

308

Conditional

NOTICE OF PESTICIDE:

X Registration

____ Reregistration

(under FIFRA, as amended)

Name of Pesticide Product: Speer

Total Release Aerosol II With Nylar

Name and Address of Registrant (include ZIP Code):

Speer Products, Inc.

4242 B.F. Goodrich Boulevard

Memphis, TN 38181-0993

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 11715-308".
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date:

RPK

11 DEC 1995

Richard P. Keigwin, Jr.

SPEER TOTAL RELEASE AEROSOL II WITH NYLAR*

One Unit Treats a Room of up to 6,000 Cubic Feet of Unobstructed Space [27 x 27 x 8].

[] or () indicates alternate or optional wording

[Speer Total Release Aerosol II with Nylar⁶] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Speer Total Release Aerosol II with Nylar stops [prevents, the flea from developing into egg laying adults

[Speer Total Release Aerosol II with Nylar can be used as part of an integrated pest management [IPM] program

[Speer Total Release Aerosol II with Nylar can be a Equivalent to 0.8% (butylcarbityl)(6-propylipiperonyl) ether biorational approach to insect control

[Speer Total Release Aerosol II with Nylar | keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months

Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]

Prevents fleas from developing into the biting adult stage Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown IF SWALLOWED: Call a physician or poison control [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite

[Speer Total Release Aerosol II with Nylar⁴] activity keeps working for [210 days] [30 weeks][7months]

Controls [stops (kills)(prevents)] stages of fleas that don't IF INHALED: Remove victim to fresh air if effects occur, look like fleas

Prevents [stops] the emergence of adult fleas

Flea eggs deposited on treated areas will not develop into adult fleas

Larvae crawling onto treated areas will not develop into adult EPA REG. NO. 11715- not yet assigned

[Speer Total Release Acrosol II with Nylar acts on the immature life stage of the flea, preventing them from developing into biting adults

Kills [Inhibits] Cockroaches, Ticks, Ants, and other listed

insects

Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Inscase Effective long term control

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
(S)-cyano (3-phenoxyphenyl) methyl-(S)-4-chl	oro-
alpha-(1-methylethyl) benzeneacetate	0.100%
Piperonyl butoxide, Technical*	0.100%
N-Octyl bicycloheptene dicarboximide**	
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy]	
pyridine	0.100%
INERT INGREDIENTS:	99.483%

and 0.2% related compounds.

**MGK⁴ 264, Insecticide Synergist

NYLAR®, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN WARNING STATEMENT OF PRACTICAL TREATMENT

center. Drink promptly a large quantity of milk, egg white or gelatin solution. If these are not available drink large quantities of water. Avoid alcohol.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

and call a physician.

NET CONTENTS:

EPA EST. NO. 11715-TN-1

MANUFACTURED BY SPEER PRODUCTS MEMPHIS, TN 38118

PRECAUTION HAZARDS TO HUMANS

Causes skin irritation. Har Do not get on skin or clothi and water after handling. I and wash before reuse.

ENVIRONM

Do not apply directly to v water is present or to inter water mark.

PHYSICAL OR C

Contents under pressure. I open flame. Do not pu Exposure to temperatures a

[Speer Total Release Aer growth regulator, is simila naturally in insects. [Spec Nylar inhibits developme flea for [210 days][30 we from reaching the biting ad

[Speer Total Release Aer combination of three [blocks][interrupts][termin ways and controls other lis is [Specr Nylar EC] an inse allow the flea to reprodu-[residual] control. The sec Pyrethrum, lan extract of a provides effective, quick-ki and an added benefit of flus place to aid in a more comp the third active insecticide Nylar EC) takes effect. [Speer Total Release Acre combination of ingredients fleas (preadult (larval) fleas hatching fleas [preadult (larvae)] before they grow u insect growth regulator in [control] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by For use in: Apartments, Attics, Basements, Boats, Cabins, Cockroach, American Cockroach, Australian Cockroach preventing their development into adults. The fogget reaches. Compers, Close 1 Porches, Condominiums, Dormitories, Oriental cockroach, I. [Crickets, (Waterbugs) Palmetto fleas (and other listed insects) hidden in curpets, rugs, Drive-liss, Drugotores, Factories, Food Plants, Garages, Bugs)] open all cupboard doors [kitchen, bathrooms, pantry]. draperies, upholstery, pet bedding, floor cracks and open Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, and dravers for better penetration of fog. Remove all cabinets. Occasionally, adult fleas may be present in treated. Motels, Nursing Homes, Office Buildings, Other Public infested foodstuffs and dispose of in outdoor trash. areas when reintroduced from infested animals.

adult fleas from outdoors, use EPA registered flea and tick Areas, Supermarkets, Theaters, Trailers, Tree Houses, products, [such as][brand name] flea or flea and tick collar, Trucks, Verandas, Warehouses, and Zoos. fbrand name, pet powder, [brand name] pet spray, [brand namel pet dip. [brand name] pet shampoo, flea shampoo or flea and tick shampool, in conjunction with this application. It is a violation of Federal law to use this product in a manner READ ALL DIRECTIONS AND CAUTIONS BEFORE and prior to re-entry. As part of a complete fleu control inconsistent with its labeling, program use EPA registered [brand name] outdoor [lawn][home and garden] spray, [brand name][pressurized] READ ALL DIRECTIONS COMPLETELY BEFORE USE. TO START FOGGING: SHAKE FOGGER WELL BEFORE [Ready-to-Use] [RTU] flea and tick [indoor][premise] spray.

Kills (controls) insects [on contact] [such as]:

Cockroaches, [adults (nymphs)], Smoky Brown Cockroach entry. [adults (nymphs)], Brown Banded Cockroach [adults (nymphs)], Asian Cockroach [adults (nymphs)], German For best results, trent all infested areas [sites]. Use one of newspaper under the canister to prevent marring of the Cockroach [adults (nymphs)]. American Cockroach [adults fogger for each 6,000 cubic feet (approximately 27 ft. x 27 ft. (nymphs)], Australian Cockroach (adults (nymphs)), x 8 ft. ceiling) of unobstructed area. Use additional units for homes with more than one level and numerous rooms. Leave Oriental Cockroach [adults (nymphs)] Waterbugs [adults remote rooms or where the free flow of fog is not assured. (nymphs), Palmetto Bugs, Crickets, Sowbugs, Millipedes, NOTE: Do not use more than one unit per average size room. Earwigs, Lice, Pillbugs, Centipedes, Clover Mites, Fleas [adults (larvae) (eggs) (preadult)], Ticks [that may carry and PREPARATION: Coast Tick, Foraging Ants [Fire Ants] [Pharaoh Ants], Put out all flames and pilot lights. Close outside doors and increase airing-out time accordingly. Carpenter Ants [Eastern (Western)].

Cheesemites

[Carpet Beetles (Trogoderma)], Flies, Midges, Flying Moths, surrounding the fogger.] (Newspapers may be used.). Wasps, Yellowiackets [Eastern (Western)].

Buildings, Fct Grooming Parlors, Pet Sleeping Areas,

DIRECTIONS FOR USF

beings and pets. Ventilate area for 30 minutes before re- locks. This will start fogging action. Set canister in an

windows. Remove pets and birds, but leave pets' bedding as Granary Insects: Cadelles, Rice Weevils, Flat Grain Beetles, this is a primary hiding place for fleas and must be treated for. Do not use this unit in a cabinet or under a counter or table. Flour Beetles, Cigarette Beetle, Confused Flour Beetle, best results. No need to discard pet bedding after treatment. Do not use this unit in an area less than 100 cubic feet. Drugstore Beetle, Lesser Grain Borer, Merchant Grain Cover or remove fish tanks and bowls. Leave rugs, draperies Beetle, Saw-toothed Grain Beetle, Grain Weevils, and upholstered furniture in place. This product will not Warehouse Beetle, Red Flour Beetle, Grain Mites, harm furniture when used as directed. Open interior closet Do not contaminate water, food, or feed by storage or doors and cabinets or areas to be treated. [Cover waxed disposal Carpenter Bees, Spiders, Scorpions, Dust Mites, Dermestids wood floors and waxed furniture in the immediate area STORAGE: Store in a cool dry place. Keep container

Indian Mealworm, Gnats, Cluster Fly, Mosquitoes, Sciarid For more effective control of storage pests [Flour Beetle, DISPOSAL: Replace cap and discard container in trash. Do Fly, Firebrat, Silverfish, Booklice, Bedbug, Woodborers Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, not puncture or incinerate (exposed stages), Almond Moth, Chocolate Moth, Tobacco Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Moth, Indian Meal Moth, Angoumois Grain Moth, Hornets, Weevil, Warehouse Beetle, Red Flour Beetle, Confused c: waspubwylart2.pub (10/04/95) Flour Beetlel and Cockroaches [Smoky Brown Cockroach,

Brown Banded Cockroach, Asian Cockroach, German

To protect your programs and to minimize reintroduction of Railroad Cars, Restauran's, Rooms, Schools, Ships, Storage For flea and tick control, thoroughly vacuum all carpeting. upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

USING

USING: Hold can at arm's length with top of can pointing For use only when building has been vacated by human away from face and eyes. Push down on finger pad until it upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses surface. Treat the whole dwelling using multiple units in the building at once.

Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder Bug, Do not use this unit in a cabinet or under a counter or table. DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on an conditioners and/or fans and let treated area air for 30 transmit Lyme Disease], Brown Dog Ticks, Lone Star Ticks, Remove or cover exposed food, dishes, utensils, surfaces and minutes before reoccupying. If additional units are used for Deer Tick, Other Ixodid species, American Dog Tick, Gulf food-handling equipment. Shut off fans and air conditioners, remote rooms or where free flow of fog is not assured.

STORAGE AND DISPOSAL

closed