



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

12455-156

Date of Issuance:

9/1/21

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Terad3 Mouse Killer I

Name and Address of Registrant (include ZIP Code):

Craig Riekena  
 Compliance Manager  
 Bell Laboratories, Inc.  
 3699 Kinsman Blvd.  
 Madison, WI 53704

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

*Paul P. Salvo Sr.*

Venus Eagle, Product Manager 01  
 Invertebrate and Vertebrate Branch 3,  
 Registration Division (7505P)

Date:

9/1/21

2. You are required to comply with the data requirements described in the DCI identified below:

a. Cholecalciferol GDCI-202901-1621

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 12455-156.”

4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 09/17/2020

If you have any questions, please contact Paul Di Salvo by phone at 703-347-0322, or via email at [disalvo.paul@epa.gov](mailto:disalvo.paul@epa.gov).

Enclosure: Stamped Label

# Terad<sub>3</sub><sup>®</sup> Mouse Killer I

**This Bait Station is Resistant to Weather and to Tampering by Children and Dogs.  
For Use Indoors and Outdoors.**

**ACTIVE INGREDIENT:**

Cholecalciferol (CAS # 67-97-0) ..... 0.075%

**OTHER INGREDIENTS:** ..... 99.925%

**TOTAL:** ..... **100.000%**

EPA REG. NO. 12455-156

EPA EST. NO. 12455-WI-1<sup>k</sup>

[superscript is first letter of the lot number]

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**ACCEPTED**  
09/01/2021  
Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 12455-156

**NET WEIGHT:**

1 oz. (28g) to 16 oz. (454 g)  
1 x 1 oz Block Bait & 16 x 1 oz Block Bait &  
1 Refillable Bait Station 1 Refillable Bait Station

**Manufactured By:**



Bell Laboratories, Inc.  
3699 Kinsman Blvd.  
Madison, WI 53704

**Batch Code:**

See back [bottom] [and] [side] panel[s] for  
First Aid, additional Precautionary Statements, and Directions for Use.

<b>FIRST AID</b>	
<b>If Swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center, doctor, or <b>1-877-854-2494</b> immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not give anything by mouth to an unconscious person.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Avoid use of all oils.</li></ul>
<b>If on Skin:</b>	<ul style="list-style-type: none"><li>• Wash with plenty of soap and water.</li></ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center, doctor, or <b>1-877-854-2494</b> immediately for treatment advice.</li></ul>
<b>HAVE LABEL WHEN OBTAINING TREATMENT ADVICE</b>	
<b>NOTE TO PHYSICIAN</b>	
If serum calcium levels are elevated, treatment with Calcitonin is effective in reducing calcium to normal levels. Continue monitoring serum calcium and treat as necessary for hypercalcemia (Reference, AMA Drug Evaluations, Third Edition (1977), Chapter 16, pp. 248-251).	
<b>TREATMENT FOR PET POISONING</b>	
If an animal eats this bait, call a veterinarian, or <b>1-877-854-2494</b> at once.	
<b>NOTE TO VETERINARIAN</b>	
<b>Calcium Mobilizer Cholecalciferol:</b> For animals ingesting bait, induce vomiting by using hydrogen peroxide or administration of activated charcoal with a cathartic. If clinical signs develop, treatment consisting of saline diuresis combined with the use of furosemide, corticosteroids, and phosphate binders are recommended. Calcitonin or pamidronate may be needed for animals that remain hypercalcemic despite symptomatic treatment.	

### PRECAUTIONARY STATEMENTS

#### **Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

All handlers, (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**USER SAFETY REQUIREMENTS:** As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using the toilet and change into clean clothing.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

### USE RESTRICTIONS:

This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from home or building.

For control only of house mice. This bait station can only be refilled with the block bait sold with this station. Terad<sub>3</sub><sup>®</sup> Mouse Killer I [This Product] must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station or stored block bait in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food. Store block bait refills out of reach of children and pets.

*[Note to PM: "SELECTION OF TREATMENT AREAS", "APPLICATION DIRECTION", "LOADING INTO BAIT STATION" sections of label will be treated in one of the fashions shown below]*

[Option 1]

**SELECTION OF TREATMENT AREAS [Indoors & Outdoors]:** Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rats or house mice have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

### APPLICATION DIRECTIONS:

While wearing gloves, place one block of bait in the bait station. See additional GRAPHICS AND TEXT. Place the bait station at point of highest activity along a wall or in corner where signs of house mice have been seen. If additional units are to be used, place bait stations at 8- to 12-foot intervals. To monitor for refilling, view bait via see-through lid. While wearing gloves, replace the block of bait if it has been consumed or contaminated and house mice are still using the bait station.

While wearing gloves, replace bait in bait station if bait is consumed or contaminated and house mice still are using the bait station. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there no longer are fresh signs of house mouse activity in infested areas.

### Follow-up:

Wearing waterproof gloves, collect and properly dispose of any leftover bait or carcasses. Carcasses should be placed in an outdoor garbage can. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

## LOADING BAIT INTO STATION

*Note to PM: color may vary on final printed labeling*

### 1 REMOVE BAIT CARTRIDGE FROM BOTTOM OF STATION



With your left hand push tab up.



While still holding tab, squeeze prongs of bait cartridge and pull it away from station.

*Note to PM: alternate language: “While still holding tab, squeeze prongs of bait cartridge [with your right hand] and pull it away from station.”*

**OR**

### 2 LOAD BAIT



Place bait into cartridge.



Push cartridge into station until it clicks into place.

**OR**

[Option 2]

**SELECTION OF TREATMENT AREAS [Indoors & Outdoors]:** Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rats or house mice have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.


**APPLICATION DIRECTIONS:**

While wearing gloves, place one block of bait in the bait station. See additional GRAPHICS AND TEXT. Place the bait station at point of highest activity along a wall or in corner where signs of house mice have been seen. If additional units are to be used, place bait stations at 8- to 12-foot intervals. To monitor for refilling, view bait via see-through lid. While wearing gloves, replace the block of bait if it has been consumed or contaminated and house mice are still using the bait station.

While wearing gloves, replace bait in bait station if bait is consumed or contaminated and house mice still are using the bait station. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there no longer are fresh signs of house mouse activity in infested areas.

**Follow-up:**







Wearing waterproof gloves, collect and properly dispose of any leftover bait or carcasses. Carcasses should be placed in an outdoor garbage can. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.



**OR**

[Option 3]

**APPLICATION DIRECTIONS:**

<p><b>1. Selection of Treatment Areas [Indoors &amp; Outdoors]</b></p> 	<p><b>2. Remove Bait Cartridge</b></p> 	<p><b>3. Load Bait</b></p> 	<p><b>4. Placing Bait Stations</b></p> 	<p><b>5. Monitor</b></p> 	<p><b>6. Follow Up</b></p> 
<p>Determine areas where house mice will most likely consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.</p>	<p>Flip station over to remove the cartridge from the bottom of the station. With your left hand, push tab up. While still holding tab, squeeze prongs of bait cartridge and pull it away from station.</p>	<p>While wearing gloves, place one block of bait in the bait station. Place bait into cartridge. Push the loaded cartridge into station until the cartridge clicks into place.</p>	<p>Place bait station at point of highest activity along a wall or in corner where signs of house mice have been seen. If additional units are to be used, place bait stations at 8- to 12-foot intervals.</p>	<p>Maintain an uninterrupted supply of fresh bait for at least 15 days or until there no longer are fresh signs of house mouse activity in infested areas. To monitor for refilling, view bait via see-through lid. While wearing gloves, replace the block of bait if it has been consumed or contaminated and house mice are still using the bait station.</p>	<p>Wearing gloves, collect and properly dispose of any leftover bait and/or carcasses. Carcasses should be placed in an outdoor garbage can. To discourage re-infestation, eliminate food, water and harborage as much as possible. If re-infestation does occur, repeat treatment.</p>

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal and Container Handling:** Nonrefillable Container. Do not reuse or refill container except as described in the Directions For Use.

**If Empty:** Place in trash or offer for recycling if available.

**If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



**Notice:** To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

***OR***

**[WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.]

# Terad<sub>3</sub><sup>®</sup> Mouse Killer I

**This Bait Station is Resistant to Weather and to Tampering by Children and Dogs.  
For Use Indoors and Outdoors.**

ACTIVE INGREDIENT:		
Cholecalciferol (CAS # 67-97-0)	.....	0.075%
OTHER INGREDIENTS:	.....	<u>99.925%</u>
<b>TOTAL:</b>	.....	<b>100.000%</b>

EPA REG. NO. 12455-156

EPA EST. NO. 12455-WI-1<sup>k</sup>

[superscript is first letter of the lot number]

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION**

**NET CONTENTS:** 1 oz. (28 g)  
**NET WEIGHT:** 1 oz. (28 g)

This bait station can only be refilled with the block bait sold with this station.

**If swallowed, call a poison control center, doctor, or 1-877-854-2494**

See Outer Packing Label for  
First Aid, additional Precautionary Statements, and Directions for Use.

Batch Code:

Model No. MR1c

**OPTIONAL MARKETING STATEMENTS:**

All-Weather Bait [Block Bait][Block][Blocks]  
[Formula][Formulation]  
Bait Station  
Bait Station is Child [Kid] and [&] Dog Resistant  
Bait station made from 67% recycled resin/content  
Bait Station Can [May] be Used [Placed]  
Horizontally and [&] or Vertically  
Bait Station Can [May] be Used [Placed] Indoors  
and [&] or Outdoors  
Bait Station has Clear Lid  
Bait Station has Clear Lid for Easy Bait Monitoring  
Child and Dog Resistant [Bait] Station  
Child, Dog and Weather Resistant [Bait] Station  
Cholecalciferol Bait [Block Bait][Block][Blocks]  
[Formula][Formulation]  
Contain Cholecalciferol  
Durable Design of [Bait] Station Is Child and Dog  
Resistant  
Effective Indoors and [&] Outdoors  
[For] Use Indoors and [&] Outdoors  
Indoor and Outdoor  
House Mouse Bait Station  
House Mouse Killer  
Includes 2[3][4][5][6][7][8][9][10][11][12][13][14]  
[15][16] x One [1] Ounce of Refill Bait Blocks  
Indoor and Outdoor Use  
Kid & Dog Tamper-Resistant [Bait] Station  
Kid and Dog Resistant [Bait] Station  
Kills House Mice Guaranteed\*

Kills House Mice Guaranteed or your money  
Back\*  
\*If for any reason you, the consumer, are not  
satisfied with this product, mail us your original  
proof of purchase to obtain a full refund of your  
purchase price.”  
**\*Note to PM: This disclaimer will be placed in the  
same vicinity of the packaging as the optional  
marketing claim it supports**  
Made In USA  
Made with Cholecalciferol  
Mold and [&] Moisture Resistant Bait  
One ounce of bait per placement  
Palatable Bait Formula [Formulation]  
Portico Allows Entry From Either Side  
[Refillable] House Mouse Bait Station  
Reusable [Refillable]  
Secure bait station is child [kid] and dog resistant  
See Through Lid  
See Through Lid for Easy Monitoring [Bait  
Monitoring]  
Station Is Child and Dog Resistant  
This [bait] station is not a trap  
Weather Resistant [Bait]  
Weather Resistant [Bait] Station  
2[3][4][5][6][7][8][9][10][11][12][13][14][15][16]  
Bait Refills  
2[3][4][5][6][7][8][9][10][11][12][13][14][15][16]  
one [1] Ounce Refills  
Value Pack\*\*  
**Note to PM- Value pack would not exceed the 1 lb  
limit for any package sold at a discounted price.**  
1[2][3][4][5][6][7][8][9][10][11][12][13][14][15]  
[16] blocks of bait and 1 refillable bait station(s)  
One [1][2][3][4][5][6][7][8][9][10][11][12]  
[13][14][15][16] Bait Refills [bait blocks]

One [1] [2][3][4][5][6][7][8][9][10][11][12][13][14]  
[15][16] [kid and dog resistant] refillable [bait]  
station(s)

Includes [Contains] One [1][2][3][4] [5][6][7][8][9]  
[10][11][12][13][14][15], or [16] bait blocks /  
blocks of bait and Includes [Contains] one [1]  
refillable bait station.

**Results Guaranteed<sup>▲</sup>**

**▲BELL LABORATORIES, INC. GUARANTEE:**

*If for any reason you, the consumer, are not  
satisfied with this product, mail us your original  
proof of purchase to obtain a full refund of your  
purchase price.”*

***Note to PM: This disclaimer will be placed in the  
same vicinity of the packaging as the optional  
marketing claim it supports.***

**OPTIONAL GRAPHICS**



*Note to PM, background color may change and kid may be interchanged with Child*



**CAN BE USED IN  
A VARIETY OF  
LOCATIONS**



**BEHIND APPLIANCES**



**IN ATTICS**



**INSIDE CABINETS**



**GARAGES**



**BASEMENTS**

All use must be consistent with the USE  
RESTRICTIONS in the DIRECTIONS  
FOR USE section of this label.



*Note to PM: Background color (red) may vary on final printed labeling*



*Note to PM: Number of blocks/stations illustrated on final printed labeling will reflect product offering.*



**LOADING  
BAIT INTO  
STATION**

**1 REMOVE BAIT CARTRIDGE FROM BOTTOM OF STATION**



With your left hand push tab up.



While still holding tab, squeeze prongs of bait cartridge and pull away from station.

**2 LOAD BAIT**



Place bait into cartridge.



Push cartridge into station until it clicks into place.



**CAN BE USED  
IN A VARIETY  
OF LOCATIONS**



**BEHIND APPLIANCES**



**IN ATTICS**



**INSIDE CABINETS**



**GARAGES**



**BASEMENTS**

[ALL use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label]

*Note to PM: Arrow options below may be used instead of the red arrows for images above. Arrow colors & size of arrow may change on final printed labeling.*

**Load 1 Block Into  
Refillable Station**  
Bait must always be  
used with in this bait station. Store  
other blocks **OUT OF THE REACH OF  
CHILDREN & PETS**


**Load 1 Block Into  
Refillable Station**  
Bait must always be  
used with in this bait station. Store  
other blocks **OUT OF THE REACH OF  
CHILDREN & PETS**

**Load 1 Block Into  
Refillable Station**  
Bait must always be used in this bait station


**Load 1 Block Into  
Refillable Station**  
Bait must always be used in this bait station

**CAN BE USED  
IN A VARIETY  
OF LOCATIONS**


BEHIND APPLIANCES




IN ATTICS




INSIDE CABINETS




GARAGES



BASEMENTS



HOME EXTERIOR



[ALL use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label]

