

READ ENTIRE LABEL BEFORE USING

DANGER POISON

ANTIDOTE AND FIRST-AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1/100 grain (0.8 mg) atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If swallowed, call a physician immediately. Induce vomiting by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of warm water). Repeat until vomit fluid is clear.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Take or administer two 1/100 grain atropine tablets immediately. Get medical attention at once. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** (See WARNING SYMPTOMS below.) Have patient lie down and keep quiet. Start artificial respiration immediately if patient is not breathing. Insport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 15 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine and tranquilizers are contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase regeneration has been allowed as determined by blood test.

Atropine is also available and may be administered in conjunction with atropine.

DANGER

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY WITH PROLONGED EXPOSURE PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear rubber gloves, rubber boots, clean, waterproof, protective clothing, and goggles. Remove gloves, boots, and destroy used gloves. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention in case of contact. Remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

WARRANTY AND LIMITATION OF DAMAGES: Apollo Enterprises, Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. Apollo Enterprises, Inc. makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Apollo Enterprises, Inc. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential damages such as loss of profits or value, etc.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

DANGER—POISON—PRECAUTIONS

POISON DANGER

See Side Panels for Antidote & Precautions
Keep Out of Reach of Children

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.



Apollo BRAND

4 LB. Methyl Parathion Emulsifiable Insecticide Concentrate

1 gallon of APOLLO BRAND 4 LB. METHYL PARATHION contains 4 pounds of Methyl Parathion

ACTIVE INGREDIENTS (by weight)	
*O,O-dimethyl O-p-nitrophenyl phosphorothioate	45.0%
Xylene	50.0%
INERT INGREDIENTS (by weight)	
	5.0%
TOTAL	100.0%
*Methyl Parathion	

Manufactured by

Apollo

13166-11 PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not apply within 7 days of hand picking or harvesting. Workers entering fields within 24 hrs. after application should wear protective clothing. Do not graze dairy animals or animals being finished for slaughter in treated cotton fields nor feed them cotton trash.

Highly toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated.

Do not contaminate any body of water nor apply to any areas not specified on the label.

Do not contaminate feed or food products. To prevent re-use, empty containers to be decontaminated and destroyed. Keep container closed. Leaking containers should be removed to a safe place. Do not dispose of any unused material in such a manner that contact with humans or beneficial animals may occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

GENERAL DIRECTIONS

Apollo 4 lb. Methyl Parathion can be used in conventional hydraulic sprayers, low-volume ground applicators or airplane sprayers. Use this product only for recommended purposes at recommended dosages.

Mix with water 10 gal. per acre for ground application, 3-10 gal. per acre for aerial application. Agitate the mixture while spraying. Allow to stand, re-agitate before use.

DIRECTIONS USE

INSECT CONTROL ON COTTON: Apollo 4 lb. Methyl Parathion will control: Aphids, Boll Weevil, Cotton Leaf Worm, Fleahopper, and some species of Spider Mites.

Four-Pound Methyl Parathion spray is recommended to be used at the rate of 1 to 3 pints per acre depending upon local conditions. For timing of applications, consult your state representative of extension service or experiment station and repeat applications as local conditions warrant.

DISPOSAL OF EMPTY CONTAINERS

DO NOT reuse the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

FIVE GALLON AND FIFTY FIVE GALLON DRUMS: Pour the following mixtures into the empty containers.

- 5 GALLON DRUMS: 2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent.
- 55 GALLON DRUMS: 5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DO NOT USE container in any connection with feed, food, or drinking water.

(CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package.)

Punch holes in the top and bottom of container, crush the container, and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED: Punch holes in the TOP of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes.

DO not attempt to burn more than five containers at one time.

COMBUSTIBLE: Keep away from heat and open flame.

ACCEPTED
AUG 17 1978
U.S. DEPARTMENT OF AGRICULTURE
13166-11