ACCRA PAC General Purpose Insecticide

For Control of Residential, Industrial and Garden Insect Pests

CONTAINS A COMBINATION OF TWO NEW HIGHLY ACTIVE SYNTHETIC PYRETHROID COMPOUNDS.

ACTIVE INGREDIENTS:

1

*Tetramethrin	0.250%
Related compounds	0.034%
* * (5-Benzyl-3-furyl)methyl 2,2-dimethyl	
3-(2-methylpropenyl) cyclopropanecai	I -
boxylate	
Related compunds	
Petroleum Distillate	8.800%
INERT INGREDIENTS:	90.632%
	100.000%

- *1 cyclohexene 1,2 dicarboximidomethyl 2,2-dimethyl 3 (2 methylpropenylicyclopropanecarboxylate
- **Resmethrin Cisitrans isomer content. Max. 30% (±) cis. and min. 70% (±) trans. U.S. Patent No. 3,465,007

NET WT.: 12 OZ. (340g)

EPA Reg. No. 13891-39 EPA Est. No. 13891-IN 1

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautionary Statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid breathing of vapors and skin contact. Avoid contact with eyes, in case of contact, flush with water

Foods should be removed or covered during treat ment. All food processing surfaces should be covered during treatment or thoroughly cleaned before reuse. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

Do not smoke while spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store hear heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

13891-39

Disposal

Wrap container and put in trash collection.

Sea rear panels.

8275 .



SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL IN SECTS Flies, Mosquitoes, Gnats and Flying Moths: Direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows. Close doors and windows With a sweeping motion, direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes. Do not remain in treated area. Ventilate area after treatment is completed.

WASPS and HORNETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Roaches, Sowbugs, Boxelder Bugs, Centipedes, Earwigs, Crickets, Grain Mites and Spiders: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS: for Control of aphids, two-spotted spider mites, and adult white flies on ornamental house and greenhouse plants. African violets, arabas, Christmas cherries, chrysanthemams, cinerarias, diffenbachias, fuschias, gloximas, v.y. lantanas. Neathe bella palms, petunias, roses and snapdragons); and on outdoor plants tazaleas, chrysan themams, euonymus, ivy, marigolds, petunias, roses, snapdragons and zinnias). Spray plants with a slow sweeping motion so that mist drifts into plant. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

By which is the substitute of the strong of the through the section of an array of the substitute of

Manufactured by Accra Pac, Inc. P. O. Box 878 Elkhart, IN 46515