

Nutmeg Chemical Co.

WATER SPECIALTIES DIVISION

NEW HAVEN, CONNECTICUT

NUTMEG NC-71

COMPOSITION

ACTIVE INGREDIENT

Sodium 2, 4, 5 -- Trichlorophenate

8.5 percent

INERT INGREDIENTS

91.5 percent

Percent by weight

8.5 percent

ACCEPTED
NOV 19 1975
UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 20375-12

APPLICATION

Nutmeg NC-71 is used to control bacteria and fungi in industrial recirculating cooling water systems. Treatment of the system should be initiated when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Badly fouled systems must be cleaned before treatment is begun. Initial dosage of NC-71 should be 60.5 to 122.4 fluid ounces per 1,000 gallons of water in the system. This dose may be repeated as necessary until control is achieved, then apply 60.5 fluid ounces of NC-71 per 1,000 gallons of water in the system weekly or as needed. NC-71 should be applied at a point where the product will be uniformly mixed.

DANGER

KEEP OUT OF THE REACH OF CHILDREN

Causes eye damage. May produce severe burns. Do not get in eyes on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed, inhaled or absorbed through skin. Do not breathe vapor or mist.

FIRST AID: In case of eye contact, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before re-use. If swallowed, induce vomiting by sticking finger down the throat or by giving an emetic such as 2 tablespoons of salt in a glass of warm water. Call a physician.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Causes hyperthermia.

COMPOSITION

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRAR-
ED UNDER NO. 20375-12

	Percent by weight
ACTIVE INGREDIENT	8.5 percent
Sodium 2, 4, 5 -- Trichlorophenate	8.5 percent
INERT INGREDIENTS	91.5 percent

APPLICATION

Nutmeg NC-71 is used to control bacteria and fungi in industrial recirculating cooling water systems. Treatment of the system should be initiated when the system is in jeopardy of becoming affected or after cleaning systems whose efficiency is already impaired. Badly fouled systems must be cleaned before treatment is begun. Initial dosage of NC-71 should be 60.5 to 122.4 fluid ounces per 1,000 gallons of water in the system. This dose may be repeated as necessary until control is achieved, then apply 60.5 fluid ounces of NC-71 per 1,000 gallons of water in the system weekly or as needed. NC-71 should be applied at a point where the product will be uniformly mixed.

DANGER

KEEP OUT OF THE REACH OF CHILDREN

Causes eye damage. May produce severe burns. Do not get in eyes on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed, inhaled or absorbed through skin. Do not breathe vapor or mist.

FIRST AID: In case of eye contact, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before re-use. If swallowed, induce vomiting by sticking finger down the throat or by giving an emetic such as 2 tablespoons of salt in a glass of warm water. Call a physician.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Causes hyperthermia. Treat symptomatically.

Do not re-use empty container. Rinse empty container thoroughly with water before discarding or returning drum to drum conditioner.

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Apply this product only as specified on this label.