DNARY PRECA STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION

Hermful If smillowed. Persons sensitive or altergic to solvent er insecticide odors should not use or be present in use areas of SIX MONTHS PEST CONTROL until edors have vanished. Avoid breathing vapors. Avoid contact with skin, eyes or clothing, in case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not apply where children are likely to come in contact with treated area until dry. Wash thoroughly after handling. Wash contami-nated clothing before reuse. Keep away from food, food stuffs and domestic water supalles. Keen container closed.

NOTE TO PHYSICIAN Chlorpyrifus is a cholinester-

ese inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for purposes stated on the label when used in accordance with directions under normal conditions of use Neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PUR-POSE, expressed or implied, extends to the use of this product contrary to tabel instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seiler, and buyer assumes the risk of any such



RESIDUAL ACTION LASTS SIX MONTHS However, Length of Effect May Vary in Different Situations

> A formulation of Qhiorpyrifes for fest-acting, long-lasting convolut ockraches and, TED silvertish, crickets, and spiders. MAE 28 1938

ACTIVE INGREDIENTS:

*Chlorpyrifos [0,0-diethyl 0-13,5,6, trichloro

INERT INGRÉDIENTS ..

2-pyridyl) phosphorothio thingian the Federal Insection del 9% Fungind Land Rodenticide ASON as omen led, for the pestici100.0% tegistered under

*U.S. Patent No. 3,244,586

EPA Reg No. 26693-3 THIS PRODUCT CONTAINS 1.17 OZ. OF CHLORPYRIFOS PER GALLOR

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Do not induce vomiting. Call Physician. IF ON SKIN: Immediately wash with soap and water. IF IN EYES: Immediately flush eyes with plenty of water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

POSITIVE FORMULATORS, INC.

1044 N. Jerrie Avenue Tucson, Arizona 85711

E.P.A. Est. 26693-AZ-1 E.P.A. Reg. No. 26693-3

NET CONTENTS: 1 QUART - 0.946 LITER

PRECAUTIONS IN USE

SIX MONTHS PEST CONTROL is a ready-to-use, slow release insecticide. Do not dilute with water, oil, or other materials. Treated surfaces may be cleaned in the usual manner after 36 hours; however, painting over these areas will eliminate the insecticidal effectiveness. SIX MONTHS PEST CONTROL insecticide is to be used as a spot treatment only for the control of COCK-ROACHES, ANTS, SILVERFISH, FIREBRATS, CRICKETS AND SPIDERS in but not limited to residential and commercial buildings including homes, apartment buildings, hospitals, stores, and warehouses; also trucks, recreational vehicles, mobile homes and boats.

SIX MONTHS PEST CONTROL will not stain or mar most clean surfaces, but if doubt exists, treat a small obscure test area prior to complete application. This product may cause blistering of areas freshly painted with lacquers. enamels or other oil base paints unless these finishes are completely cured. Spray a small test area, if blistering has not occurred in 15 minutes it is sale to continue the application.

SIX MONTHS PEST CONTROL applied to exposed glass, glazed tile, metal or other non-porous surface may dry teaving a light colored film. If removal is desired re apply SIX MONTHS PEST CONTROL, lacquer thinner, or other like solvent, let set for two minutes and wipe with dry cloth. Do not apply to clear plastics, i.e. Hi-Fi or pop corn popper covers, dry cleaning garment bags, plastic furniture covers, etc. as solvent may cause

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PROD-UCT IN "A MANNIFR" NOONS STENT WITH ITS LABELING.

APPLICATION Proper Application of SIA MONTES PEST CONTROL requires continuous bands of Insecticide which form squares or prisons over which insects must pass to enter the building or reach sources of food and WE'ME, MOTE: THESE BANDS MUST LE CONTINUOUS, DO NOT MISS AREAS, DO NOT ATTEMP? SHOPP CUTSP Av-id excessive application and run off. Allow adequate centuation during and for several hours after application. une quart of SIX LORING PECY COVIROL will treat an average 1,000 square foot home and continue to kell for six months.

Before treating kitchen areas, remove all food, utensils, and containers from kitchen cabinets or other storage places, it is advisable to store toods containing fat in sealed containers to prevent them from absorbing solvent odors. Spray a 3" to 4" band completely around the undersides of all shelving, always under, and never on shelves where food may contact the treated surface. Remove all cabinet and vanity drawers and band the three exterior sides. Do not treat drawer interior or exposed front panel. Spray a continuous band around undersides of counter tops and on side panels, paying particular attention to treating under and around sinks. Band exterior cabinet bases and at points where cabinets join walls. Spray a band of SIX MONTHS PEST CONTROL on the flat surface of all door casings, along room baseboards and under all shelving in closets and storage areas. Treat bathroom vanities in same manner as kitchen cabinets. Disconnect refrigerator and washer/dryer motors and treat motor housing areas. Allow a few minutes for solvent to evaporate before re-connecting. Using the pin stream position on applicator nezzle, inject SIX MONTHS PEST COMTROL into voids, cracks and crevices, locse door facings, around pipes, between false valls and other nesting areas. If desired, a band may be applied on porches (next to house) and on interior-exterior window/door casings to aid in control of insects entering from out-of-doors. The complete treatment insures that insects enfering, crawling along or up walls, or moving from room to room will come in contact with the insecticide barrier, insects passing over these treated surfaces will live for several hours, depending on the amount of contact, but will die preventing reinfestation for six months.

CARE SHOULD BE TAKEN TO AVOID DEPOSITING THIS PRODUCT ONTO FOOD OR FOOD PROCESSING SURFACES.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Do not store with foodstuffs, drugs, or personal contact items. Store product in or ginal container. and insure that hid is tightly closed. Spillage or leakage should be cleaned up with an absorbent material and waste disposed of on site or at an approved waste disposal

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on of at an approved waste disposal facility

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling in recordifroming, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

BEST AVAILABLE COPY