

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

DEC 1 8 2009

Ms. Rebecca M. Horton Consultants/Agent for PHAETON CORPORATION P.O. Box 290 Madison, GA 30650

RE: Notification of optional administrative label changes, including updating names of spreaders featured in Spreader Chart, optional warranty, etc, update company name and address of record for registrant

EPA Registration Number: 28293-328 Date of Submission: October 28, 2009

Dear Ms. Horton:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, October 28, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,


Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse before c stin	g form.	Form A	ppr	_OMB No.	2070-006	O. Approval expires 2-28-9
SEPA Environmental F	red States Protection Age ton, DC 20460	ency		Registra Amenda Other	ation	OPP Identifier Number
A	pplication for	Pesticide - Se	ction	l		<u> </u>
1. Company/Product Number 28293-328		2. EPA Product Ma Gebken	nager			oposed Classification
4. Company/Product (Name) Unicorn::25% Permethrin Granules		PM# Team 13				None Restricted
5. Name and Address of Applicant (Include ZIP Code) Phaeton Corporation P.O. Box 290 Madison, GA 30650 Check if this is a new address	,	(b)(i), my producto: EPA Reg. No.	t is sim	ilar or iden	tical in co	FIFRA Section 3(c)(3) imposition and labeling
ones in this is a new addition	Coo	Product Name				
Amendment - Explain below. Resubmission in response to Agency letter da Notification - Explain below.		[]	tter dat Applica	ition.		CATION
NOTIFICATION: of (1) optional marketing statements consi record. This notification is consistent with the provisions of PR Noti-Confidential Statement of Formula of this product. Phaeton EPA, and further understands that if this notification is not cephaeton Corporation may be subject to enforcement action	ce 98-10 and EPA regu Corporation understand onsistent with the terms and penalties under se	lations at 40 CFR 152.4 ds that it is a violation of s of PR Notice 98-10 and	6, and no 18 U.S.0 d 40 CFF	o other change C. Sec. 1001 to	s have bee willfully ma	n made to the labeling or the ake any false statement to
1. Material This Product Will Be Packaged In:						
Child-Resistant Packaging Yes No Toostification must	No. per If "Yes	Soluble Packaging Yes No S* No. per ge wgt contain		2. Type of	Container Metal Plastic Glass Paper Other (S	Specify)
3. Location of Net Contents Information 4.	Size(s) Retail Contail 1, 2, 5, 10,		5. Lo	on label	el Directio	ons
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Oth	er			
	Sect	ion - IV				
1. Contact Point (Complete items directly below for	identification of indiv	idual to be contacted	l, if nec	essary, to pr	ocess this	application.)
Name Title Rebecca M. Horton Consultant		ltant/Agent	/Agent		Telephone No. (Include Area Code) 540-375-8826	
I certify that the statements I have made on the I acknowledge that any knowlingly false or mis both under applicable law.	Certification is form and all attach sleading statement m	nments thereto are tro lay be punishable by	ue, accu fine or i	rate and co mprisonmen	nplete. t or	6. Date Application Received (Stamped)
2. Signoture Kelkeca M. Hortz	3. Title	ıltant/Agent				
4. Typed Name Rebecca M. Horton	5. Date	October 28	, 2009	9		(





CERTIFIED MAIL #7009 0080 0001 2557 9654 October 2**6**, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs/Registration Division (7504P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: Notification: EPA Reg. No. 28293-328, Unicorn .25% Permethrin Granules

Attn: Linda Arrington, Team Leader

Notifications & Minor Formulations

On behalf of Phaeton Corporation of Madison, Georgia, enclosed is notification of the following label changes for the above pesticide product:

- 1) optional administrative label changes, including updating names of spreaders featured in Spreader Chart, optional warranty, etc.
 - 2) updated company name/address of record for registrant

The following documents are enclosed:

- 1) EPA Form 8570-1, Application for Pesticide Notification (2 copies)
- 2) Copy of the revised label with all areas of revision highlighted in red.

Relecca M. Horton

Rebecca M. Horton

Consultant/Agent for

PHAETON CORPORATION

e-mail: hortonb@ntelos.net

/bmh

Enclosures

Established 1996

Mailing address:

P.O. Box 1019, Salem, VA 24153

Federal & State Pesticide/Fertilizer Registration Services plus typesetting/design of product labeling

Unicorn .25% Permethrin Granules

- [KILLS INSECTS IN LAWNS]
- [New Easy-to-Use Shaker Bag! (editor's note: for applicable container)]
- [LAWN & GARDEN INSECT CONTROL] [Kills Cockroaches, Ants, Spiders, Ticks and other Listed Insects]
- [TREATS [COVERS] UP TO 5,000 10,000 15,000 SQ.FT.] [Resealable Bag (editor's note: for applicable container)]
- [PROTECTS YOUR HOME FROM INVADING PESTS] [Perimeter Defense]
- [10 POUNDS TREATS 5,000 SQ.FT.] • [For Perimeter Treatment Around Your House Foundation]
- **[CONTROLS SURFACE AND FOLIAGE FEEDING PESTS]**
- [FOR GRASS AND DICHONDRA LAWNS] [Provides Contact and Long-Lasting Insect Control]
- - [CONTAINS SYNTHETIC PYRETHROID] [FOR OUTDOOR USE ON HOME LAWNS]
- [CONTAINS PERMETHRIN]
- [READY TO USE]

- [KILLS: Ants, Armyworms (Inc. Fall, Yellow-striped, etc.), Bear Tick, Bermudagrass mites, Billbugs (adult), Black Legged Tick, Boxelder Bugs, Brown Dog Ticks, Centipedes, Chiggers, Chinch Bugs, Clover mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Deer Tick (Ixodes dammini), Digger wasps, Dung Beetles (Ataenius Spretulus), Earwigs, Essex Skipper, European Crane Fly Larvae, Field Crickets, Fiery Skipper, Fire Ants, Flea Beetle (In dichondra), Fleas, Grasshopper, Grubs, Hyperodes (Turfgrass Weevil), Japanese Beetle (adult), Lawn Moths, Leafhoppers, Lone Star Tick. Scorpions, Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders (Inc. Black Widow), Spittlebugs, Springtails, Ticks, Vegetable Weevils (In dichondra), Western Black Legged Tick (Ixodes pacificus)]
- [PROVIDES CONTACT AND RESIDUAL CONTROL FOR UP TO 4 WEEKS]
- ICONTAINS PERMETHRIN, A LONG LASTING INSECTICIDE WHICH PROVIDES CONTACT AND RESIDUAL CONTROL OF OUTDOOR INSECT PESTS.]
- [KILLS ANTS, FLEAS, BROWN DOG TICKS, [TICKS], CRICKETS, CHINCH BUGS, CUTWORMS, BILLBUGS, SOD WEBWORMS, [SPIDERS, SCORPIONS], GRUBS AND OTHER • [No spreader required] LISTED INSECTS.]
- [LONG LASTING INSECT CONTROL]
- [BROADCAST AND MOUND TREATMENT]

[KILLS 30+ INSECTS]

- [KILLS FIRE ANTS PLUS INSECTS IN LAWNS]
- [BONUS [VALUE] SIZE 25% more than [the] 14 oz. [size.]] (editor's note: for use on customer change to 17.5 oz packaging)

Product Usage: Kills Ants, Fleas, Ticks, Spiders, Scorpions, [Sowbugs], Chinch Bugs, Grubs, Sod Webworms and

other listed insects

Lawns and around shrubbery and house foundations

Amount to Use:

2-3 Lbs. per 1000 sq.ft. [1 Lb. per 500 sq.ft.] for lawn and garden insection.

1-2 tsp. for spot treating ants

ACTIVE INGREDIENT:

DEC 10 Zoud

*Permethrin	0.25%
INERT [OTHER] INGREDIENTS:	99.75%
TOTAL	100.00%

^{*}Cis/trans ratio: Maximum 55% (±) cis and minimum 45% (±) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panels (Label) for Additional Precautionary Statements. [See additional precautionary statements on back of bag.]

Net Contents [Weight] [WT]:

Manufactured by: Phaeton Corporation P.O. Box 290 Madison, GA 30650

EPA Reg.No. 28293-328

EPA Est.No. 28293-FL-1

(E: 3/21/01, NOTF: 3/16/01, 4/5/01, 7/11/01, 2/28/02, 3/28/02, 4/4/02, PRN 2001-6/97-5 NOTF, 6/21/02; 5/23/03, 10/1/03, 7/19/04,10/28/09)

	FIRST AID				
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 				
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 				
IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 				
Have the product cogoing for treatment.	ontainer or label with you when calling a poison control center or doctor, or				

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food or feed. Utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water. Drifts and runoffs from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Unicorn .25% Permethrin Granules is recommended for the control of lawn-insects, fleas, and ticks outdoors in residential areas. Repeated applications are made by broadcast treatment with a spreader to lawns, under shrubbery, and other ornamental and turf grass areas, band treatments are recommended around house foundation and spot applications are made to ant mounds and wasp nests.

STORAGE AND DISPOSAL

STORAGE: Store product in its original container in a cool, dry locked place out of reach of children.

EPA Reg.No. 28293-328 EPA Est.No. 28293-FL-1 (E: 3/21/01, NOTF: 3/16/01, 4/5/01, 7/11/01, 2/28/02, 3/28/02, 4/4/02, PRN 2001-6/97-5 NOTF, 6/21/02; 5/23/03, 10/1/03, 7/19/04,10/28/09)

2

DISPOSAL: If empty - Do not reuse this container. Place in trash or offer for recycling if available. If partly filled - Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL USE DIRECTIONS [THREE EASY STEPS TO USE THIS PRODUCT]

- 1. [Step #1] Determine size of area to be treated measure and multiply length times width.
- 2. [Step #2] Determine appropriate spreader setting using chart.
- 3. [Step #3] Treat as directed thorough coverage is important. Water in where indicated.

Keep children and pets off treated areas until this material is washed into turf and grass is dry.

Treatment Areas	Pests	Use Rate	How to Use
OVERALL LAWN TREATMENT FOR GRASS AND DICHONDRA LAWNS	Ants, Armyworms (Inc. Fall, Yellow-striped, etc.), Bermudagrass mites, Boxelder Bugs, Centipedes, Chiggers, Chinch Bugs, Clover mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Digger wasps, Earwigs, Essex Skipper, European Crane Fly Larvae, Field Crickets, Fiery Skipper, Flea Beetle (In dichondra), Grasshopper, Hyperodes (Turfgrass Weevil), Lawn Moths, Leafhoppers, Scorpions, Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders (Inc. Black Widow), Spittlebugs, Springtails, Vegetable Weevils (In dichondra)	Treat when insects first appear using granules at the rate of 2 pounds per 1,000 sq.ft. [14 oz. per 438 sq.ft.] [.75 lb. per 375 sq.ft.] [1 lb. per 500 sq.ft.] [17.5 oz. per 547 sq.ft.] or, for heavy lawns such as St. Augustine grass, 3 pounds per 1,000 sq.ft. [.75 lb. per 250 sq.ft.] using a fertilizer spreader. See spreader setting chart below.	Apply this product uniformly to home lawns and under shrubbery. To help obtain uniform distribution, apply one-half required amount of product in one direction, then apply the balance at a right angle. Immediately after application, water the lawn lightly. European Cranefly larvae (Leatherjackets) – the best time to apply is in May or June when the insects are young. Chinch Bugs – Start treatments when temperatures reach 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.
,	Billbugs, Grubs, Japanese Beetle (adult), Dung Beetles (Ataenius Spretulus)	Use granules at the rate of 2 ½ pounds per 1,000 sq.ft. [.75 lb. per 300 sq.ft.]	Water grass thoroughly after application. For Billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For Grub control, except Dung Beetle, treat any time between late July and early October. For Dung Beetle Grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with % to ½ inch of water after application. Treat again in late symmer or early fall if a second generation occurs.



EPA Est.No. 28293-FL-1

EPA Reg.No. 28293-328 (E: 3/21/01, NOTF: 3/16/01, 4/5/01, 7/11/01, 2/28/02, 3/28/02, 4/4/02, PRN 2001-6/97-5 NOTF, 6/21/02; 5/25/03. 10/1/03, 7/19/04,10/28/09)

Treatment Areas	Pests	Use Rate	How to Use
SPOT TREATMENT	Ants nesting outdoors including: Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavernent and Pyramid Ants	Product should be applied to thoroughly cover the nest (1 to 2 teaspoons) and sprinkled gently with water.	If possible, it is best to try to locate nest and treat this first. Nests will usually be found in the ground but may be concealed under stones, boards, slabs or in stumps or logs. In addition to treating ant nests or mounds, entry points of buildings (used by ants) and the soil surface along the perimeter of the building should be treated.
	Digger Wasps	Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening.	Make the application at dusk when the wasps are not active.
	Imported Fire Ants	Apply one cup over, and 2 feet around each fire ant mound.	Immediately after application, water the granules into the soil gently with a light sprinkling to avoid disturbing the colony. Use at least 1 gallon of water per mound, but no more than 2 gallons. Use of high pressure watering equipment may disturb the colony and cause migration of the ants, thus reducing the effectiveness of the treatment. Apply in cool weather (65-80°F), or in early morning or late evening for best results. Treat new mounds as they appear.
BAND (PERIMETER) TREATMENT AROUND HOUSE FOUNDATION	Ants, Boxelder Bugs, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Field Crickets, Fleas, Scorpions, Sowbugs, Spiders (Inc. Black Widow), Springtails (Collembola) and Ticks	Treat at a rate of 1 lb. per 500 sq.ft. [14 oz. per 438 sq.ft.] [.75 lb. per 375 sq.ft.] [17.5 oz per 547 sq.ft.] or 2 lbs. per 1,000 sq.ft.	To help prevent infestation of buildings, apply a 5 foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly after application.

FLEA AND TICK CONTROL (OUTDOORS)

In summer months, fleas and ticks frequently become established in lawns and pet resting areas surrounding the home. For best control of Fleas and Ticks (including but not limited to Bear Tick, Black-legged Tick, Brown Dog Tick, Deer Tick (Ixodes dammini), Lone Star Tick, Western Black-legged Tick, Wood Tick): a regular treatment program should be followed. Treat once a month when pests first appear in late spring (May-June) and continue until late summer (September-October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests.

Note: Dogs, cats, their kennel or bedding area should also be treated with a registered product. In addition, if fleas and ticks are indoors on carpets or pet resting areas, use a

EPA Est.No. 28293-FL-1

EPA Reg.No. 28293-328 (E: 3/21/01, NOTF: 3/16/01, 4/5/01, 7/11/01, 2/28/02, 3/28/02, 4/4/02, PRN 2001-6/97-5 NOTF, 6/21/02; 5/25/03/ 10/1/03, 7/19/04,10/28/09)

registered product [such as (*product brand name*)], ideally in combination with an Insect Growth Regulator [such as (*product brand name*)]. It is very important that all three sites – outdoors, indoors and also the pet be treated with appropriate labeled products to achieve satisfactory control. If any of these areas is not treated, it could serve as a source of reinfestation to the entire premises.

SOD WEBWORMS (CRAMBUS SPP)

Sod Webworms are the light brown caterpillars ¼ to ¾ inch long, that hide in the grass during the day and feed on the grass blades at night. Adult Webworms, usually referred to as Lawn Moths (about 1 inch in length with long snout) emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage appears first as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths (Sod Webworm Adults) are noticed in large numbers at dusk, or at first sign of damage to lawn, treat entire lawn evenly.

SPREADER SETTINGS

Spreader Make and Model	Grass or Dichondra Lawns at 2 lbs. per 1000 sq.ft.	White Grubs, Billbugs at 2 ½ lbs. per 1000 sq.ft.	St. Augustine Lawns at 3 lbs. per 1000 sq.ft.
Cyclone Broadcast	3	4	5
Greenview Drop Spred III	3	4	5
Greenview Jet Spred III	4	5	6
Republic Drop EZ530	6 ½	7	8
Republic Broadcast EZ540	2	3	4
Scotts® AccuGreen® 3000	6	6 ½	7
Scotts® SpeedyGreen® 3000	4	4 1/2	5
Scotts® EasyGreen® 3000	24	25	26
Scotts PF4	6	6 ½	7
Sears Drop 1927	5 ½	6	7
Sears Broadcast 1922	5 ½	6	7

Note: Spreader settings given are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

[NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty or any other warranty of Merchantability or Fitness for a Particular Purpose, expressed or implied extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.]

9

[NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

[(Phone Icon) Questions, Comments or Medical Information? Call (insert phone number)]

Brackets "[]" denote optional wording.

EPA Reg.No. 28293-328 EPA Est.No. 28293-FL-1 (E: 3/21/01, NOTF: 3/16/01, 4/5/01, 7/11/01, 2/28/02, 3/28/02, 4/4/02, PRN 2001-6/97-5 NOTF, 6/21/02; 5/23/03, 10/1/03, 7/19/04,10/28/09)

6