

PMS 3

32802.45

UNIT STATES ENVIRONMENTAL PROTECTION AGENCY

1 of 6

OCT 04 1991

Mr. Michael Archer
Director of Technical Services
Howard Johnson's Enterprises, Inc.
P.O. Box 2250
Lawrenceville, GA 30046

BEST AVAILABLE COPY

Subject: All Season Sprayable Weed & Feed
EPA Registration No. 1320-45
All Season Triamine Weed & Feed
EPA Registration No. 1320602-01
Howard Johnson's Weed & Feed
EPA Registration No. 1320602-3
Re: Amended Labeling
Your submission dated September 10, 1991

The label is referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended. is acceptable, provided that you make the label changes under the "Environmental Hazard" section of the label. Replace the statement "do not apply directly to water or wetlands" with the statement "do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark."

Also add the groundwater contamination statement, under the Environmental Hazard Section. "Most cases of groundwater contamination involving phenoxy herbicide such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies."

CONCURRENCES

SYMBOL	H7505c						
SURNAME	Maly						
DATE	10/3/91						

Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing, loading equipment on an impervious pad to contain spills will help prevent groundwater contamination. A stamped copy is enclosed for your records.

Sincerely

Judith A. Miller
Product Manager (203)
Fungicide-Herbicide Branch
Registration Division (H/505C)

Enclosure

BEST AVAILABLE COPY

ALL SEASON SPRAYABLE WEED & FEED

- * Easy to use - no premixing necessary
- * covers 5,000 sq. ft. Northern grass, 7,500 sq. ft. Southern grass
- * Up to four times the fertilizer value of most other national brands
- * Kills dandelions, chickweed, clover, ground ivy, oxalis, plantain and other common broadleaf weeds.

ACTIVE INGREDIENTS

Dimethylamine salt of 2-Methyl-4-Chloro phenoxyacetic acid ^I	1.65 %
Dimethylamine salt of 2-(2-Methyl-4-Chlorophenoxy) propionic acid ^{II}	1.63 %
Dimethylamine salt of 2-(2,4-Dichlorophenoxy) propionic acid ^{III}	1.61 %
INERT INGREDIENTS	95.11 %
TOTAL	100.00 %

Formulation specific by ADAC Method B01.5,
 I - 1.25% - 0.13 lbs/gal
 II - 1.25% - 0.13 lbs/gal
 III - 1.25% - 0.13 lbs/gal

BEST AVAILABLE COPY

KEEP OUT OF REACH OF CHILDREN
CAUTION

Net contents 58 fluid ounces, Net weight 4.81 pounds.

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	3.5 %
12.5 % Urea nitrogen	
12.5 % Other water-soluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	3 %
Soluble Potash (K ₂ O)	3 %

* 12.5 % shows available nitrogen from Urea-Triazone solution.

Plant foods derived from Urea-Triazone solution, urea, and fedca - potassium pyrophosphate.

Manufactured by: Howard Johnson's Ent., Inc., Milwaukee, WI 53201

EPA Est. No. 47057-01-2 EPA Reg. No. 47802-01

ACCEPTED
with COMMENTS
in EPA Letter Dated:

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under FFA Reg. No.

32809-45

4/26

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Wear goggles, long pants, long sleeved shirt, shoes and chemical resistant gloves when handling and applying this product. Wash nondisposable gloves thoroughly with soap and water before removing. Wash thoroughly with soap and water after handling. Do not allow persons and pets on treated areas until sprays have dried.

STATEMENTS OF PRACTICE TREATMENT

BEST AVAILABLE COPY

IF SWALLOWED:

Get medical attention.

IF IN EYES:

Immediately flush eyes with plenty of water. If irritation develops, get medical attention.

IF ON SKIN:

Wash with plenty of soap and water. If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands, swamps, bays, marshes and pastures. Do not contaminate water when disposing of equipment washwaters or do not pour the washwaters on the ground, grass or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on the label.

FEDERAL LAW

It is a violation of Federal Law to use this product in any manner inconsistent with its' labeling.

STORAGE AND DISPOSAL

STORAGE:

Keep from freezing and do not store above 100 degrees. Store in original container with childproof cap and placed in a locked area inaccessible to children. Do not store near food or feedstuffs.


EMPTY CONTAINER DISPOSAL:

Triple rinse container immediately after use. Should be done at least once. Rinse thoroughly and place in original container. Do not reuse for any other purpose and do not reuse for food.

CONTAINER DISPOSAL:

Do not reuse container. Rinse thoroughly before discarding or recycling.

102-13-91



896

DIRECTIONS FOR USE, CONT.
WHEN TO USE

Spray when weeds are actively growing except as noted for Southern
regions. If lawn is extremely dry, water thoroughly 1-2 days before
applying. Do not apply when temperatures exceed 85 degrees F or if rain
is expected within 24 hours of application. Do not apply to new lawns
until new turf has been mowed at least three times. Do not mow until
two weeks after application.

COVERAGE

5,000 square feet when applied to bahia, bermuda, bluegrass, fescue, ryegrass
and rye grass lawns.

2,000 square feet when applied to St. Augustine, centipede and bentgrass
lawns, only in the spring and fall and only when grasses are
actively growing. Some temporary damage may occur at this time.

Do not exceed recommended rate. Failure to comply with this may result
in a dead lawn.

Do not use on lawns containing any of the following plants:
Clematis, Forsythia, Gardenia, Hibiscus, Impatiens, Iris, Lilac,
Magnolia, Nandina, Oleander, Petunia, Rhododendron, Spirea, Yucca.

Do not use this product to control weeds in or near flowers and vegetable
gardens or other ornamental plants.

Do not mow the lawn for at least 24 hours after application and
allow the weed killers to penetrate the weed leaves.

HOW TO APPLY

Use the spray nozzle adapter for the end of your hose.

Turn on the water following the instructions on the adapter. Turn
the adapter valve "ON" and the adapter valve "OFF." Turn on the water
by turning the water to your garden hose. Turn the adapter valve "ON."
Spray in an even pattern over the lawn. Do not spray on
driveways, sidewalks, etc.

Apply in the best pattern, but the best results will be obtained
by spraying with the Weed & Feed container to the edge of the
lawn.

Turn the adapter valve "OFF." Being a quantity of water, do not
turn off the water to the hose. Turn the adapter valve "ON" and
the adapter valve "OFF." Turn the adapter valve "ON" and the adapter
valve "OFF." Turn the adapter valve "ON" and the adapter valve "OFF."

WEEDS CONTROLLED

Annual weeds, such as dandelion, ground ivy, henbit,
plantain, chickweed, etc. and 10 per cent of the following:

Most weeds will show visible signs of herbicide activity within two to
three days after application. The best results will be obtained
if the weeds are sprayed with this product three to four times a year
at intervals of 6 to 8 weeks, as required.

BEST AVAILABLE COPY

6 of 6

NOTE: Your lawn requires 1 to 4 pounds of nitrogen per thousand square feet per growing season. This product provides the following amounts of nitrogen:

- 5,000 sq ft rate..... 0.25 lb Nitrogen per thousand sq ft
- 7,500 sq ft rate..... 0.17 lb Nitrogen per thousand sq ft

NOTICE: Manufacturer warrants that this product conforms to all label guarantees and will perform as indicated when used as directed. No claim or uses of this product not on the label will be honored by the manufacturer.

Use only with the supplied hose end sprayer. Use only on home lawns.

(NOTE: As part of the label sleeve which is slipped onto the translucent container, markings are added which indicate the approximate area covered by referring to the level of liquid remaining in the container.)

MEASURING GUIDE:

SOUTHERN RITE	SOUTHERN RITE
TOP OF CONTAINER	TOP OF CONTAINER
1000	1250
2500	3500
4000	6000
BOTTOM OF CONTAINER	BOTTOM OF CONTAINER

BEST AVAILABLE COPY