PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANMALS

WARNING: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Weer goggles or face shield and rubber gloves when handling, irritating to nose and throat. Avoid breathing dust. Remove and wash contemi-nated clothing before reuse.

ENVINORMENTAL (IAZARES: This product is toxic to fich. Do not discharge into lakes, streems conds, or justic waters unless in accordance with an NPLIES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEINICAL HAZARDS STRONG OXIGIZING AMENT: Strong Oxidizing agent, alix only with water. Use clean dry utenalls. Do not and this product to any dispenning device containing remnants of any other ploduct. Such the may cause a violent reaction leading to fire or explosion. Contanination with mosture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

NET WEIGHT:



RANKTIZER/GERMICIDE

EPA Reg. No.

ACTIVE INGREDIENT......25%

KEEP OUT OF REACH OF CHILDREN WARNING

PHYSICAL TREATMENT: (FIRST AID): If swallowed feed bread socked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off sucess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get med::al attention.

If in Eyes: Flosh with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

P.M. CHEMICAL CO., INC. 5225 Grant Street, San Diego, Ca. 82128

DIRECTIONS FOR USE

It is a violation of Sectoral law to use this product in a m inconsistent with He lubeling

SANITIZING GLASSES AND DISHES:
After washing with a good datagent immerse for at least one-half (vi) minute in a solution of one (i) lenst tablespoon SANITIZE/ROGERANCHOE to five (i) gations of water. This gives 100 perm amiliatis chlorine, the test paper at frequent internals to determine if chlorine is up to required stempth. Chlorine lenst must be lengt at a minimum of 100 pern. Reas and allow to drain thoroughly.

se allow to crean involveginty.

DEODORIZIMO AND DESIMFECTIONG:
or welfe and floors, refrigerations, refuse came, between
turns and blin, since, use over (i) territ satisfactors per palicon
vester (500) ppm analatable chlorinals and spany or flags with
solution. Let planed for 26 minutes. Nince useff with patable
ster and sty.

DARY AND FOOD PROCESSING
EQUAPMENT:
Wash with pool detergent, mae and analise with a selution
of one (i) level talkingsoon of SANTIZERGETMICIDE to
each five (5) gallans of water or one (9) cup to eligibly (80)
gallone (100 ppm melliniber citiorine). Fleet the selution
through the equipment for a ministerior of leve (2) minutes.
Teet coulcing inequality melling uses that available citiorine

SOLUTION TABLE .

Available Chiefro	Gallons of water par lavel tablespees	Caltons of water per standard cup
100 ppm	5	80
200 ppm	21/2	40
400 ppm	114	20
Note: 1 standard GERANCIDE welste	tablespoon	OF SANITIZER

STORAGE AND DISPOSAL: Keep product sky in tightly closed container when not in use. Store in a coel cry, well vertilated area every from heat or open flame. In case of decomposition lectuic container, it possible, and fleed with large amounts of weter to discolve all material before discounting. Place in treah collection or dispose in approved landfill area, or treay in a ease place.

