


4901

PM
34



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing.

WORK SAFETY RULES

The National Pesticide Telecommunication Network is available for recommendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of methyl parathion and azinphosmethyl. The toll free number for the National Pesticide Telecommunication Network is 1-800-858-7378.

If handled indoors provide mechanical exhaust ventilation. Keep all unprotected persons, children, livestock, and pets away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (Statement of Practical Treatment) section.

HANDLE THE CONCENTRATE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:

Wear a protective suit of one or two pieces that covers all parts of the body except the head, hands, and feet. Wear chemical resistant gloves, chemical resistant apron, and chemical resistant shoes, shoe coverings, or boots. Wear goggles or a face shield. Wear a pesticide respirator approved by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part II.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR, AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE AND EARLY REENTRY INTO TREATED AREAS: protective suit of one or two pieces covering all parts of the body except the head, hands, and feet; chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots); goggles or face shield; hood or wide brimmed hat; NIOSH approved respirator.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: long-sleeved shirt; long-legged pants; chemical resistant gloves; chemical resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: long-sleeved shirt and long-legged pants; shoes and socks. Chemical resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER—THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash

AFTER WORK: before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job—do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methyl parathion must be destroyed according to state and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED DURING AERIAL APPLICATION. HUMAN FLAGGERS ARE PROHIBITED.

POISON SIGNS (Symptoms)

Methyl Parathion and Azinphos methyl are very dangerous poisons. They rapidly enter the body on contact with all skin surfaces and eyes. Clothing wet with these materials must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

STATEMENTS OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Methyl Parathion and Azinphos Methyl and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed - Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN: Antidote - Administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates, fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water by cleaning of equipment, or disposal of wastes. Drift and runoff from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on cotton in the counties listed below, you must obtain the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES for the county in which the pro-

Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

ALABAMA

Colbert, Greene, Jackson, Lamar, Lauderdale, Limestone, Madison, Marshall, Morgan, Pickens and Sumter

ARIZONA

Graham, Maricopa, Mohave, Pima, Pinal and Santa Cruz

ARKANSAS

Benton, Clay, Clark, Cross, Lawrence, Lee, Poinsett, Polk, Randolph, Sharp and St. Francis

CALIFORNIA

Butte, Colusa, Glenn, Imperial, Kern, Merced, Modoc, Inyo, Los Angeles, Modoc, Orange, Riverside, Sacramento, San Bernardino, San Diego, Santa Barbara, Solano, Stanislaus, Sutter, Tehama, Yolo and Ventura

FLORIDA

Alachua, Baker, Bradford, Broward, Broward, Charlotte, Citrus, Clay, Collier, Columbia, Dade, De Soto, Dixie, Duval, Flagler, Gadsden, Gilchrist, Glades, Hardee, Hendry, Hernando, Highlands, Hillsborough, Indian River, Jefferson, Lafayette, Lake, Lee, Leon, Levy, Madison, Manatee, Marion, Martin, Monroe, Nassau, Orange, Osceola, Ocala, Palm Beach, Pasco, Pinellas, Polk, Putnam, St. Johns, St. Lucia, Sarasota, Seminole, Sumter, Suwannee, Taylor, Union, Volusia and Wakulla

GEORGIA

Brantley, Bryan, Bulloch, Burke, Camden, Candler, Charlton, Chatham, Effingham, Emanuel, Evans, Glascock, Glynn, Jefferson, Jenkins, Johnson, Liberty, Long, McIntosh, Pierce, Richmond, Screven, Ware, Washington and Wayne

KANSAS

Clark, Comanche, Meade and Stafford

KENTUCKY

Ballard, Butler, Edmundson, Green, Hart, Jackson, Laurel, Livingston, Marshall, McCracken, McCreary, Pulaski, Rockcastle, Taylor, Warren and Wayne

MISSISSIPPI

Clairborne, Copiah, Hinds, Itawamba, Lowndes, Monroe and Noxubee

MISSOURI

Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster

MONTANA

Garfield, McCone, Sheridan and Valley

NEBRASKA

Boyd, Brown Buffalo, Butler, Cass, Cedar, Colfax, Dawson, Dodge, Douglas, Hall, Hamilton, Holt, Howard, Kearney, Keya Paha, Knox, Merrick, Nance, Phelps, Platte, Polk, Rock, Sarpy and Saunders

NEVADA

Clark

NEW MEXICO

Chaves, DeBaca and Eddy

NORTH CAROLINA

Edgecombe, Nash and Pitt

NORTH DAKOTA

Benson, Bottineau, Burke, Burleigh, Dickey, Dunn, Eddy, Emmons, Foster, Kidder, Logan, McHenry, McIntosh, McKenzie, McLean, Mercer, Morton, Mountrail, Nelson, Oliver, Pierce, Ramsey, Renville, Rolette, Sheridan, Slick, Stutsman, Towner, Ward, Wells and Williams

OHIO

Pickaway

OKLAHOMA

Delaware, McCurtain and Pushmataha

OREGON

Lake

SOUTH CAROLINA

Aiken, Barnwell, Beaufort, Berkeley, Charleston, Colleton, Dorchester, Georgetown, Hampton, Horry, Jasper and Marion

SOUTH DAKOTA

Clay, Haakon, Hughes, Potter, Stanley, Sully, Union, Walworth, Yankton and Ziebach

TENNESSEE



For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

METHYL PLUS SPRAY CONCENTRATE

ACTIVE INGREDIENTS:

O,O-Dimethyl S-[4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl] Phosphorodithioate*	8.6%
O,O-Dimethyl O-p-nitrophenyl phosphorothioate**	32.7%
Related Products	1.7%
INERT INGREDIENTS	57.0%
TOTAL	100.0%

FOR EFFECTIVE CONTROL OF COTTON INSECTS
CONTAINS 1/4 LB. AZINPHOS METHYL AND 3 LBS. METHYL PARATHION PER GALLON.
GUARANTEE: Contains 0.75 lb. O,O-Dimethyl S-[4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl] phosphorodithioate plus 3.0 lb. O,O-Dimethyl O-[p-nitrophenyl] phosphorothioate per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER *P&D*  **POISON** *P&D*
PELIGRO *P&D*

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.



**CAN KILL YOU
IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist may be fatal if swallowed.



**CAN KILL YOU
BY SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes, or on clothing (liquid goes through clothes).



**CAN KILL YOU
IF BREATHED**

This product can kill you if vapors or spray mist are breathed.

See Side Panels For Antidote and Precautions

chla, Sm
TEXAS
Arkansas,
of, Fort B
Refugio
UTAH
Utah and
VIRGINIA
Lee, Rus

PHY:
Do not

It is a violatic
ner Inconsis

Reentry into in
tion, unless all
ly reentry as c

Because certa
vals for variou
Department of
product in suc
workers or oth
by unprotectec
Written or oral
to be in a treat
product. Oral v
that written wa
warnings are
customarily un
Written or oral

(Insert area or
azinphos meth
Reentry into in
tion, unless all
ly reentry are
in case of acc
or hospital imm
to methyl parat
tion. For furthe
TREATMENT p

STOP
PROHIBITION
storage or dis
empty contain
adversely affe
STORAGE: D
NOT STORE
original contai
in use. Reduc
lect package s
ment listed u
handling open
SPILLED MAT
Cover with ab
Scoop and wa
strongly advi
PESTICIDE DI
Improper disp
is a violation o
ed of by use o
Pesticide or E
Waste repres
guidance.
CONTAINER
for for recycle
in a sanitary
and local aut

H of 4

ary, Meigs, Monroe, Rhea, Roane, Scott, Sequoyia, Sullivan, Trousdale and Wayne

stin, Bastrop, Burleson, Cameron, Colorado, Comd, Goliad, Harris, Hays, Jeff Davis, Pecos, Reeves, and Victoria

Washington

ll, Scott, Smyth, Tazewell, Washington and Wise

ICAL & CHEMICAL HAZARDS
COMBUSTIBLE

use or store near heat and open flame.

DIRECTIONS FOR USE
of Federal Law to use this product in a manner with its labeling.

RE-ENTRY

sted fields is prohibited for 48 hours after application. Protective clothing and equipment required for re-entry described elsewhere on the label are worn.

States may require more restrictive reentry inter-crops treated with this product, consult your State agriculture for further information. Do not apply this in a manner as to directly or through drift expose persons. The area being treated must be vacated persons.

arnings must be given to workers who are expected d area or in an area about to be treated with this arnings must be given if there is reason to believe rnings cannot be understood by workers. When oral iven, warnings shall be given in a language ferstood by workers.

warnings must include the following information:
DANGER

old description) treated with methyl parathion and d on (insert date of application.)

sted fields is prohibited for 48 hours after application. Protective clothing and equipment required for re-entry.

idental exposure: Call a doctor (physician), clinic adiate. Explain that the victim has been exposed ion and azinphos methyl and describe his condition. Information see the STATEMENT OF PRACTICAL orion of the pesticide label.

AGE AND DISPOSAL

IS: Do not contaminate water, food, or feed by osal. Open dumping is prohibited. Do not reuse er. Do not store under conditions which might d the container or its ability to function properly. s not store below temperature of 32°F. DO ABOVE 120°F. Store in safe manner. Store in ner only. Keep container tightly closed when not e stacking height where local conditions can strength. Personnel should use clothing and equip- oder "PRECAUTIONARY STATEMENT" when o containers.

ERIAL: Block or dye to prevent spreading of spill, sorbent material such as lime, clay or sawdust, eep into a disposable container. Wash area with ion, absorb and place into a disposable container. SPOSAL: Pesticide wastes are acutely hazardous. eal of excess pesticide, spray mixture, or rinsate f Federal Law. If these wastes cannot be dispo- oording to label instructions, contact your State nvironmental Control Agency, or the Hazardous nitiative at the nearest EPA Regional Office for

DISPOSAL: Triple rinse (or equivalent). Then of g or reconditioning, or puncture and dispose of in fill, or by other procedures approved by state orities.

DIRECTIONS

IMPORTANT: Read these entire Directions including the Notice of Warranty provision, before using METHYL PLUS Spray Concentrate.

DO NOT USE IN UNDILUTED FORM.

MIXING: METHYL PLUS Spray Concentrate forms an emulsion when diluted with water and is suitable for use in all power-operated ground sprayers and aircraft sprayers. To mix with water, pour the required amount of product into full amount of water and then agitate.

DOSAGE: Use specified dosage of the spray concentrate in the amount of water necessary to give complete coverage of foliage. The type of equipment used will determine the concentration required.

SPRAY: For best results make applications in late afternoon and when leaves are dry. Work to windward. Protect sprayer operator from drift or mist. When low volumes of spray are applied, complete coverage and thorough application are essential for most effective results. Schedule applications in accordance with local conditions. Consult your State Agricultural Experiment Station or Extension Service for specific use information.

RECOMMENDED APPLICATIONS

INSECT	PINTS - METHYL PLUS SC	REMARKS
Cotton leafworm, Cotton flea-hopper, Lygus bugs, Thrips	1/2 to 1	For control of thrips, apply before or during the 4-leaf stage and repeat 1-3 times at 7-10 day intervals.
Rapid plant bug, Tarnished plant bug	1	Apply specified dosage per acre by air or ground equipment in sufficient water for ground equipment in sufficient water for complete coverage but not less than 1 gallon per acre. Do not apply within 7 days of handpicking or harvest.
Aphids, Mites	3/4	Cotton receiving late season applications should not be pastured and gin trash from this cotton should not be fed. For early season control of overwintering boll weevils, apply as early as the 2 to 4 leaf stage and repeat 1-3 times at 7-10 day intervals. For mid-season control, apply at the start of squaring or after 10-25% of the first squares are punctured and repeat at 3 to 8 day intervals as needed or until the top bolts are full grown. Repeat at 3 day intervals during the major fruiting season, and periods of heavy weevil migration. Workers entering treated areas within 48 hours should wear protective clothing.
Boll weevil, Grasshoppers, Garden webworm, Fall armyworm	1 to 1 1/2	
Cabbage looper	2 to 3	
Brown cotton leafworms	2 1/2	
Cotton leaf perforator, Yellow striped armyworm		
Bollworm, Cutworm	3	
Pink bollworm	5	

Do not plant crops other than those with registered azinphos-methyl uses in azinphos-methyl treated soil sooner than 6 months after the last application. Do not plant any other crop other than those with registered azinphos-methyl uses in treated soil sooner than 30 days after last applications.

Do not apply this product through any type of irrigation system.

NOTICE OF WARRANTY

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of Merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

EPA REG. NO. 34704-20

EPA EST. NO. _____

NOT FOR HOME USE

NOT FOR STORAGE IN OR AROUND THE HOME

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET
FREMONT, NEBRASKA 68025

NET CONTENTS
ACCEPTED
GALLONS
NOV 9 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 34704-20