JUN 26 1990

Mr. George E. Pipkin Qualis Inc. 4600 Park Ave. Des Moines, IA 50321

300/216242

Dear Mr. Pipkin:

Subject:

Amendment - Remove Petroleum Distillate and Benzyl Alcohol from

Active Ingredients

Licex

EPA Registration No. 34797-1

Your Application Dated Pebruary 8, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. Delete "and their eggs" from the front panel, since there is no adequate data supporting this claim.

Please note that the last accepted Confidential Statement of Formula (CSF) dated July 17, 1987 identifies petroleum distillate as an active ingredient. Please provide an updated CSF to reflect the purpose of this component in the formulation.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 15

Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

cc: Chris Rice, Reregistration

BEST AVAILABLE GOPY

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply undiluted to hair and scalp or any other infested areas until entirely wet. Do not use on eyelasnes or eyeprows. Allow treatment to remain 10 minutes, but no longer. Then wash thoroughly with warm water and snampoo or soap. Dead lice and eggs may require removal with enclosed fine-toothed comp. Repeat treatment in 7 - 10 days or earlier if reinfestation has occurred. Do not exceed two applications within 24 hours. help eliminate infestations, it is important to sterilize all clothing and bedding of infested person at time of treatment.

STORAGE AND DISPOSAL: Store product in original container above freezing and away from children. Do not reuse container; wrap in several layers of newspaper before discarding in trash.


LICE X

*Equivalent to 2.4% (butylcarpityl) (6-propylpiperonyl) ether and 0.6% related compounds.

KEEP OUT OF REACH OF CHILDREN. CAUTION: SEE OTHER PRECAUTIONS ON SIDE PANEL.

Manufactured By: Qualis, Inc. Des Moines, IA 50321

2 fl. oz.



ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 26 1990

Under the Pederal Instruction Principles and Recenticide Act as amended, for the pesticide registered under EPA dag. No.

34797-/

PRECAUTIONARY STATEM HAZARDS TO HUMANS &

CAUTION: Causes eye in eyes. Harmful if hale. Avoid contact In case of infection discontinue use and Consult a physician eyeorows and eyelash tamination of feed of

USE PRECAUTIONS: Thi external use only. caution by ragweed s

STATEMENT OF PRACTIC swallowed—Call a pny Control Center immed two glasses of water by touching the back finger. Repeat until Do not induce vomital by mouth to an uncor

If innaled-Remove vo Apply artificial res

If in eyes-Flush eye water. Call a physic persists.

EPA Reg. No. 34797-EPA Est. No. 34797-