

KILLER MOUSE and RAT OCEAN STATE

DIRECTIONS: FOR NORWAY RATS.

PLACE 4 OZ. TO 1 LB. OF BAIT IN LOCATION FREQUENTED BY RATS. PROTECT FROM CHILDREN. BAIT SHOULD BE REPLACED AS NEEDED. UNINTERRUPTED SUPPLY SHOULD BE MAINTAINED FOR AT LEAST 15 DAYS. CONTACT WITH HANDS SHOULD BE AVOIDED.

IMPORTANT NOTE

Baiting should continue until complete lack of feeding is noticed.

DIRECTIONS FOR HOUSE MICE

Apply bait in small amounts in several locations in the kitchen, pantry, and other areas where mice are likely to feed. Bait should be replaced as needed. Uninterrupted supply should be maintained for at least 15 days. Contact with hands should be avoided.

Treated baits should be placed in areas that are inaccessible to pets, wildlife and domestic animals. Do not permit treated baits to contaminate water. By cleaning of equipment or disposal of wastes. Apply this product to all areas given to the mice.

ACCCEPTED
 Nov 14 1976
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under A Reg. No. 2465-1

OCEAN STATE
 PEST CONTROL PRODUCTS

Crantford, Rhode Island 02920

**OCEAN STATE
MOUSE and RAT
KILLER**

DIRECTIONS: FOR NORWAY RATS.
 PLACE 4 OZ TO 1 LB. OF BAIT IN LOCATION FREQUENTED BY RATS. PROTECT FROM CHILDREN. BAIT SHOULD BE REPLACED AS NEEDED. UNINTERRUPTED SUPPLY SHOULD BE MAINTAINED FOR AT LEAST 15 DAYS. CONTACT WITH HANDS SHOULD BE AVOIDED. ONE BUIZ IS ENOUGH FOR 1 OR 2 RATS.

IMPORTANT NOTE
 Baiting should continue until complete lack of feeding is noticed.

**OCEAN STATE
 PEST CONTROL PRODUCTS**

**OCEAN STATE
 MOUSE and RAT
 KILLER**

NET WT
 7 OZS

ACTIVE INGREDIENT
 Warfarin
 1.0% (aerially applied)
 4 hydroxy coumatral
 0.1%
 NET INGREDIENT 1.1%

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 HARMFUL OR FATAL IF SWALLOWED
 See the label for additional precautions

TO CONTROL NORWAY RATS, ROOF RATS AND HOUSE MOUSE

GENERAL DIRECTIONS
 Place baits in locations where rats and mice feed, water, and or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly.

USER TYPE
 Unspecified general use
 Homeowner use
 Pest control operator use

APPLICATION SITES
Outdoor
 Residential Commercial Buildings (Agricultural)
 Buildings (Commercial)
 Buildings (Food Processing)
 Buildings (Residential)

MODE OF ACTION
 Poison (Multiple Dose)

FORMULATION
 Pelleted for rodents

**OCEAN STATE
 MOUSE and RAT
 KILLER**

ACCEPTED
 DEC 1 1976
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 34867-1

**OCEAN STATE
MOUSE and RAT
KILLER**

OCEAN STATE

**MOUSE
and RAT
KILLER**

FOR HOUSE AND
BARN, WAREHOUSE AND
HOUSE MOUSE

GENERAL DIRECTIONS

**DIRECTIONS
FOR HOUSE USE**

PLACE 1/2 TBSP OF BAIT IN LOCATION FRE-
QUENTED BY HOUSE BAIT
SHOULD BE PLACED AT 6-12
FOOT INTERVALS PROTECT FROM
CHILDREN. BAIT SHOULD BE RE-
PLACED AS NEEDED UNINTERRUPTED
SUPPLY SHOULD BE MAINTAINED FOR
AT LEAST 15 DAYS CONTACT WITH HANDS
SHOULD BE AVOIDED

EPA REG NO 34867

Manufactured and distributed by

**OCEAN STATE
PEST CONTROL PRODUCTS**

Cranston, Rhode Island 02920

Keep away from humans,
domestic animals, and
pets. If swallowed by hu-
mans, domestic animals
or pets, this material may
reduce the clotting ability
of the blood and cause
bleeding in such case
intravenous and oral
administration of Vitamin
K combined with blood
transfusions are indi-
cated as in the case of
hemorrhage caused by
overdose of bishydroxy
coumarin.

Treated baits should be
placed in locations not
accessible to children,
pets, wildlife and domes-
tic animals, or in tamper-
proof bait boxes. Do not
contaminate water by
cleaning of equipment, or
disposal of wastes. Apply
this product only as
specified on this label.

ACTIVE INGREDIENT

Warfarin
3-(*o*-acetylbenzyl)
4-hydroxycoumarin 0.021%
INERT INGREDIENTS 99.979%

CAUTION

KEEP OUT OF REACH OF CHILDREN
HARMFUL OR FATAL IF SWALLOWED
See other precautions on the side panel.

**OCEAN STATE
MOUSE and RAT
KILLER**

USE IN BARN

APPLICATION RATE

Barns
Barns
Barns
Barns

MODE OF ACTION

FORMULATION

KILLER MOUSE and RAT OCEAN STATE

DIRECTIONS: FOR NORWAY RATS

PLACE 1 OZ. TO 1 LB. OF BAIT IN LOCATION FREQUENTED BY RATS. PROTECT FROM CHILDREN. BAIT SHOULD BE REPLACED AS NEEDED. UNINTERRUPTED SUPPLY SHOULD BE MAINTAINED FOR AT LEAST 15 DAYS. CONTACT WITH HANDS SHOULD BE AVOIDED.

PREPARED BY
OCEAN STATE
PEST CONTROL PRODUCTS
CRANSTON, R.I.

DIRECTIONS: FOR HOUSE MICE.

PLACE 1/4 OZ. TO 1/2 OZ. OF BAIT IN LOCATION FREQUENTED BY MICE. BAIT SHOULD BE PLACED AT 8-12 FOOT INTERVALS. PROTECT FROM CHILDREN. BAIT SHOULD BE REPLACED AS NEEDED. UNINTERRUPTED SUPPLY SHOULD BE MAINTAINED FOR AT LEAST 15 DAYS. CONTACT WITH HANDS SHOULD BE AVOIDED.

EPA REG. NO. 34867-1

Manufactured and distributed by

OCEAN STATE
PEST CONTROL PRODUCTS

Cranston, Rhode Island 02920

UNLAWFUL TO REUSE

domestic animals and pets. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses by bishydroxy coumarin.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

OCEAN STATE

**MOUSE
and RAT
KILLER**

NET WT.
14 OZS.

ACTIVE INGREDIENT

Warfarin

1-(4-chlorophenyl)-3-(3-dimethylphenyl)-5-hydroxyisobenzofuran

1-hydroxy-2-naphthol

INERT INGREDIENTS 99.970

CAUTION

KEEP OUT OF REACH OF CHILDREN
HARMFUL OR FATAL IF SWALLOWED

**OCEAN STATE
MOUSE and RAT
KILLER**

**TO CONTROL NORWAY
RATS, ROOF RATS AND
HOUSE MOUSE**

GENERAL DIRECTIONS

Place baits in locations where rats and mice feed, water, and/or travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable.

Contaminated or spoiled baits should be replaced promptly.

USER TYPE

Unspecified general use
Homeowner use
Pest control operator use

APPLICATION SITES


Outdoor
(Residential/Commercial)
Buildings (Agricultural)
Buildings (Commercial)
Buildings (Food Processing)
Buildings (Residential)

MODE OF ACTION

Poison *(Multiple Dose)*

FORMULATION

Pelleted for rodents



OCEAN STATE

MOUSE
and **RAT**
KILLER

NET WT.
14 OZS.

ACTIVE INGREDIENT

Warfarin

3-(α -acetonylbenzyl)

4-hydroxycoumarin 0.021%.

• INERT INGREDIENTS 99.979%.

CAUTION

KEEP OUT OF REACH OF CHILDREN.
HARMFUL OR FATAL IF SWALLOWED

See other precautions on the side panel

OCEAN STATE
MOUSE and **RAT**
KILLER

TO CONTROL NORWAY
RATS, ROOF RATS AND
HOUSE MOUSE

GENERAL DIRECTIONS

For general directions on the use of this product, see the label on the container. For detailed directions on the use of this product, see the label on the container.

USER TYPE

Professional
Home Use

APPLICATION SITES

Outdoor
Buildings
Buildings
Buildings
Buildings

MODE OF ACTION

FORMULATION

