

# 10% QUAT RINSE

**ACTIVE INGREDIENTS:**

Alky (C14, 50%; C12, 40%; C16, 10%)

dimethyl benzyl ammonium chloride.....10.00%

INERT INGREDIENTS.....90.00%

TOTAL INGREDIENTS.....100.00%

This product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in water up to 700ppm of hardness calculated CaCO3 when tested by the A.O.A.C. Germicidal and Detergent Sanitizers-"Official Method."

"This disinfectant is effective at 1 oz./gal. against Pseudomonas aeruginosa PRD-10, Salmonella choleraesuis ATCC 10708, and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for pre-cleaned, non-porous hard surfaces. This disinfectant is an effective virucide against influenza virus Type A Brazil at 1 oz./gal. on pre-cleaned, non-porous hard surfaces.

When used as directed, this product is an effective disinfectant, deodorant. This product mixes well with water to form clear, stable use solutions that are non-staining to most common metals, plastics and tile.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

"This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced on any surface or body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection."

**DANGER: KEEP OUT OF REACH OF CHILDREN**

(See Additional Precautions on Side & Back Panels)

E.P.A. EST NO. 37265-CA-01

EPA REG. NO. 37265-40

NET 64 FL. OZ. (1/2 GALLON / 1.89 L)

**ACCEPTED**  
 FEB 12 2001  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 37265-40

DISINFECTION IN HOSPITALS, RESTAURANTS, HOMES AND PUBLIC ROOMS. This product may be used on floors, walls, woodwork, bedframes, furnishings and equipment. Types of surfaces suitable for disinfection include glass, smooth metal washable painted wood or metal, vinyl, glazed porcelain, plastic, furnished leather, finished wood and similar non-porous, hard, smooth surface.

Always pre-clean surfaces with suitable detergent and rinse well with water before disinfection. After cleaning apply solution containing 1 oz. of disinfectant per gallon of water for usual disinfecting applications. For disinfecting contagious disease areas, use 1 1/2 ounces per gallon of water.

This solution should be applied using a clean mop, sponge or by a mechanical spraying device. Surface must remain moist for at least 10 minutes to assure proper germicidal action. Food contact surfaces treated with this concentration of disinfectant must be rinsed with potable water before reuse. Prepare fresh solution daily. Discard solution when visibly soiled.

FLANK AND UDDER WASHING: Use 1 oz. of Disinfectant per 4 gallons of water. Use a separate clean towel for each cow. Never dip a used towel back into the disinfectant solution. Prepare fresh solution each milking. Prepare solution in non-corrodible containers (stainless steel, plastic). Discard solutions if they become visible soiled or turbid. To prevent residue in milk, allow udder to air dry with clean towel before attaching to milker.

FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES, AND GARBAGE HANDLING EQUIPMENT - Pre-clean with a suitable detergent and rinse well, then, apply wetting solution of 2 oz. of THIS PRODUCT per gallon of water. This product has not been tested for effectiveness against MYCOBACTERIUM TUBERCULOSIS, and must not be relied upon when a Tuberculosis product is desired.


**PRECAUTIONARY STATEMENTS  
 HAZARDOUS TO HUMAN AND DOMESTIC ANIMALS  
 DANGER**

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

**STORAGE AND DISPOSAL**

STORAGE: Store in a cool, dry place away from any moisture or direct sunlight. Do not stack over 4 cases high. Open containers carefully followed by immediate closure once diluted. If leaked or spilled, soak up material separate and away from other pesticides, fertilizer, food and feed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinse water that cannot be used according to Federal or approved State procedures under subtitle C of the Resource Conservation and Recovery Act. Wastes resulting from the use of this product may be disposed of on site or at an



Approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities. If burned, stay away from smoke.

| FIRST AID   |   |
|---|---|
| Dermal exposure, Skin irritation  | If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.   |
| Ingestion   | If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| Eyes:   | If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.                                 |
| Inhalation:   | If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.   |
| HOT LINE NUMBER   |   |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information. |   |
| NOTE TO PHYSICIAN   |   |
| Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.  |   |

Distributed By: **GENLABS**  
 5568 Schaefer Ave., Chino, CA 91710 - (909) 591-8451

37265-40

2-12-2001

1/1