

GILBERT'S BEEF CONCENTRATE

(Contains RABON (R) ORAL LARVICIDE)

To prevent the development of Horn Flies, Face Flies, House Flies and Stable Flies in the manure of treated cattle

| ACTIVE INGREDIENT | By Weight |
|--|-----------|
| 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate | 0.35%* |
| INERT INGREDIENTS | 99.65%** |
| TOTAL | 100.00% |

* Each pound contains 1633 mg RABON

** Refers only to ingredients which are not larvicidal

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See below for additional
precautionary statements

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

GUARANTEED ANALYSIS

| | |
|------------------------------|-------|
| Crude Protein, not less than | 7.0% |
| Crude Fat, not less than | 1.5% |
| Crude Fiber, not more than | 20.0% |
| Ash, not more than | 11.0% |

FEED INGREDIENTS: Processed Grains

Manufactured by

A. L. GILBERT COMPANY
Oakdale, California

EPA Reg. No. 37983-4 070176

U. S. Patent No. 2,102,842

50 LBS NET WEIGHT

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Mix GILBERT'S BEEF CONCENTRATE with other ingredients and feed to feeder cattle weighing 400 to 1200 pounds at the rate of one-half (1/2) pound per head per day. GILBERT'S BEEF CONCENTRATE must be blended into the total ration. Start feeding early in the spring before flies begin to appear and continue feeding through the summer and into fall until cold weather restricts fly activity.

GILBERT'S BEEF CONCENTRATE may be fed up to slaughter, and to lactating dairy cows.

GILBERT'S BEEF CONCENTRATE prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around feed lots and buildings to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around feed lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control GILBERT'S BEEF CONCENTRATE should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

.....
.....
.....
.....
.....

GILBERT'S BEEF CONCENTRATE

3-7783-4