

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge treated effluent into lakes, streams, ponds or public waters, unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

2. PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

- a) Reseal container and offer for reconditioning, or
- b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

4. GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.



BIOHIBIT B-711

ACTIVE INGREDIENT

Didecyl dimethyl ammonium chloride .50%

INERT INGREDIENTS

.50%

TOTAL

100%

This product weighs 7.73 pounds per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

See Side Panel For Additional Precautionary Statements

EPA ESTABLISHMENT NO. 38231-OK-01
38231-CA-01

EPA REGISTRATION NO. 38231-9

NET CONTENTS: 5.5 Gallons Liquid

It is a violation in manner incon

BIOHIBIT B-711 for use in containers found in systems and c

- 1 For the reducing of sal system 711 (1) -3: tnuously, dependi g
- 2 For intern (active) b barrels or four times.

Add **BIOHIBIT** proper type of weighs 7.73 lb

MANUFACTURER
C-E Natco
A Subsidiary
Combustion
P O Box 1
Tulsa, Okla
918/584-5

ENTS
Animals
DS
Apply in marine
contaminate
disposal of
ent into lakes.
ness in accor-
ance, contact

AL
feed by stor-
prohibited.

e that cannot
should be dis-
pesticides or
ater supplies

recondition-
Offer for rec-
al in approved

posal authori-
dures

S

BIOHIBIT B-711

ACTIVE INGREDIENT

Didecyl dimethyl ammonium chloride . 50%

INERT INGREDIENTS . 50%

TOTAL . 100%

This product weighs 7.73 pounds per gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See Side Panel For Additional Precautionary Statements

EPA ESTABLISHMENT NO. 38231-OK-01
38231-CA-01

EPA REGISTRATION NO. 38231-9

NET CONTENTS 55 Gallons Liquid

DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

OILFIELD SYSTEMS

BIOHIBIT B-711 is a highly effective microbiocide for use in controlling the growth of fungi and bacteria found in produced water, secondary recovery systems and disposal systems.

1. For the control of slime forming and sulfate reducing bacteria in oilfield water flood or disposal systems, add 5-10 ppm (active) Biohibit B-711 (1.1-3 gallons per 3000 barrels of water) continuously. Levels for effective control will vary depending on conditions at the site.
2. For intermittent use, dose at a rate of 5-20 ppm (active) Biohibit B-711 (1.1-6 gallons per 3000 barrels of water) for 4-8 hours per day, one to four times a week as needed to maintain control.

Add **BIOHIBIT B-711** directly from the drum with proper type of metering equipment. This product weighs 7.73 lbs/gallon (at 20°C).

MANUFACTURED BY

C-E Natco Chemicals
A Subsidiary of
Combustion Engineering, Inc.
P.O. Box 1710
Tulsa, Oklahoma 74101
918-584-5511